

# Lyriox UV-C DEVICES

15W & 25W models are mostly for above ground pools or swim spas.

<i>FGD CODE</i>	<b>DESCRIPTION</b>	<b>Recommended flow to get 30 mJ/cm<sup>2</sup> (m<sup>3</sup>/h)*</b>	<b>Max flow (m<sup>3</sup>/h)</b>	<b>Max pool volume (m<sup>3</sup>)</b>	<b>Dimensions</b>	<b>Weight</b>
82100	Lyriox UV-C 15W	2	7	15	55x20x9cm	3.3Kg
82101	Lyriox UV-C 25W	2	10	25	55x20x9cm	3.3Kg
82102	Lyriox UV-C 30W	4	15	30	100x20x9cm	4.3Kg
82103	Lyriox UV-C 50W Compact	5	15	50	37x55x12cm	3,3Kg
82104	Lyriox UV-C 55W	8	20	55	100x20x9cm	4.3Kg
82105	Lyriox UV-C 75W	10	25	75	100x20x9cm	4.3Kg
82106	Lyriox UV-C 110W	15	25	110	100x22x15cm	8Kg

## 1. Affordable & sustainable UV-C treatment solution for pools & spas

- New range of affordable UV-C treatment systems for all residential pools & spas
- Corrosion free : 100% made of PVC, hence fully compatible with salt water
- Integrated ballast casing for a clean integration in the pool pad
- High quality Osram UV lamp with 9 000 h lifespan (equivalent to 2 pool seasons)

## 2. Eco-friendly sanitation

- UV-C is a safe, eco-friendly and very efficient disinfection method
- Drastically reduces the use of residual disinfection products (chlorine, active oxygen...)
- Adapted to all pool & spa types, finishes and water treatments

## 3. Compact & easy to install

- A range of compact products to be easily integrated in the pool pad
- Easy to install on a bypass thanks to its A-shape with provided unions (50 or 63mm depending on sku)
- Specific Compact model with a U-shape design for an even easier installation





- 100% made of PVC = corrosion free
- White tube & white ballast casing
- Grey T-fittings & unions
- Unions included (50mm for models up to 55W, 63mm on 75 & 110W models)
- 5 m mains supply cable with male plug (type F)

