

**MADE
IN
ITALY**

PIUSI
®


Fluid Handling Innovation


LISTINO PREZZI
PRICE LIST

03.17


INDICE

SETTORE	DESCRIZIONE	SECTOR	DESCRIPTION	PAG
Atex	Linea ATEX explosion proof	Atex	ATEX explosion proof range	4
Distributori	Cube	Dispenser	Cube	5
	Accessori per Cube e Self Service		Accessories for Cube and Self Service	5
	Self Service		Self Service	6
	MC Box, Software, Data transfer		MC Box, Software, Data transfer	7
	Ocio		Ocio	7
	Hardware - Software 2.0		Hardware - Software 2.0	8
	ST stazioni elettriche		ST Dispenser	9
	ST Box		ST Box	10
	Drum - Unità di travaso gasolio per fusti		Drum - Diesel transfer units for drums	10
	PIT Stop		PIT Stop	11
	ST 200		ST 200	11
Access 85	Access 85	11		
Pompe	Carry 3000 - Battery Kit - PiusiBox - Pico	Pumps	Carry 3000 - Battery Kit - PiusiBox - Pico	12
	Elettropompe		Electropumps	13
	Viscomat		Viscomat	14
	Pompe Pneumatiche a membrana		Air Operated Membrane Pumps	15
	Pompe a mano		Hand pumps	16
Contaltri	Contaltri meccanici	Meters	Mechanical meters	16
	Contaltri elettronici		Electronic meters	16
	Contaltri Pulsers		Pulse-Meters	17
	Display remoto con emettitore di impulsi		Remote display with pulse transmitter	17
Pistole	Pistole Manuali	Nozzles	Manual nozzles	17
	Pistole Automatiche con swivel		Automatic Nozzles with swivel	17
	Pistole Olio		Oil Nozzles	18
	Pistole contaltri Olio		Oil Nozzle meters	18
Attrezzature speciali	Vacubox	Special equipments	Vacubox	19
	Cambiaolio		Cambiaolio	19
	Depuroil - Filtrroll diesel/oil		Depuroil - Filtrroll diesel/oil	19
	Viscotroll		Viscotroll	20
Accessori	Arrotolatori	Accessories	Hose reels	20
	Tubi		Hoses	22
	Connettori		Connectors	22
	Filtri		Filters	23
	Collegamenti		Fittings	24
	Connessioni Flangiate		Flanged connections	25
	Dumbox		Dumbox	25
Soluzioni per AdBlue®	Erogatori	Transfer systems for AdBlue®	Dispensers	26
	Pompe		Pumps	27
	Contaltri, Contaltri-pulser		Meters, Pulse-meters	28
	Pistole		Nozzles	28
	Sistemi di controllo		Control systems	28
	Arrotolatori e Tubi		Hose reels and Hoses	29
	Accessori		Accessories	29
Indice per codice		Index code		30
Condizioni generali	Condizioni generali di vendita	Conditions	General sales conditions	40
	Licenza d'uso		Software license	43


COD.	MODELLO	MODEL	VOLT/HZ	EURO	
LINEA ATEX EXPLOSION PROOF - ATEX EXPLOSION PROOF RANGE					
	F00371000	Pompa ATEX EX50 (singola)	Atex Pump EX50 (only)	12	338,25
	F00372020	Pompa ATEX EX50 + porta pistola + attacco Drum 2" BSP	Atex Pump EX50 + Nozzle Holder + Drum Connector 2" BSP	12	360,80
	F0037300A	Pompa EX50 230V	Pump EX50 230V	230/50-60	361,83
	F0037402A	Pompa EX50 230V + porta pistola + attacco 2" BSP	EX50 230V pump + nozzle holder + 2" BSP connector	230/50-60	384,38
NEW	F00380000	Pompa EX75 Pompa ATEX EX75 (singola)	Atex Pump EX75 (only)	12	389,50


	Tank + Filtro + Cavo	Tank + Filter + Cable			
	F00372030	Pompa ATEX EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + cavo 4 mt	Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable	12	522,75
	F00372040	Pompa ATEX EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + cavo 4 mt	Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable	12	594,50


	Tank + Filtro	Tank + Filter			
	F00372000	Pompa ATEX EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua	Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable	12	484,83
	F00372010	Pompa ATEX EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua	Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + 4 mt cable	12	556,58
	F0037400A	EX50 230V + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua	EX50 230V + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter	230/50-60	508,40
	F0037401A	EX50 230V + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua	EX50 230V + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter	230/50-60	580,15

	Tank + Filtro + Contaltri + Cavo	Tank + Filter + Meter + Cable			
	F0037502A	Pompa ATEX EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contaltri K33 ATEX + cavo 4 mt	Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 ATEX mechanical meter + 4 mt cable	12	738,00
	F0037503A	Pompa ATEX EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contaltri K33 ATEX + cavo 4 mt	Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 ATEX mechanical meter + 4 mt cable	12	809,75



	Tank + Filtro + Contaltri	Tank + Filter + Meter			
	F0037500A	Pompa ATEX EX50 + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contaltri K33 ATEX	Atex Pump EX50 + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 ATEX mechanical meter	12	700,08
	F0037501A	Pompa ATEX EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contaltri K33 ATEX	Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 ATEX mechanical meter	12	771,83
	F0037600B	EX50 230V + pistola manuale + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contaltri K33 ATEX	EX50 230V pump + manual nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 ATEX mechanical meter	230/50-60	723,65
	F0037601B	Pompa ATEX EX50 + pistola automatica + tubo aspirazione rigido + tubo mandata 4 mt + filtro separatore acqua + contaltri K33 ATEX	Atex Pump EX50 + automatic nozzle + telescopic suction pipe + 4 mt delivery hose + water absorbing filter + K33 ATEX mechanical meter	230/50-60	795,40





	Stazioni elettriche	St Unit			
	F00377000	Pompa ATEX EX50 + pistola automatica + pannello + tubo mandata 4 mt + pannello murale + contaltri K33 ATEX	Atex Pump EX50 + automatic nozzle + wall plate + 4 mt delivery hose + wall plate + K33 ATEX mechanical meter	230/50-60	717,50

	Contaltri	Meter			
	F0057000A	Contaltri K33 ver. A ATEX	K33 meter ver. A ATEX		205,00
	F0057001A	Contaltri K33 ver. B ATEX	K33 meter ver. B ATEX		205,00
	F0057002A	Contaltri K33 ver. C ATEX	K33 meter ver. C ATEX		205,00
	F0057003A	Contaltri K33 ver. D ATEX	K33 meter ver. D ATEX		205,00

	F00408X00	K24 ATEX M/F 1" BSP ATEX/IECEX	K24 ATEX M/F 1" BSP ATEX/IECEX		292,13
	F00408Y00	K24 ATEX pulser M/F 1" BSP ATEX/IECEX	K24 ATEX pulser M/F 1" BSP ATEX/IECEX		126,08

ACCESSORI - ACCESSORIES

	F18624000	Pressacavo EXD1/2NPT ATEX/IECEX	Cable gland EXD1/2NPT ATEX/IECEX		17,94
	F18626000	Kit Cavo 4m + Pressacavo ATEX/IECEX	Cable Kit 4m + Cable gland ATEX/IECEX		40,59
	F00613020	Pistola automatica ATEX	Atex Automatic Nozzle		107,63
	00065003A	Pistola manuale Self 3000 1" BSP - estrema per benzina verde	Self 3000 manual nozzle 1" BSP - unleaded spout		37,67
	F1815100A	Tubo benzina D.20 L=4m 1"x1"-PARKER	Gasoline hose D.20 L=4m 1"x1"-PARKER		60,37

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
CUBE DISTRIBUTORI - CUBE DISPENSERS					
		con contaltri meccanico	with mechanical meter		
	00057500C	Cube 56/33	Cube 56/33	230/50	523,62
	F0057600C	Cube 56/33 DC 12V	Cube 56/33 DC 12V	12	524,02
	F0059100A	Cube 70/33	Cube 70/33	230/50	633,66
	F0057700C	Cube 70/33 DC 24V	Cube 70/33 DC 24V	24	560,87
	NEW F00592000	Cube 90/44	Cube 90/44	230/50	744,15
		con gestione multi-utente	with multi user management		
	F0059400C	Cube 70 MC 50 utenti	Cube 70 MC 50 users	230/50	1.451,13
	F0059415B	Cube 70 MC 120 utenti	Cube 70 MC 120 users	230/50	1.901,38
	F0059413B	Cube 70 MC DC 12V 50 utenti	Cube 70 MC DC 12V 50 users	12	1.466,78
	F0059414B	Cube 70 MC DC 24V 50 utenti	Cube 70 MC DC 24V 50 users	24	1.522,19
	F00594220	Cube 70 MC DC 12V 120 utenti	Cube 70 MC DC 12V 120 users	12	1.917,02
		con pulse out	with pulse out		
	F0059500A	Cube 70 MC PRESET Puls Out	Cube 70 MC PRESET Puls Out	230/50	1.343,78
	F00595500	Cube 70 MC LITE 20 utenti (no connessione a pc)	Cube 70 MC LITE 20 users * (no pc connection)	230/50	1.218,73





Dotazioni:

- Art. 00057500C-F0057600C-F0059100A-F0057700C Struttura autoportante in lamiera, elettropompa volumetrica autoadescante con interruttore on/off, Contaltri K33, mt.4 Tubo Erogazione, Pistola Automatica A60, raccordi-morsetti.
- Art. F00592000 Struttura autoportante in lamiera, elettropompa volumetrica autoadescante Panther 90 con interruttore on/off, Contaltri K44, mt.4 Tubo Erogazione, Pistola Automatica A120, raccordi-morsetti.
- Art. F0059400C - Art. F0059415B: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (50 utenti-120 utenti), quadro elettrico di comando.
- Art. F0059413B - F0059414B: Struttura autoportante in lamiera, elettropompa Panther DC, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (50 utenti) DC.
- Art. F0059500A: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, sistema di preselezione della quantità erogata e contatore K600 con emettitore di impulsi.

Equipments:

- Art. 00057500C-F0057600C-F0059100A-F0057700C Steel cabinet, volumetric self-priming electric pump, K33 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle A60.
- Art. F00592000 Steel cabinet, volumetric self-priming Panther 90 electric pump, K44 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle A120.
- Art. F0059400C - Art. F0059415B: Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (50 users - 120 users), power box.
- Art. F0059413B - F0059414B: Steel cabinet, Panther DC, suction filter, mt. 4 delivery hose, automatic nozzle, fuel monitoring system "MC" (50 users) DC.
- Art. F0059500A Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, system of pre-selecting the quantity to be dispensed and K600 pulse meter with pulse transmitter.

ACCESSORI - ACCESSORIES

	per Cube:	for Cube:		
	F1270800C	Kit piedistallo colore NERO	Pedestal color BLACK	225,50
	R12737000	Kit staffe a muro	Kit wall support	34,55
	R12738000	Kit lucchetto Cube MC (lucchetto escluso)	Kit lock Cube MC (Key lock not included)	12,67
	F15904000	User Key Gialla (N. 10 PZ) IB-PIUSI	KIT Nr. 10 pcs User Key Yellow	131,20
	F12496000	Chiave Gestore colore Rosso	Manager Key color Red	54,43

Dotazioni:





- Art. F1271000C: USB convertitore, adattatore, software.
- Art. F14144040: 1 chiave manager, 10 chiavi utenti colore giallo, 1 lettore chiave con adattatore USB + software.

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

Equipments:

- Art. F1271000C: USB converter, adaptor, software.
- Art. F14144040: 1 manager key, 10 user keys yellow color, 1 key reader with USB adaptor, software.

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
		con contaltri meccanico	with mechanical meter		
	F0073701B	Self Service 70 K44 F	Self Service 70 K44 F	230/50	1.366,48
	F00737B0B	Self Service TANK 70 K44	Self Service TANK 70 K44	230/50	1.179,33
	F00737B2B	Self Service TANK 70 K44 PULSER	Self Service TANK 70 K44 PULSER	230/50	1.360,72
					
	F0074001B	Self Service 100 K44 F	Self Service 100 K44 F	230/50	1.735,31
	F0074002A	Self Service 100 K44 F PULSER	Self Service 100 K44 F PULSER	230/50	1.741,35
	F00740B0B	Self Service TANK 100 K44	Self Service TANK 100 K44	230/50	1.445,37
		con contaltri e gestione multi-utente	with meter and multi-user management system		
	F0073801C	Self Service 70 MC F	Self Service 70 MC F	230/50	1.885,31
	F00738060	Self Service 70 MC F 7mt PRINTER	Self Service 70 MC F 7mt PRINTER	230/50	2.435,82
	F00738B0C	Self Service TANK 70 MC	Self Service TANK 70 MC	230/50	1.707,96
	F0073900B	Self Service 70 FM	Self Service 70 FM	230/50	3.224,73
	F00739B0B	Self Service TANK 70 FM	Self Service TANK 70 FM	230/50	3.047,38
					
	F0074101C	Self Service 100 MC F	Self Service 100 MC F	230/50	2.260,77
	F00741B0C	Self Service TANK 100 MC	Self Service TANK 100 MC	230/50	2.045,40
	F0074200B	Self Service 100 FM	Self Service 100 FM	230/50	3.600,18
	F00742B0B	Self Service TANK 100 FM	Self Service TANK 100 FM	230/50	3.384,82

Dotazioni:

- Art. F0073701B-F0074001B Colonnina in metallo h.= 1387 mm, elettropompa Panther 72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, contaltri K44, quadro elettrico di comando, filtro separatore d'acqua
- Art. F00737B0B-F00740B0B Colonnina in metallo h.= 990 mm, elettropompa Panther 72/E120, filtro aspirazione, mt.4 tubo erogazione, pistola automatica, contaltri K44, quadro elettrico di comando.
- Art. F00737B2B Colonnina in metallo h.= 990 mm, elettropompa Panther 72, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, contaltri pulser K44 con emettitore di impulsi, quadro elettrico di comando.
- Art. F0073801C - F0074101C: Colonnina in metallo h.=1387 mm, elettropompa Panther 72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro separatore d'acqua, lettore chiave.
- Art. F00738060: Colonnina in metallo h.=1387 mm, elettropompa Panther 72, filtro aspirazione, mt. 7 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, lettore chiave.
- Art. F0073900B - F0074200B: Colonnina in metallo h.=1387 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "FM" (120 utenti), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.
- Art. F00738B0C-F00741B0C: Colonnina in metallo h.=990 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, lettore chiave.
- Art. F00739B0B-F00742B0B: Colonnina in metallo h.=990 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "FM" (120 utenti), quadro elettrico di comando, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.

Equipments:

- Art. F0073701B-F0074001B Steel cabinet h.=1387 mm., Panther 72/E120 Pump, suction filter, mt. 4 hose, Automatic nozzle, K44 meter, power box, water separation filter.
- Art. F00737B0B-F00740B0B Steel cabinet h.=990 mm., Panther 72/E120 Pump, suction filter, mt. 4 hose, Automatic nozzle, K44 meter, power box.
- Art. F00737B2B Steel cabinet h.=990 mm., Panther 72, suction filter, mt. 4 hose, Automatic nozzle, K44 pulse meter, power box.
- Art. F0073801C - F0074101C: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, water separator filter, i-button data system.
- Art. F00738060: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 7 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, water separator filter, ticket printer, i-button data system.
- Art. F0073900B - F0074200B: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "FM" (120 users), power box, water separator filter, ticket printer OCIO level control, i-button data system.
- Art. F00738B0C-F00741B0C: Steel cabinet h.=990 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, i-button data system.
- Art. F00739B0B-F00742B0B: Steel cabinet h.=990 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "FM" (120 users), power box, ticket printer, OCIO level control, i-button data system.

COD.	MODELLO	MODEL	VOLT/HZ	EURO
PANNELLO ELETTRONICO - ELECTRONIC CONTROL PANEL				
F1398000C	Kit MC BOX 230V 80 utenti	Kit MC BOX 230V 80 users	230/50	898,32
F1398005B	Kit MC BOX 230V 120 utenti	Kit MC BOX 230V 120 users	230/50	1.348,56
F1398001B	Kit MC BOX 12V 120 utenti	Kit MC BOX 12V 120 users	12	1.348,56
F1398002B	Kit MC BOX 24V 120 utenti	Kit MC BOX 24V 120 users	24	1.348,56
F1398010A	Kit MC BOX Preset puls out (con emettitore di impulsi)	Kit MC BOX Preset puls out (pulse transmitter)	85-260V 50-60Hz	790,28
F13981000	MC BOX Lite, 4 chiavi user configurate, fino a 20 utenti	MC BOX Lite, 4 user key configured, up to 20 users	230/50	666,25



SOFTWARE

NEW	F00773010	SELF SERVICE MANAGEMENT 2018 - USB	SELF SERVICE MANAGEMENT 2018 - USB	310,00
NEW	F00773210	SELF SERVICE MANAGEMENT 2018 - WEB	SELF SERVICE MANAGEMENT 2018 - WEB	250,00



DATA TRANSFER

F12710050	PW-LAN	PW-LAN		256,25
F12710040	PW-WIFI	PW-WIFI		410,00
F1271009A	PW STATION WIFI	PW STATION WIFI		358,75
F12496000	Chiave Gestore colore Rosso	Manager Key color Red		54,43
F12262010	Kit lettore chiavi	Kit Key reader		107,63
F13292000	PW14 - USB converter	PW14 - USB converter		207,31



* Programma ceduto in licenza d'uso regolamentata dal relativo con tratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

OCIO

Ocio	F0075510D	Ocio indicatore di livello RS OUT fino a 30 CsT	Ocio Level indicator RS OUT up to 30 CsT	230/50	336,82
		Accessori	Accessories		
	F12939000	Kit per Olio	Kit pipe for Oil		33,52
	F00755SBA	Kit Wi-Fi Ocio Desk single tank*	Kit Wi-Fi Ocio Desk single tank*		620,13
Ocio Desk	F00755S1A	Ocio Desk SingleTank (PC interfaccia + software* per 1 serbatoio)	Ocio Desk SingleTank (PC interface + software* for 1 tank)		434,60
	F00755S0C	Ocio Desk MultiTank 4 (PC interfaccia + software* per 4 serbatoi)	Ocio Desk MultiTank 4 (PC interface + software* for 4 tanks)		760,55
	F00755S2A	Ocio Desk MultiTank 8 (PC interfaccia + software* per 8 serbatoi)	Ocio Desk MultiTank 8 (PC interface + software* for 8 tanks)		1.005,01
	F00755S3A	Ocio Desk MultiTank 12 (PC interfaccia + software* per 12 serbatoi)	Ocio Desk MultiTank 12 (PC interface + software* for 12 tanks)		1.249,48
Ocio GSM	F00755G50	Ocio GSM Quad band SMS	Ocio GSM Quad band SMS		928,96
	F00755G20	Espansione Ocio GSM da 2 a 4 serbatoi	Expansion Ocio GSM tanks 2 - 4		217,30
	F00755G40	Espansione Ocio GSM da 5 a 8 serbatoi	Expansion Ocio GSM tanks 5 - 8		325,95



Dotazioni:


- Art. F0075510D Sistema di monitoraggio del livello, con RS out, tubo 10 m e diam. 5 mm, con terminale in ottone.
- Art. F00755SBA Dispositivo elettronico con antenna PW-WiFi, CD software Ocio desk single tank+driver PW14, CD ROM driver per convertitore 485-ETHER.

* Programma ceduto in licenza d'uso regolamentata dal relativo con tratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

Equipments:

- Art. F0075510D Level control system with RS out 10m. hose diam. 5mm and brass bottom weight.
- Art. F00755SBO Electronic device + access point PW-Wi-Fi, CD software Ocio desk single tank +driver PW14, CD ROM driver converter 485-ETHER.

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
HARDWARE - SOFTWARE 2.0					
	NEW	Distributore Cube 2.0	Cube 2.0 dispenser		
	F00596000	Cube 70 MC 2.0	Cube 70 MC 2.0	230/50	On Request
	NEW	Cube 90 MC 2.0	Cube 90 1MC 2.0	230/50	On Request
		Distributore self service 2.0	2.0 Self service dispenser		
	F00743010	Self Service 100 FM 2.0	Self Service 100 FM 2.0	230/50	On Request
	F00743020	Self Service 100 MC 2.0	Self Service 100 MC 2.0	230/50	On Request
		Pannello elettronico 2.0	Electronic control panel 2.0		
	F00597010	MCBOX LAN 2.0	MCBOX LAN 2.0	90-240/ 50-60	On Request
	F0059702A	MCBOX WIFI 2.0	MCBOX WIFI 2.0	90-240/ 50-60	On Request
		Ocio 2.0	Ocio 2.0		
	F0075521A	Level IND. Ocio Wifi 2.0	Level IND. Ocio Wifi 2.0	230-50/60	On Request
	F00755220	Level IND. Ocio 2.0 RS485	Level IND. Ocio 2.0 RS485	230-50/60	On Request
	F00755260	Level IND. Ocio MC 2.0	Level IND. Ocio MC 2.0	230-50/60	On Request
		Software 2.0 versione usb*	Software 2.0 usb version*		
	F00772000	SSM 2.0 Client Software - usb	SSM 2.0 Client Software - usb		On Request
	F00772010	SSM 2.0 Standard Software - usb	SSM 2.0 Standard Software - usb		On Request
	F00772020	SSM 2.0 Professional Software - usb	SSM 2.0 Professional Software - usb		On Request
	F00772030	SSM 2.0 Enterprise Software - usb	SSM 2.0 Enterprise Software - usb		On Request
	F00772040	SSM 2.0 Ultimate Software - usb	SSM 2.0 Ultimate Software - usb		On Request
		Software 2.0 versione web*	Software 2.0 web version*		
	F00772200	SSM 2.0 Client-Web edition Software	SSM 2.0 Client-Web edition Software		On Request
	F00772210	SSM 2.0 Standard-Web edition Software	SSM 2.0 Standard-Web edition Software		On Request
	F00772220	SSM 2.0 Professional-Web edition Software	SSM 2.0 Professional-Web edition Software		On Request
	F00772230	SSM 2.0 Enterprise-Web edition Software	SSM 2.0 Enterprise-Web edition Software		On Request
	F00772240	SSM 2.0 Ultimate-Web edition Software	SSM 2.0 Ultimate-Web edition Software		On Request
		Kit Upgrade Self Service	Kit Upgrade Self Service		
	F19225000	Kit upgrade Self Service MC 2.0-LAN	Kit upgrade Self Service MC 2.0-LAN		On Request
	F19226000	Kit upgrade Self Service FM 2.0-LAN	Kit upgrade Self Service FM 2.0-LAN		On Request
		Accessori	Accessories		
	F12262010	Kit lettore chiavi	Kit Key reader		107,63
	F1271012A	PW Wifi 2.0	PW Wifi 2.0		On Request
	F15904000	Chiave autista gialla (10 pz)	Yellow driver key (10 pz)		On Request
	F17299000	Chiave veicolo blu (10 pz)	Blue vehicle key (10 pz)		On Request
NEW	F20552000	Chiave Manager 2.0	Manager Key 2.0		On Request

Dotazioni:

- Art. F00596000: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro elettrico di comando.
- Art. F00596100: Struttura autoportante in lamiera, elettropompa Panther 90, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro elettrico di comando.
- Art. F00743010: Colonnina in metallo h.=1387 mm, elettropompa E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.
- Art. F00743020: Colonnina in metallo h.=1387 mm, elettropompa E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, collegamento LAN (software self service management 2.0 obbligatorio), quadro elettrico di comando, filtro separatore d'acqua, lettore chiave.

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

Equipments:

- Art. F00596000: Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box.
- Art. F00596100: Steel cabinet, Panther 90, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box.
- Art. F00743010: Steel cabinet h.=1387 mm., E120 pump, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box, water separator filter, ticket printer OCIO level control, i-button data system.
- Art. F00743020: Steel cabinet h.=1387 mm., E120 pump, suction filter, mt. 4 hose, automatic nozzle, LAN connection (software self service management 2.0 compulsory), power box, water separator filter, i-button data system.

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

ST STAZIONI ELETTRICHE - ST UNITS



	Senza contaltri	Without meter		
000266P00	ST Panther 56/M	ST Panther 56/M	230/50	234,60
000286P00	ST Panther 56/M A60	ST Panther 56/M A60	230/50	303,52
000214000	ST E 80/M	ST E 80/M	230/50	374,87
000244000	ST E 80/M A80	ST E 80/M A80	230/50	464,36
000216000	ST E 120/M	ST E 120/M	230/50	483,71
000252000	ST E 120/M A120	ST E 120/M A120	230/50	555,67
000248000	ST Viscomat 70/M	ST Viscomat 70/M	230/50	396,31



	Con contaltri	With meter		
F00385P0A	ST Panther 56/M K33	ST Panther 56/M K33	230/50	367,62
F00287P0A	ST Panther 56/M K33 A60	ST Panther 56/M K33 A60	230/50	436,55
000390000	ST E 80/M K33	ST E 80/M K33	230/50	507,90
000392000	ST E 80/M K33 A80	ST E 80/M K33 A80	230/50	597,38
000395000	ST E 120/M K33	ST E 120/M K33	230/50	617,93
000397000	ST E 120/M K33 A120	ST E 120/M K33 A120	230/50	689,90
000256000	ST Viscomat 70/M K33	ST Viscomat 70/M K33	230/50	530,53



	Con contaltri-filtro separatore acqua	With meter and water-absorbing filter		
F00386F60	ST Panther 56 K33 A60 Filtro senza tubo aspir.	ST Panther 56 K33 A60 Filter without suction hose	230/50	466,38
F00386F0A	ST Panther 56 K33 A60 Filtro con tubo aspir.	ST Panther 56 K33 A60 Filter with suction hose	230/50	591,43
F00265F0A	ST Panther 72 K33 A60 Filtro con tubo aspir.	ST Panther 72 K33 A60 Filter with suction hose	230/50	627,30
F00265F40	ST Panther 72 K33 A60 Filtro senza tubo aspir.	ST Panther 72 K33 A60 Filter without suction hose	230/50	502,25
F00395F0A	ST E120 K33 A120 Filtro con tubo aspir.	ST E120 K33 A120 Filter with suction hose	230/50	849,73
F00395F60	ST E120 K33 A120 Filtro senza tubo aspir.	ST E120 K33 A120 Filter without suction hose	230/50	724,68

	Con contaltri e filtro clear captor	with meter and clear captor filter		
F00265F3A	ST Panther 72 K33 A60 Filtro CC, con tubo aspir.	ST Panther 72 K33 A60 CC Filter with suction hose	230/50	591,43
F00265R70	ST Panther 72 K24 A80 Filtro CC con tubo aspir.	ST Panther 72 K24 A80 CC Filter with suction hose	230/50	553,50
F00265S20	ST Panther 72 K24 f a60 6mt	ST Panther 72 K24 f a60 6mt	230/50	525,83
F00386R70	ST Panther 56 K33 cc/6mt/pa60	ST Panther 56 K33 cc/6mt/pa60	230/50	473,55

Dotazioni:

- Art. 000266P00 - 000214000 - 000216000 - 000248000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola manuale, raccordi.
- Art. 000286P00 - 000244000 - 000252000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola automatica, raccordi.
- Art. F00287P0A - 000392000 - 000397000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola automatica, raccordi, contaltri.
- Art. F00385P0A - 000390000 - 000395000 - 000256000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola manuale, raccordi, contaltri.
- Art. F00386F0A - F00265F0A - F00395F0A - F00265F3A - F00265R70. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro separatore acqua in aspirazione, mt. 6 tubo di erogazione, mt. 4 tubo di aspirazione, pistola automatica, raccordi, contaltri.
- Art. F00386F60 - F00265F40 - F00395F60 - F00265520 - F00386R70. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro separatore acqua in aspirazione, mt. 6 tubo di erogazione, pistola automatica, raccordi, contaltri, no tubo aspirazione.

Equipments:

- Art. 000266P00 - 000214000 - 000216000 - 000248000. Wall plate, self-priming electric pump, filter, mt. 4 delivery hose, ON/OFF switch (not on three phase), manual nozzle.
- Art. 000286P00 - 000244000 - 000252000. Wall plate, self-priming electric pump, filter, mt. 4 delivery hose, ON/OFF switch (not on three phase), automatic nozzle.
- Art. F00287P0A - 000392000 - 000397000. Wall plate, self-priming electric pump, filter, K33 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle.
- Art. F00385P0A - 000390000 - 000395000 - 000256000. Wall plate, self-priming electric pump, K33 meter, mt. 4 delivery hose, ON/OFF switch, manual nozzle.
- Art. F00386F0A - F00265F0A - F00395F0A - F00265F3A - F00265R70. Wall plate, self-priming electric pump, filter, K33 meter, mt. 6 delivery hose, mt. 4 suction hose, water-absorbing filter in suction line, ON/OFF switch, automatic nozzle.
- Art. F00386F60 - F00265F40 - F00395F60 - F00265520 - F00386R70. Wall plate, self-priming electric pump, filter, K33 meter, mt. 6 delivery hose, water-absorbing filter in suction line, ON/OFF switch, automatic nozzle, no suction hose.

COD.	MODELLO	MODEL	VOLT/HZ	EURO
F00365020	ST Cassetta Panther 56 Basic	ST Box Panther 56 Basic	230/50	902,00
F00365060	ST Cassetta Panther 72 Basic	ST Box Panther 72 Basic	230/50	936,85
F00365010	ST Cassetta Panther 72 Pro	ST Box Panther 72 Pro	230/50	1.281,25
00933100A	Cassetta Metallica per Stazioni	Metal Box with Kit Lock		246,51








Dotazioni:

- Art. F00365020 cassetta con elettropompa autoadescante PANTHER 56, contalitri meccanico K33, filtro separatore acqua, mt. 6 tubo di erogazione, pistola automatica A60.
- Art. F00365010 Cassetta con elettropompa autoadescante PANTHER 72, contalitri meccanico K33, filtro separatore acqua, mt. 6 tubo di erogazione, pannello controllo pompa ACCESS, portapistola con switch, pistola automatica A60, nr.1 chiave manager rossa, nr. 4 chiavi gialle utenti.

Equipments:

- Art. F00365020 Metal Box with electric pump PANTHER 56, K33 meter, water-absorbing filter, mt. 6 delivery hose, automatic nozzle A60.
- Art. F00365010 Metal Box with electric pump PANTHER 72, K33 meter, water-absorbing filter, mt. 6 delivery hose, pump control box ACCESS, nozzle-holder with switch, automatic nozzle A60, nr.1 manager red key, nr.4 users yellow keys

UNITÀ DI TRAVASO GASOLIO PER FUSTI - DIESEL TRANSFER UNITS FOR DRUMS

	Senza contalitri	Without meter		
	000271P00 Drum 56	Drum 56	230/50	264,11
	000273P00 Drum 56 A60	Drum 56 A60	230/50	333,04
	000270000 Drum Viscomat 70	Drum Viscomat 70	230/50	383,15
	F0026100D Drum Viscomat 200/2	Drum Viscomat 200/2	230/50	339,75
	F0022201A Drum Bi-Pump 12V	Drum Bi-Pump 12V	12	473,04
	F0022203A Drum Bi-Pump 12V A120	Drum Bi-Pump 12V A120	12	545,00
	Disponibili versioni 24V	Versions 24V available		
	Con contalitri	With meter		
	000272P00 Drum 56 K33	Drum 56 K33	230/50	398,36
	000274P00 Drum 56 K33 A60	Drum 56 K33 A60	230/50	466,07
	000270010 Drum Viscomat 70 K33	Drum Viscomat 70 K33	230/50	518,75
	F0026200D Drum Viscomat 200/2 K400	Drum Viscomat 200/2 K400	230/50	524,02
	F0022205A Drum Bi-Pump 12V K33	Drum Bi-Pump 12V K33	12	606,06
	F0022207A Drum Bi-Pump 12V K33 A120	Drum Bi-Pump 12V K33 A120	12	678,02
	Disponibili versioni 24V	Versions 24V available		
	F16586000 Kit Accessori per Drum 3000	Kit Drum 3000 Accessories		52,69
	F16631000 Kit Adattatore Drum 3000 K33-Filtro	Kit Drum 3000 K33-Filter Adapter		67,65

Dotazioni:

Versioni senza contalitri

- Art. 000271P00-F0022201A-000270000-F0026100D: Elettropompa on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti.
- Art. 000273P00-F0022203A: Elettropompa on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola automatica, raccordi e morsetti.
- Art. F16586000: Tubo telescopico di aspirazione, kit attacco rapido, kit supporto pistola, kit collettore 90° nuova BP3000.
- Art. F16631000: Tubo telescopico di aspirazione, kit attacco rapido, kit supporto pistola, kit collettore 90° nuova BP3000, raccordi per montaggio filtro e contalitri K33.

Versioni con contalitri

- Art. 000272P00-F0022205A-000270010: Elettropompa on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, contalitri K33, pistola self 2000, raccordi e morsetti.
- Art. 000274P00-F0022207A: Elettropompa on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola automatica, raccordi e morsetti, contalitri.
- Art. F0026200D: Elettropompa on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, contalitri K400, pistola manuale, raccordi e morsetti.

Equipments:

Without meter versions

- Art. 000271P00-F0022201A-000270000-F0026100D: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. 000273P00-F0022203A: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, automatic nozzle, nozzle holder, telescopic suction pipe.
- Art. F16586000: Telescopic suction hose, quick coupling, nozzle holder, flanged elbow 90°.
- Art. F16631000: Telescopic suction hose, quick coupling, nozzle holder, flanged elbow 90°, connectors for K33 meter and filter.

With meter versions

- Art. 000272P00-F0022205A-000270010: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K33 meter, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. 000274P00-F0022207A: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K33 meter, automatic nozzle, nozzle holder, telescopic suction pipe, meter.
- Art. F0026200D: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K400 meter, manual nozzle, nozzle holder, telescopic suction pipe.

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

DISTRIBUTORE - DISPENSER



F00212000	Piusi PIT STOP 45 12V/14 mt	Piusi PIT STOP 45 12V/14 mt	12	1.158,25
F00213000	Piusi PIT STOP 45 24V/14 mt	Piusi PIT STOP 45 24V/14 mt	24	1.158,25

Dotazioni:

- Art. F00212000: Arrotolatore, 2 pompe BP 3000 12 Volt, 14 mt. tubo gasolio 3/4", pistola automatica A60, filtro separatore acqua.
- Art. F00213000: Arrotolatore, 2 pompe BP 3000 24 Volt, 14 mt. tubo gasolio 3/4", pistola automatica A60, filtro separatore acqua.

Equipments:

- Art. F00212000: Hosereel, 2 BP 3000 12 Volt pumps, 14 mt delivery hose 3/4", automatic nozzle A60, water captor filter.
- Art. F00213000: Hosereel, 2 BP 3000 24 Volt pumps, 14 mt delivery hose 3/4", automatic nozzle A60, water captor filter.

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

GRUPPO ST200 - ST200 DISPENSER



F00315000	Gruppo ST200	ST200 Dispenser	230/50	1.086,50



F00318000	Gruppo ST200 DC	ST200 Dispenser DC	24	1.086,50

	Accessori	Accessories		
F16860000	Kit Ruote / Maniglia ST 200	Kit Trolley / Handle ST 200		79,95
F00540000	Contaltri Meccanico K700M lt/gas Ver. A	K700M lt/gas Mechanical Meter Ver. A		750,00
F18798000	Tubo 1" 1/2 con CAM-LOCK 10 m	Delivery hose kit 10 mt 1" 1/2 with CAM-LOCK		358,75
F18799000	Tubo 1" 1/2 con CAM-LOCK 20 m	Delivery hose kit 20 mt 1" 1/2 with CAM-LOCK		661,13

Dotazioni:

- Art. F00315000: Struttura autoportante in lamiera, elettropompe 230V/50Hz, interruttore ON/OFF
- Art. F00318000: Struttura autoportante in lamiera, 4 elettropompe DC, interruttore ON/OFF

Equipments:

- Art. F00315000: Sturdy frame, Self-priming electric pumps 230V/50Hz, ON/OFF switch.
- Art. F00318000: Sturdy frame, Self-priming 4 electric pumps DC, ON/OFF switch.

ACCESS 85



F00702000	ACCESS 85 Centralina di comando pompa	ACCESS 85 Pump control box	230/50	164,00
F00702010	ACCESS 85 con chiavi	ACCESS 85 with keys	230/50	225,50







	Accessori	Accessories		
F15904000	Kit n° 10 chiavi utente colore giallo	Kit nr. 10 users keys yellow color		131,20
F12496000	Chiavi gestore colore rosso	Manager key red color		54,43
F17121000	Sonda di livello	Level probe		66,63

Dotazioni:

- Art. F00702010 Access 85 con 4 user keys già configurate.

Equipments:

- Art. F00702010 Access 85 with 4 user keys just configured.

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
	F0022300C	Carry 3000 12V	Carry 3000 12V	12	149,65
	F0022400C	Carry 3000 24V	Carry 3000 24V	24	149,65
	F00223260	Carry 3000 12V 3/4 BSP in-line	Carry 3000 12V 3/4 BSP in-line	12	149,65
	F00224240	Carry 3000 24V 3/4 BSP in-line	Carry 3000 24V 3/4 BSP in-line	24	149,65
	F0034004B	Carry Panther DC 12V	Carry Panther DC 12V	12	227,96
	F0034104C	Carry Panther DC 24/12V	Carry Panther DC 24/12V	24/12	268,35
	F0022500C	Battery Kit 3000/12V	Battery Kit 3000/12V	12	191,16
	F0022600C	Battery Kit 3000/24V	Battery Kit 3000/24V	24	191,16
	F00225410	Battery Kit 3000/12V BO 3/4" Self2000 1"F	Battery Kit 3000/12V BO 3/4" Self2000 1"F	12	191,16
	F00226380	Battery Kit 3000/24V BO 3/4" Self2000 1"F	Battery Kit 3000/24V BO 3/4" Self2000 1"F	24	191,16
	F0034003B	Battery Kit Panther DC 12V	Battery Kit Panther DC 12V	12	272,34
	F0034103C	Battery Kit Panther DC 24/12V	Battery Kit Panther DC 24/12V	24/12	331,49
	F00309060	Battery Kit Viscomat 60/2 12V	Battery Kit Viscomat 60/2 12V	12	337,12
	F00310070	Battery Kit Viscomat 60/2 24V	Battery Kit Viscomat 60/2 24V	24	337,12
	F0023100B	Piusi Box 12V Basic N.	Piusi Box 12V Basic N.	12	266,50
	F0023101B	Piusi Box 12V Pro N.	Piusi Box 12V Pro N.	12	317,75
	F0023200B	Piusi Box 24V Basic N.	Piusi Box 24V Basic N.	24	266,50
	F0023201B	Piusi Box 24V Pro N.	Piusi Box 24V Pro N.	24	317,75
	R17256000	Kit montaggio per K24 Piusi Box	Assembly kit for K24 PiusiBox	-	19,27
		PICO senza contaltri	PICO without meter		
	F00202000	Pico 230V Pistola manuale 4m tubo	Pico 230V Manual nozzle 4m hose	230/50	190,19
	F00202010	Pico 230V Pistola automatica 4m tubo	Pico 230V Automatic nozzle 4m hose	230/50	242,44
	F00202040	Pico 12V Pistola manuale 4m tubo	Pico 12V Manual nozzle 4m hose	12	210,05
	F00202050	Pico 12V Pistola automatica 4m tubo	Pico 12V Automatic nozzle 4m hose	12	262,30
		Disponibili versioni 24V	Versions 24V available		
		PICO con contaltri	PICO with K24 meter		
	F00202020	Pico 230V K24 Pistola manuale 4m tubo	Pico 230V Man. nozzle 4m hose + K24	230/50	331,27
	F00202030	Pico 230V K24 Pistola aut. 4m tubo	Pico 230V Aut. nozzle 4m hose + K24	230/50	383,52
	F00202060	Pico 12V K24 Pistola manuale 4m tubo	Pico 12V Man. nozzle 4m hose + K24	12	351,12
	F00202070	Pico 12V K24 Pistola aut. 4m tubo	Pico 12V Aut. nozzle 4m hose + K24	12	403,37
		Disponibili versioni 24V	Versions 24V available		

Dotazioni:

- Art. F0022300C - F0022400C: Elettropompa mod. By Pass 3000, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, raccordi e morsetti.
- Art. F0022500C - F0022600C: Elettropompa mod. By Pass 3000, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, filtro aspirazione, raccordi e morsetti.
- Art. F0034004B-F0034104C: Elettropompa mod. Panther DC, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, raccordi e morsetti.
- Art. F0034003B-F0034103C: Elettropompa mod. Panther DC, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, filtro aspirazione, raccordi e morsetti.
- Art. F00309060 - F00310070: Elettropompa mod. Viscomat DC, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt.4 tubo, pistola Self 3000, filtro aspirazione, raccordi e morsetti.
- Art. F0023100B - F0023200B: Contenitore rigido in plastica facilmente trasportabile, elettropompa mod. By Pass 3000, mt. 4 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, valvola di fondo, raccordi e morsetti.
- Art. F0023101B - F0023201B: Contenitore rigido in plastica facilmente trasportabile, elettropompa mod. By Pass 3000, mt. 4 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 6 tubo, Pistola Self 2000, raccordi e morsetti, filtro impurità con cartuccia di ricambio, valvola di fondo e guanti.
- Art. F00202000 - F00202040: Elettropompa centrifuga con interruttore, tubo 4 mt., pistola manuale in plastica, filtro di fondo per aspirazione, raccordi.
- Art. F00202010 - F00202050: Elettropompa centrifuga con interruttore, tubo 4 mt., pistola automatica, filtro di fondo per aspirazione, raccordi.
- Art. F00202020 - F00202060: Elettropompa centrifuga con interruttore, contaltri a turbina K24, tubo 4 mt., pistola manuale in plastica, filtro di fondo per aspirazione, raccordi.
- Art. F00202030 - F00202070: Elettropompa centrifuga con interruttore, contaltri a turbina K24, tubo 4 mt., pistola automatica, filtro di fondo per aspirazione, raccordi.

Equipments:

- Art. F0022300C - F0022400C: By Pass 3000 DC Electric Pump, carrying box c/w handle, mt. 2 cables+clips, on/off switch, save-motor fuse.
- Art. F0022500C - F0022600C: By Pass 3000 DC Electric Pump, carrying box c/w handle, mt. 2 cables+clips, on/off switch, save-motor fuse, mt. 4 hose, SELF 2000 nozzle, suction filter, connectors and clamps.
- Art. F0034004B-F0034104C: Panther DC Electric Pump, carrying box w/handle, mt.2 cables+clips, on/off switch, save-motor fuse.
- Art. F0034003B-F0034103C: Panther DC Electric Pump, carrying box w/handle, mt.2 cables+clips, on/off switch, save-motor fuse, mt.4 hose, SELF 2000 nozzle, suction filter, connectors and clamps.
- Art. F00309060 - F00310070: Viscomat DC Electric Pump, mt. 2 cables+clips, on/off switch, save-motor fuse, mt.4 hose, Self 3000 nozzle, suction filter, connector and clamps.
- Art. F0023100B - F0023200B: Carrying plastic box c/w handle., by pass 3000 DC Electric Pump, mt. 4 cables+clips, on/off switch, save-motor fuse, mt. 4 hose, SELF 2000 nozzle, foot valve, connectors and clamps.
- Art. F0023101B - F0023201B: Carrying plastic box c/w handle., by pass 3000 DC Electric Pump, mt. 4 cables+clips, on/off switch, save-motor fuse, mt. 6 hose, SELF 2000 nozzle, connectors and clamps, filter with spare cartridge, foot valve and gloves.
- Art. F00202000 - F00202040: Centrifugal Electric Pump with switch, hose 4 mt., plastic manual nozzle, suction foot filter, connectors and clamps.
- Art. F00202010 - F00202050: Centrifugal Electric Pump with switch, hose 4 mt., automatic nozzle, suction foot filter, connectors and clamps.
- Art. F00202020 - F00202060: Centrifugal Electric Pump with switch, K24 turbine meter, hose 4 mt., plastic manual nozzle, suction foot filter, connectors and clamps.
- Art. F00202030 - F00202070: Centrifugal Electric Pump with switch, K24 turbine meter, hose 4 mt., automatic nozzle, suction foot filter, connectors and clamps.






	COD.	MODELLO	MODEL	VOLT/HZ	EURO
ELETTROPOMPE - ELECTROPUMPS					
	F00730000	Panther 56	Panther 56	230/50	149,72
	000732000	Panther 72	Panther 72	230/50	183,81
	F00733020	Panther 90	Panther 90	230/50	218,33
NEW					
	000305000	E 80/M	E 80/M	230/50	268,47
	000326000	E 120/M	E 120/M	230/50	359,15
	NEW F00321000	E 300	E 300	230/50	615,00
	F00342000	BP3000 12V	BP3000 12V	12	114,80
	F00347000	BP3000 24V	BP3000 24V	24	114,80
	F00357500	BP3000 12V 3/4 BSP in-line	BP3000 12V 3/4 BSP in-line	12	114,80
	F00358500	BP3000 24V 3/4 BSP in-line	BP3000 24V 3/4 BSP in-line	24	114,80
		Accessori	Accessories		
	F1601100A	Coperchio con interruttore	Electrical Box with switch		5,74
	R17289000	Kit morsettiera + Cavo 2mt 12V/24V	Kit Terminal Box+2mt Cable with clamp 12V/24V		14,86
	R17018000	Kit morsettiera + Cavo 4mt 12V/24V	Kit Terminal Box+4mt Cable with clamp 12V/24V		21,63
	F16172000	Kit n°2 Portagomma 3/4" Dritto	Kit nr.2 pcs 3/4" Straight Hose Tail		9,11
	F17124000	Kit n°2 Portagomma 1" Dritto	Kit nr.2 pcs 1" Straight Hose Tail		10,12
	F16173000	Kit n°1 Portagomma 3/4" 90°	Kit nr. 1 pcs 3/4" 90° Hose Tail		10,90
	F17262000	Kit n°1 Portagomma 1" 90°	Kit nr. 1 pcs 1" 90° Hose Tail		11,00
	F16178000	Kit n°1 Collettore 90°	Kit nr. 1 pcs Flanged Elbow 90°		8,63
	F16770000	Kit n°1 Collettore 90° senza flangia	Kit nr. 1 Elbow 90° without Flange		9,50
	F16799000	Kit n°1 Raccordo 1" BSP F	Kit nr. 1 Flanged adapter 1" BSP F		5,90
	F17314000	Kit n°1 Raccordo 3/4" BSP F	Kit nr. 1 Flanged adapter 3/4" BSP F		8,71
F17313000	Kit n°1 Raccordo 1" BSP M	Kit nr. 1 Flanged adapter 1" BSP M		7,67	
	F0034000B	Panther DC 12V	Panther DC 12V	12	170,86
	F0034100C	Panther DC 24/12V	Panther DC 24/12V	24/12	224,88
	F00363A0A	BI-PUMP 12V con interruttore	BI-PUMP 12V with switch	12	360,22
	F00363B0A	BI-PUMP 24V con interruttore	BI-PUMP 24V with switch	24	360,22
	F0036301A	BI-PUMP 12V con interruttore + cavo 2mt	BI-PUMP 12V with switch + cable 2mt	12	386,12
	F0036302A	BI-PUMP 12V con interruttore + cavo 4mt	BI-PUMP 12V with switch + cable 4mt	12	393,52
	F0036303A	BI-PUMP 24V con interruttore + cavo 2mt	BI-PUMP 24V with switch + cable 2mt	24	386,12
	F0036304A	BI-PUMP 24V con interruttore + cavo 4mt	BI-PUMP 24V with switch + cable 4mt	24	393,52
	F0036321A	BI-PUMP 12/24V senza interruttore e cavo	BI-PUMP 12/24V without switch and cable	12/24	335,57
POMPE MARINE - MARINE PUMPS					
	NMT400000	POMPA AMALFI 1	AMALFI 1 PUMP	12	164,00
	NMT400001	POMPA AMALFI 2	AMALFI 2 PUMP	24	164,00
	NMT400003	POMPA AMALFI 5	AMALFI 5 PUMP	230/50	235,75
	NMT450000A	POMPA GARDA 1 12V	GARDA 1 12V PUMP	12	185,53
	NMT450001A	POMPA GARDA 1 24V	GARDA 1 24V PUMP	24	185,53
	NMT450002A	POMPA GARDA 2 12V	GARDA 2 12V PUMP	12	209,10
	NMT450003A	POMPA GARDA 2 24V	GARDA 2 24V PUMP	24	209,10
	NMT460000A	KIT GARDA 2 12V	KIT GARDA 2 12V	12	225,50
	NMT460001A	KIT GARDA 2 24V	KIT GARDA 2 24V	24	225,50
	NMT450006	POMPA GARDA 5	GARDA 5 PUMP	230/50	256,25

Dotazioni:

- Art. NMT460000A, NMT460001A
pompa con morsettiera, interruttore, cavi con pinze (2 m)

Equipments:

- Art. NMT460000A, NMT460001A
pump with terminal, switch, cables with clamps (2 m)

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
VISCOMAT					
	F0030403D	Viscomat 200/2 M	Viscomat 200/2 M	230/50-60	281,01
	F0030405D	Viscomat 200/2 T	Viscomat 200/2 T	400/50	281,01
	F0030430D	Viscomat 230/3 M	Viscomat 230/3 M	230/50	348,96
	F00304T4D	Viscomat 230/3 T	Viscomat 230/3 T	400/50	348,96
	F0030401D	Viscomat 350/2 M	Viscomat 350/2 M	230/50	348,96
	F00304T1D	Viscomat 350/2 T	Viscomat 350/2 T	400/50	348,96
	F0030200D	Viscomat 200/2 M con Pressostato	Viscomat 200/2 M with Flowmat	230/50-60	498,68
	F0030204D	Viscomat 230/3 M con Pressostato	Viscomat 230/3 M with Flowmat	230/50-60	565,48
	F0030206D	Viscomat 350/2 M con Pressostato	Viscomat 350/2 M with Flowmat	230/50-60	565,48
	F0030902A	Viscomat 60/1 12V DC	Viscomat 60/1 12V DC	12	235,75
	F0030901A	Viscomat 60/2 12V DC	Viscomat 60/2 12V DC	12	266,48
	F0030900A	Viscomat 120/1 12V DC	Viscomat 120/1 12V DC	12	266,48
	F0031002A	Viscomat 60/1 24V DC	Viscomat 60/1 24V DC	24	235,75
	F0031001A	Viscomat 60/2 24V DC	Viscomat 60/2 24V DC	24	266,48
	F0031000A	Viscomat 120/1 24V DC	Viscomat 120/1 24V DC	24	266,48
	F00311000	Viscomat 120/1 12V PST *	Viscomat 120/1 12V PST *	12	382,16
	F00311010	Viscomat 120/1 24V PST *	Viscomat 120/1 24V PST *	24	382,16
		* sistema con pressostato	* flowmat system		
	F0033490A	Viscomat 70 M	Viscomat 70 M	230/50-60	320,83
	F0033190A	Viscomat 70 T	Viscomat 70 T	400/50-60	317,75
	F00303M00	Viscomat 90 M	Viscomat 90 M	230/50-60	357,73
	000303000	Viscomat 90 T	Viscomat 90 T	400/50-60	342,35

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

POMPE PNEUMATICHE A MEMBRANA - AIR OPERATED MEMBRANE PUMP



	Pompe per olio e diesel	Pumps for oil and diesel		
F00208A00	PIUSI MA 130	PIUSI MA 130		727,75



F00208P10	PIUSI MA 140	PIUSI MA 140		727,75



F00208A10	PIUSI MA 180	PIUSI MA 180		930,70



F00208A20	PIUSI MA 190	PIUSI MA 190		1.921,88



	Pompe per diesel, acqua e liquidi dinamici come l'AdBlue® e il liquido antigelo	Pumps for diesel, water and chemicals such as AdBlue® and Antifreeze		
F00208P00	PIUSI MP 130	PIUSI MP 130		707,25






F00208P20	PIUSI MP 140	PIUSI MP 140		768,75














F00208P30	PIUSI MP 180	PIUSI MP 180		1.009,63



F00208P40	PIUSI MP 190	PIUSI MP 190		1.435,00







	COD.	MODELLO	MODEL	VOLT/HZ	EURO
POMPE A MANO - HAND PUMPS					
	NEW F00332500	Piusi Hand Pump Diesel/Olio 2"bsp spout	Piusi Hand Pump Diesel/Oil 2"bsp spout		116,85
	NEW F00332520	Piusi Hand Pump Diesel/Olio 2"bsp hose	Piusi Hand Pump Diesel/Oil 2"bsp hose		151,70
	F0031600A	Pompa a mano GPI Pistone	Hand pump GPI Piston		354,65
	F0033200A	H P Rotativa 50 L/min alluminio	Aluminium Rotative Hand Pump		49,82
	F0033201A	Pompa a mano Rotativa in ghisa	Rotative cast iron Hand pump		33,21
	F0034900A	Pompa a mano a leva	Piston Hand pump 25 l/m'		27,68
	F0035100A	H P Pistone 35 L/min	Piston Hand pump 35 L/M'		41,00
	F0035200A	Ingrassatore 500cc / 16oz	Grease gun 500cc / 16oz		18,50
	F0035201A	Ingrassatore 800cc / 28oz	Grease gun 800cc / 28oz		21,17
	F0035202A	Ingrassatore 1000cc / 35oz	Grease gun 1000cc / 35oz		24,26

CONTALITRI MECCANICI - MECHANICAL METERS					
	000550000	Contaltri K33 Ver. A	K33 meter Ver. A		133,02
		Disponibili versioni B-C-D	Versions B-C-D available		
	000560000	Contaltri K44 Ver. A	K44 meter Ver. A		181,39
		Disponibili versioni B-C-D	Versions B-C-D available		
	00056500A	Contaltri K44/PULSER Ver. D	K44/PULSER meter Ver. D		362,78
	F00540000	Contaltri meccanico K700M lt/gas Ver. A	K700 lt/gas Mechanical meter Ver. A		768,75
		Disponibili versioni B-C-D	Versions B-C-D available		
	F00490020	Contaltri K40 meccanico litri	K40 lt/gas Mechanical meter		174,14

CONTALITRI ELETTRONICI - ELECTRONIC METERS					
	F00408100	K24-A contal. a turbina-allum. M/F 1" BSP	K24-A aluminium turbine meter M/F 1" BSP		156,83
	F0043011A	Greaster di linea GR/KG - Contagrammi per grasso	K200 in-line Grease meter GR/KG		266,04
	F0043012A	Contaltri K200 mL/L	K200 meter mL/L		266,04
	F00484000	Contaltri K400 CAL L/BSP	K400 meter CAL L/BSP		174,14
	000483020	Contaltri K400 CAL L/BSP liquido lavavetri	K400 meter CAL L/BSP Windscreen		250,32
	F00486150	Contaltri NEXT/2	NEXT/2 meter		199,88
	F00496A00	Contaltri K600/3 1in BSP vers. Gasolio	K600/3 electr. meter 1in BSP diesel version		256,25
	F00496A20	Contaltri K600/3 3/4in BSP vers. Olio	K600/3 electr. meter 3/4in BSP oil version		276,75
	00049700A	Contaltri K600/4 LITRI 1 1/2in BSP	K600/4 meter 1 1/2in BSP		358,75
	F00491000	Contaltri K600 B/3 1" BSP vers. Gasolio	K600 B/3 meter 1" BSP Diesel vers.		328,00
	F00491010	Contaltri K600 B/3 3/4" BSP vers. Olio	K600 B/3 METER 3/4" BSP Oil vers.		328,00
	F00492000	Contaltri K600 B/3 1" BSP pulse out vers. Gasolio	K600 B/3 METER 1" BSP pulse out Diesel vers.		379,25
	F00492010	Contaltri olio K600 B/3 3/4" BSP pulse out vers. Olio	K600 B/3 METER 3/4" BSP pulse out Oil vers.		379,25
	F0049900B	K900 Contaltri 3in BSP	K900 meter 3in BSP		1.896,25

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

CONTALITRI PULSERS - PULSE-METERS

	F00408Y00	K24 Pulser M/F 1" BSP ATEX/IECEX	K24 Pulser M/F 1" BSP ATEX/IECEX		126,08
	000452000	K200 Pulser 1/4in BSP	K200 Pulser 1/4in BSP		133,02
	000452030	K200 Pulser HP 1/8in BSP per grasso	K200 Pulser HP 1/8in BSP for grease		157,20
	F00440200	K400 Pulser 1/2in BSP	K400 Pulser 1/2in BSP		96,74
	00044007A	K400 Pulser 1/2in BSP per liquido lavavetri	K400 Pulser 1/2in BSP for Windscreen		217,67
	F00472A00	K600/3 Pulser 1in BSP versione Gasolio	K600/3 Pulser 1in BSP Diesel version		205,00
	F00472A20	K600/2-3 Pulser 3/4in BSP versione Olio	K600/2-3 Pulser 3/4in BSP Oil version		229,60
	000473000	K600/4 Pulser 1 1/2in BSP	K600/4 Pulser 1 1/2in BSP		307,50
	F0049800A	K700 Pulser 2in BSP	K700 Pulser 2in BSP		845,63
	F0049902B	K900 Pulser 3in BSP	K900 Pulser 3in BSP		1.947,50



DISPLAY REMOTO CON EMETTITORE DI IMPULSI - REMOTE DISPLAY WITH PULSE TRANSMITTER






	F0049501A	Display Remoto UNIVERSALE	Remote Display with Puls out UNIVERSAL		293,36
	F1175200B	Display Remoto K600/3	Remote Display with Puls out K600/3		206,44
	F1175300B	Display Remoto K600/4	Remote Display with Puls out K600/4		206,44
	F1175400B	Display Remoto K700	Remote Display with Puls out K700		206,44
	F0049502A	Display Remoto PULS IN	Remote Display with PULS IN		316,84








PISTOLE MANUALI - MANUAL NOZZLES

	F00641130	Self 2000 Pistola manuale 1in BSP	Self 2000 Manual nozzle 1in BSP		21,42
	F0065000A	Self 3000 Pistola manuale 1in BSP	Self 3000 Manual nozzle 1in BSP Leaded spout		25,22
	00065001A	Self 3000 Pistola manuale 1in BSP - estremità per benzina verde	Self 3000 Manual nozzle 1in BSP - unleaded spout		37,67
	F0063000A	Pistola in plastica 1in con Swivel - Nera -	Plastic nozzle 1in W/Swivel - Black		12,45
	F0063001A	Pistola in plastica 1in senza Swivel - Bianca	Plastic nozzle 1in W/O Swivel - White		21,17
	F00976W10	Pistola per liquido lavavetri + Estremità rigida + Swivel	Windscreen nozzle + Rigid spout + Swivel		60,64

PISTOLE AUTOMATICHE CON SWIVEL - AUTOMATIC NOZZLES WITH SWIVEL

	F00603060	Pistola automatica A60 1in F	Automatic nozzle A60 1in F		70,73
	F00602020	Pistola automatica A60 1in F - Estremità per benzina verde	Automatic nozzle A60 1in F - Unleaded spout		70,73
	F00613A00	Pistola automatica A60 EN 13012	Automatic nozzle A60 EN 13012		82,00
	F00602030	Pistola automatica A60 1in F per Rapsoil	Automatic nozzle A60 1in F for Rapsoil		76,88
	F00604030	Pistola automatica A80 1in F Nera	Automatic nozzle A80 1in F Black		99,43
	F00610020	Pistola automatica A120 1in F Nera	Automatic nozzle A120 1in F Black		99,43
	F13249000	Pistola automatica 280 LPM	Automatic nozzle 280 LPM		384,38

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
PISTOLE CONTALITRI - NOZZLE METERS					
	F00973030	K40 lt/gas con estremita' rigida	K40 lt/gas with Rigid spout		237,16
	F00973020	K40 lt/gas con estremita' flessibile	K40 lt/gas with Flexible spout		243,21
	F00984000	K400 CAL lt/gas + Easy oil + Swivel + Estremita' rigida	K400 CAL lt/gas + Easy oil + Swivel + Rigid spout		234,60
	F00984010	K400 CAL lt/gas + Easy oil + Swivel + Estremita' flessibile	K400 CAL lt/gas + Easy oil + Swivel + Flexible spout		240,65
	F00976W0A	K400 Windscreen + Pistola + Estremita' rigida + Swivel	K400 EASY Windscreen + Swivel + Rigid spout		310,95
	F00974010	NEXT/2 + Pistola + Estremita' rigida	NEXT/2 + Pistol-One + Rigid spout		369,00
	F00974020	NEXT/2 + Pistola + Estremita' flessibile	NEXT/2 + Pistol-One + Flexible spout		379,25
	F0068700D	K500 Presettabile con Estremita' rotante	K500 Preset batch meter with Rotating spout		544,17
	F0068720A	K500 Presettabile con Estremita' rigida	K500 Preset batch meter with Rigid spout		526,85
	F0068721A	K500 Presettabile con Estremita' flessibile	K500 Preset batch meter with Flexible spout		533,00
	F0043000A	Greaster - Pistola contagrammi per grasso Gr/Kg	Greaster - Grease meter nozzle GR/KG		373,67
	F0043100A	Greaster - Pistola contagrammi per grasso Gr/Kg con "Z" raccordo girevole ed estremita' rotante	Greaster - Grease meter nozzle GR/KG with -Z- Swivel and rigid spout		403,89

PISTOLE EASYOIL - NOZZLES EASYOIL					
	F00966130	Easyoil + Swivel + Estremita' rigida + Valvola automatica	Easyoil + Swivel + Rigid spout + Automatic anti-drip valve		55,04
	F00966140	Easyoil + Swivel + Estremita' flessibile + Valvola automatica	Easyoil + Swivel + Flexible spout + Automatic anti-drip valve		61,71
	F00966150	Easyoil + Swivel + Estremita' rotante + Valvola automatica	Easyoil + Swivel + Rotating spout + Automatic anti-drip valve		71,85
	F0096600A	Impugnatura Easyoil FF 1/2in X1/2in BSP Nera	Handgrip Easyoil FF 1/2in x 1/2in BSP Black		26,96
		Disponibili colori: Rosso, Verde, Giallo, Blu	Versions Red, Green, Yellow, Blue colour available		
		Accessori	Accessories		
	F09949000	Filtro per Easyoil	Filter for Easyoil		2,50
	F09659000	Protezione Swivel - Nera	Swivel Rubber Protection - Black		3,12
		Disponibili colori: Rosso, Verde, Giallo, Blu	Versions Red, Green, Yellow, Blue colour available		
		Estremita' rigide per pistole Easyoil	Rigid spouts for Easy Oil nozzle		
	F00665000	Estremita' Rigida A/P con valvola antigoccia automatica (A)	Rigid Spout A/P with automatic anti-drip valve (A)		19,77
	F0067000A	Estremita' Rigida B/P (B)	Rigid Spout B/P (B)		17,27
	F0067002A	Estremita' Rigida 90 mm B/P (B)	Rigid Spout 90 mm B/P (B)		15,61
	000934000	Estremita' Rigida HF con valvola antigoccia manuale (C)	Rigid Spout HF with manual anti-drip valve (C)		36,40
000938000	Estremita' Rigida LF con valvola antigoccia manuale (D)	Rigid Spout LF with manual anti-drip valve (D)		24,12	
		Estremita' flessibili per pistole Easyoil	Flexible spouts for Easy Oil nozzle		
	F00666000	Estremita' Flessibile A/P con valvola antigoccia automatica (A)	Flexible Spout A/P with automatic anti-drip valve (A)		28,09
	F0067100A	Estremita' Flessibile B/P (B)	Flexible Spout B/P (B)		25,11
	000935000	Estremita' Flessibile HF con valvola antigoccia manuale (C)	Flexible Spout HF with manual anti-drip valve (C)		42,26
F00939000	Estremita' Flessibile LF con valvola antigoccia manuale (D)	Flexible Spout LF with manual anti-drip valve (D)		33,93	
	000669000	Estremita' Rotante A/P con valvola antigoccia automatica	Rotating Spout A/P with automatic anti-drip valve		34,36

COD.	MODELLO	MODEL	VOLT/HZ	EURO
PISTOLE PISTOL-ONE - NOZZLES PISTOL-ONE				
F00640000	Pistol-ONE	Pistol-ONE		125,05
F00640010	Pistol-ONE + estremità rigida	Pistol-ONE + rigid		169,13
F00640020	Pistol-ONE + estremità flessibile	Pistol-ONE + flexible		179,38



		Estremità per pistole Pistol-ONE	Spouts for Pistol-ONE nozzle	
F16005010		Estremità rigida	Rigid spout	42,03
F16004010		Estremità flessibile	Flexible spout	52,28

VACUBOX



F00500B00	Vacubox	Vacubox	230/50	645,75
		Accessori	Accessories	
R08308000		Kit Tubo Aspirazione con Valvola	Kit Suction Hose with Valve	21,88
R08309000		Kit Sonde 650+800 mm	Kit Probes 650+800 mm	55,45
R12737000		Kit Staffe a Muro	Kit Wall Support	33,71
F11774010		Kit Sonde 1000 mm	Kit Probes 1000 mm	47,15

Dotazioni:

- Art. F00500B00 Struttura autoportante in lamiera con trattamento anticorrosione, pompa autoadescante, vacuometro per controllo delle operazioni di aspirazione, segnalatore acustico di fine operazioni, ingresso 1/2" BSP, uscita 1/2".

Equipments:

- Art. F00500B00 Self supporting plate structure paint finished with anticorrosion treatment, self priming pump, vacuum meter to verify pump working, acoustic device at the end of operation, Inlet 1/2" BSP, Outlet 1/2" BSP.

CAMBIAOLIO - OIL CHANGER



F0050000B	Cambiaolio	Oil changer	230/50/60	516,60
R08309000		Kit Sonde 650+800 mm	Kit Probes 650+800 mm	54,10
F11774010		Kit Sonde 1000 mm	Kit Probes 1000 mm	46,00

Dotazioni:

- Art. F0050000B Carrello, elettropompa, interruttore on/off, serbatoio asportabile, mt.2 tubo aspirazione, completo di n° 6 sonde, cavo elettrico di alimentazione mt. 5.

Equipments:

- Art. F0050000B Trolley, Pump, on/off switch, removable tank, mt. 2 suction hose, completed by n° 6 probes, mt. 5 electrical cable.

DEPUROIL - FILTROLL DIESEL/OIL



00050300A	Depuroil unità di filtraggio e travaso Olio	Depuroil filtering and transfer Oil unit	230/50	541,75





F00506000	Filtroll gasolio	Filtroll gasoil	230/50	912,25
F00506010	Filtroll olio/gasolio	Filtroll oil/gasoil	230/50	1.035,25
F0050606A	Filtroll 12V gasolio	Filtroll 12V gasoil	12V	912,25

Dotazioni:

- Art. 00050300A Carrello, elettropompa Viscomat 70 con interruttore on/off, filtro con cartuccia, cartuccia di ricambio, indicatore di intasamento, tubo aspirazione mt. 2 completo di lancia.
- Art. F00506000 Carrello, elettropompa Panther 56, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione mt 3 con valvola di fondo, tubo di mandata mt 4 con pistola manuale, cavo elettrico di alimentazione mt. 5.
- Art. F00506010 Carrello, elettropompa Viscomat 70, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione mt 3 completo di lancia, tubo di mandata mt 3 completo di lancia, cavo elettrico di alimentazione mt. 5.
- Art. F0050606A Carrello, elettropompa Panther DC 12V con 6 mt cavo+pinze, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione 3 mt con valvola di fondo, tubo mandata 4 mt con pistola manuale.

Equipments:

- Art. 00050300A Trolley, Viscomat 70 Pump, filter with cartridge + a spare cartridge, optical device, mt. 2 suction hose with lance.
- Art. F00506000 Trolley, electropump Panther 56, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with valve, 4 mt delivery hose with manual nozzle, mt. 5 electrical cable.
- Art. F00506010 Trolley, electropump Viscomat 70, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with lance, 3 mt delivery hose with lance, mt. 5 electrical cable.
- Art. F0050606A Trolley, electropump Panther DC 12V with 6 mt cable+pliers, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with valve, 4 mt delivery hose with manual nozzle.

COD.	MODELLO	MODEL	VOLT/HZ	EURO
UNITÀ DI TRAVASO OLIO PER FUSTI - OIL TRANSFER UNITS FOR DRUMS				
	Senza contaltri	Without meter		
	F0026300D Viscotroll 200/2	Viscotroll 200/2	230/50	681,11
	F0026302D Viscotroll 200/2 PST *	Viscotroll 200/2 PST *	230/50	917,89
	000263100 Viscotroll 70	Viscotroll 70	230/50	672,50
	F00263200 Viscotroll 120/1 12V PST *	Viscotroll 120/1 12V PST *	12	1.384,21
	* sistema con pressostato	* flowmat system		
	Con contaltri	With meter		
	F0026303D Viscotroll 200/2 K400 PST *	Viscotroll 200/2 K400 PST *	230/50	1.087,12
	000263110 Viscotroll 70 K33	Viscotroll 70 K33	230/50	805,65
	F0026301D Viscotroll 200/2 K400	Viscotroll 200/2 K400	230/50	856,18
	F00263210 Viscotroll 120/1 12V K400 PST *	Viscotroll 120/1 12V K400 PST *	12	1.560,77
	* sistema con pressostato	* flowmat system		




Dotazioni:

- Art. F0026300D-F0026302D-000263100: Elettropompa con interruttore on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti, carrello portafusto.
- Art. F00263200: Elettropompa 12V con interruttore on/off, mt. 4 tubo di erogazione, pistola manuale, porta-pistola, tubo telescopico di aspirazione, portafusto, carica batteria incorporato.
- Art. F0026301D-F0026303D-000263110: Elettropompa con interruttore on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti, carrello portafusto, contaltri.
- Art. F00263210: Elettropompa 12V con interruttore on/off, mt. 4 tubo di erogazione, pistola manuale, porta-pistola, tubo telescopico di aspirazione, contaltri, portafusto, carica batteria incorporato.

Equipments:

- Art. F0026300D-F0026302D-000263100: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum.
- Art. F00263200: Self-priming gear-pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum, built-in battery charger.
- Art. F0026301D-F0026303D-000263110: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum, meter.
- Art. F00263210: Self-priming gear-pump 12V, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, K400 meter, trolley for drum, built-in battery charger.

ARROTOLATORI DIESEL - DIESEL HOSE REELS

	Arrotolatori senza tubo	Hose reels without hose		
	F0075008A Arrotolatore per tubo 3/4in (max 8 mt) Small	Hose reel for hose 3/4in (max 8 mt) Small	(*)	285,98
	F0075000A Arrotolatore per tubo 3/4in (max 14 mt) Big	Hose reel for hose 3/4in (max 14 mt) Big		361,83
	F0075001A Arrotolatore per tubo 1in (max 10 mt) Big	Hose reel for hose 1in (max 10 mt) Big		381,30
	F0075018B Arrotolatore per tubo 1in (max 15 mt) XL	Hose reel for hose 1in (max 15 mt) XL		584,25
	F0075025A Arrotolatore per tubo 1in (max 15 mt) XL HEAVY DUTY**	Hose reel for hose 1in (max 15 mt) XL HEAVY DUTY**		602,70
	Arrotolatori con tubo	Hose reels with hose		
	F0075009B Arrotolatore con 8 mt tubo 3/4in Small	Hose reel with 8 mt hose 3/4in Small	(*)	378,23
	F0075004B Arrotolatore con 10 mt tubo 3/4in Big 1" BSP	Hose reel with 10 mt hose 3/4in Big 1" BSP		465,35
	F0075012B Arrotolatore con 10 mt tubo 3/4in Big 3/4" BSP	Hose reel with 10 mt hose 3/4in Big 3/4" BSP		459,20
	F0075010B Arrotolatore con 14 mt tubo 3/4in Big	Hose reel with 14 mt hose 3/4in Big		496,10
	F0075002B Arrotolatore con 8 mt tubo 1in Big	Hose reel with 8 mt hose 1in Big		503,28
	F0075003B Arrotolatore con 10 mt tubo 1in Big	Hose reel with 10 mt hose 1in Big		525,83
	F0075013B Arrotolatore con 10 mt tubo 3/4in Big/Benzina	Hose reel with 10 mt hose 3/4in Big/Gasoline		496,45
	F0075023B Arrotolatore con 10 mt tubo 1in Big HEAVY DUTY**	Hose reel with hose 10 mt hose 1in Big HEAVY DUTY**		544,28
	F0075024B Arrotolatore con 10 mt tubo 3/4in Big HEAVY DUTY**	Hose reel with hose 10 mt hose 3/4in Big HEAVY DUTY**		483,80
	F0075019B Arrotolatore con 15 mt tubo 1in XL	Hose reel with 15 mt hose 1in XL		785,15
	F0075026B Arrotolatore con 15 mt tubo 1in XL HEAVY DUTY**	Hose reel with hose 15 mt hose 1in XL HEAVY DUTY**		803,60
	Accessori	Accessories		
	F1627900A Supporto girevole arrotolatore Big	Rotating support plate Big		48,18
	F1629800A Staffa fissa arrotolatore Big	Fix support plate Big		28,70
	F1731700A Supporto girevole arrotolatore Small	Rotating support plate Small	(*)	48,18
	F1731600A Staffa fissa arrotolatore Small	Fix support plate Small	(*)	24,60
	F16367000 Tubo collegamento arrotolatore	Junction hose		38,95

* Dimensioni: Small: 550x200x540 mm, Big: 550x260x540 mm, XL: 560x350x560 mm

* Dimensions: Small: 550x200x540 mm, Big: 550x260x540 mm, XL: 560x350x560 mm

** Mozzo in acciaio

** Steel Hub

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

ARROTOLATORI OLIO - OIL HOSE REELS



	Arrotolatori senza tubo	Hose reels without hose		
HN60151200A	Arrotolatore aperto 60b w/o 1/2" max 15m oil	Reel open 60b w/o 1/2" max 15m oil		273,68
HN60153800A	Arrotolatore aperto 60b w/o 3/8" max 15m oil	Reel open 60b w/o 3/8" max 15m oil		271,63
HN60201200A	Arrotolatore aperto 60b w/o 1/2" max 20m oil	Reel open 60b w/o 1/2" max 20m oil		353,63



	Arrotolatori con tubo	Hose reels with hose		
HA6010120B	Arrotolatore aperto 60b w/ 1/2" 10mt oil	Reel open 60b w/ 1/2" 10mt oil		381,30
HA6015120B	Arrotolatore aperto 60b w/ 1/2" 15mt oil	Reel open 60b w/ 1/2" 15mt oil		421,28
HA6020120B	Arrotolatore aperto 60b w/ 1/2" 20mt oil	Reel open 60b w/ 1/2" 20mt oil		540,18
HA60101000A	Arrotolatore aperto 60b w/ 1" 10mt oil	Reel open 60b w/ 1" 10mt oil		789,25
HA60153400A	Arrotolatore aperto 60b w/ 3/4" 15mt oil	Reel open 60b w/ 3/4" 15mt oil		763,63



HC60121200A	Arrotolatore chiuso 60b w/ 1/2" 12mt oil	Close reel 60b w/ 1/2" 12mt oil		407,95
-------------	--	---------------------------------	--	--------

ARROTOLATORI GRASSO - GREASE HOSE REELS



	Arrotolatori senza tubo	Hose reels without hose		
HN40151400A	Arrotolatore aperto 400b wo 1/4" max 15m g.	Reel open 400b wo 1/4" max 15m g.		289,05
HN40153800A	Arrotolatore aperto 400b wo 3/8" max 15m g.	Reel open 400b wo 3/8" max 15m g.		289,05



	Arrotolatori con tubo	Hose reels with hose		
HA40151400A	Arrotolatore aperto 400b w/ 1/4" 15mt g.	Reel open 400b w/ 1/4" 15mt g.		428,45
HA40153800A	Arrotolatore aperto 400b w/ 3/8" 15mt g.	Reel open 400b w/ 3/8" 15mt g.		468,43



HC40123800A	Arrotolatore chiuso 400b w/ 3/8" 12m g.	Reel closed 400b w/ 3/8" 12m g.		457,15
-------------	---	---------------------------------	--	--------

ARROTOLATORI ARIA ACQUA - AIR WATER HOSE REELS



	Arrotolatori con tubo	Hose reels with hose		
HA20151200A	Arrotolatore aperto 20b w/ 1/2" 15mt wat/air	Reel open 20b w/ 1/2" 15mt wat/air		410,00
HA20153800A	Arrotolatore aperto 20b w/ 3/8" 15mt wat/air	Reel open 20b w/ 3/8" 15mt wat/air		381,30



HC20121400A	Arrotolatore chiuso 20b w/ 10x14 12mt wat/air	Reel closed 20b w/ 10x14 12mt wat/air		223,45
HC20151200A	Arrotolatore chiuso 20b w/ 8x12 15mt wat/air	Reel closed 20b w/ 8x12 15mt wat/air		203,98

ARROTOLATORE ANTIGELO/LAVAVETRI - ANTIFREEZE/WINDSCREEN HOSEREEL



	Arrotolatori con tubo	Hose reels with hose		
HA201512ALA	Arrotolatore aperto 20b w/ 1/2" 15mt a/ws	Reel open 20b w/ 1/2" 15mt a/ws		468,43

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
TUBI - HOSES					
		Tubi Gasolio	Diesel fuel hose		
	F0060502A	Tubo gasolio gomma Ø 3/4" (19x27mm) 80 mt	Rubber hose Ø 3/4" (19x27mm) 80 mt		453,05
	F0060602A	Tubo gasolio gomma Ø 1" (25x35mm) 40 mt	Rubber hose Ø 1" (25x35mm) 40 mt		377,20
		Tubi Aspirazione PVC	PVC suction hose		
	F1113100B	Tubo PVC diam. 25 trasparente (60 mt)	PVC suction hose D. 25 (60 mt)		338,25
	F1113200A	Tubo PVC trasparente diam. 25 1,6 mt con valvola di fondo	PVC suction hose D. 25 1,6 mt with foot valve		43,77
	F11638010	Tubo PVC 4 mt D. 25	PVC hose 4 mt D. 25		69,70
		Tubi Aspirazione Rinforzati	Reinforced suction hose		
	F12120010	Tubo Plutone PH diam. 25 60 mt spiralato	Plutone suction hose PH D. 25 60 mt		1.140,21
	F1640400A	Kit aspirazione 4 mt + valvola di fondo	Kit suction hose 4 mt + foot valve		125,05
		Tubo estensibile	Extensible pipe		
	F08934000	Tubo estensibile in plastica 110 cm	Plastic telescopic suction pipe 110 cm		7,88
		Tubo estensibile acciaio	Steel extensible pipe		
	F08934010	Kit tubo estend. acciaio 1" BSP (180 cm) + attacco Drum 2" BSP con valvola	Kit steel telescopic hose 1" BSP (180 cm) + 2" BSP Drum connector		92,25
	F08934020	Tubo estensibile acciaio 1" BSP (110 cm)	Steel telescopic hose 1" BSP (110 cm)		26,65
		Tubi raccordati	Crimped hoses		
	F08976000	Tubo Gasolio diam. 20 mt. 4 raccordato 1in x 1in	Rubber hose D. 20 4 mt crimped 1in x 1in		43,36
	F08977000	Tubo Gasolio diam. 25 mt. 4 raccordato 1in x 1in	Rubber hose D.25 4 mt crimped 1in x 1in		62,53
	F08945000	Tubo Gasolio diam. 20 mt. 6 raccordato 1in x 1in	Rubber hose D.20 6 mt crimped 1in x 1in		58,53
	F08858000	Tubo Gasolio diam. 25 mt. 6 raccordato 1in x 1in	Rubber hose D.25 6 mt crimped 1in x 1in		81,39
CONNETTORI - CONNECTORS					
		Kit attacco rapido	Quick coupling		
	R08930000	Kit attacco rapido 2in x 1in	Kit quick coupling 2in x 1in		35,88
	R09160000	Kit attacco rapido 2in x 3/4in	Kit quick coupling 2in x 3/4in		35,88
		Attacchi Drum	Drum connectors		
	F17163000	Attacco 2" BSP Drum con Valvola	2" BSP Drum connector with Valve		38,95
	F17190000	Attacco 2" BSP Drum senza Valvola	2" BSP Drum connector without Valve		29,73
	F17163010	Attacco 2" BSP con Valvola + Flangia	2" BSP Drum connector + valve, Flanged		47,66
		Raccordo rapido per tubo	Hose quick coupling		
	F00636000	Attacco rapido 1" GAS	Hose quick coupling 1in GAS		46,13
		Sigillanti	Sealant paste		
	F08173000	Teflon liquido	Liquid teflon		23,11
	F10767000	Sigillante tenuta media (Blu Loxeal)	Sealant paste medium duty (Blu Loxeal)		47,16
	F12278000	Sigillante tenuta forte (Verde Loxeal)	Sealant paste heavy duty (Verde Loxeal)		47,16

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

FILTRI - FILTERS



	Filtri separazione acqua WATER CAPTOR	Water cartridge filter WATER CAPTOR		
F00611A00	Filtro Water Captor 70 l/min (2 cartucce)	Filter Water Captor 70 l/min (2 cartridges)		90,20
F00611A10	Filtro Water Captor 150 l/min (1 cartuccia)	Filter Water Captor 150 l/min (1 cartridge)		111,73
F00611010	Cartuccia Water Captor 70 l/min (12 pz)	Cartridge Water Captor 70 l/min (12 pcs)		417,59
F00611020	Cartuccia Water Captor 150 l/min (6 pz)	Cartridge Water Captor 150 l/min (6 pcs)		521,58
F14640000	Testata filtro 1in x 1in UNF 70 l/min	Filter head 1in x 1in UNF 70 l/min		13,33
F15743000	Testata filtro 150 l/min	Filter head 150 l/min		23,90



	Filtri Biofuel	Biofuel filter		
F00611C00	Filtro Biofuel 70 l/min (2 cartucce)	Biofuel filter 70 l/min (2 cartridges)		194,75
F00611C10	Filtro Biofuel 100 l/min (1 cartuccia)	Biofuel filter 100 l/min (1 cartridge)		190,65
F14861000	Cartuccia Biofuel 70 l/min	Cartridge Biofuel 70 l/min		96,35
R14862000	Cartuccia Biofuel 100 l/min	Cartridge Biofuel 100 l/min		137,35
F14640000	Testata filtro 1in x 1in UNF 70 l/min	Filter head 1in x 1in unf 70 l/min		13,00
F15743000	Testata filtro 100 l/min	Filter head 100 l/min		24,50



	Filtri gasolio e olio	Oil and fuel filter		
F0777200A	Filtro 70 l/min 10µm con testata 1in BSP	Filter 70 l/min 10µm with head 1in BSP		30,24
F0914900A	Filtro 100 l/min 10µm con testata 1in BSP	Filter 100 l/min 10µm with head 1in BSP		62,53
F09149020	Filtro 100 l/min 5µm con testata 1in BSP	Filter 100 l/min 5µm with head 1in BSP		68,68
F00611000	Cartuccia 10 micron filtro 70 l/min	Cartridge 10 micron filter 70 l/min		16,91
F09359000	Cartuccia 10 micron filtro 100 l/min	Cartridge 10 micron filter 100 l/min		34,44
F09359010	Cartuccia 5 micron filtro 100 l/min	Cartridge 5 micron filter 100 l/min		44,08
F14528000	Testata filtro 1in x 1in 3/4 BSP 70 l/min	Filter head 1in x 1in 3/4 BSP l/min		13,33
F15743000	Testata filtro 100 l/min	Filter head 100 l/min		24,50



	Filtri CLEAR CAPTOR filtri a cartuccia con contenitore trasparente	CLEAR CAPTOR filters: Cartridge filters with transparent container		
F00611B00	Filtro Clear Captor 5 micron (2 cartucce)	Clear captor filter 5 micron (2 cartridges)		97,38
F00611B10	Filtro Clear Captor separazione acqua (2 cartucce)	Clear captor filter water absorbing (2 cartridges)		121,98
F00611030	Cartuccia Clear Captor 5 micron (6 pz)	Cartridge clear captor 5 micron (6 pcs)		111,73
F00611040	Cartuccia Clear Captor separazione acqua (6 pz)	Cartridge clear captor water absorbing (6 pcs)		182,96
F15744000	Testata filtro Clear Captor	Filter head clear captor		33,01
F00611B60	Filtro Clear Captor con cartuccia metallica 125 µ	Filter Clear Captor strainer with cartridge 125 µ		115,83
F00611060	Cartuccia metallica 125 µ (1 cartuccia)	Strainer cartridge 125 µ (1 pc)		29,01



	Filtro di linea	Line filter		
F08950000	Filtro di linea 1.1 F/F flangiato	Line filter 1.1 F/F flanged		17,27



	Filtri di fondo	Foot filter		
F10571000	Filtro per valvola 3/4in BSP	Filter for foot valve 3/4in BSP		2,24
F07979000	Filtro per valvola 1in BSP	Filter for foot valve 1in BSP		2,48

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
COLLEGAMENTI - FITTINGS					
		Boccole per K24 gasolio	Socket for K24 diesel version		
	F17126000	Manicotto 1in BSP (kit nr. 20 pezzi)	Socket 1in BSP (kit nr. 20 pcs)		79,95
Gomiti					
	F07805000	Gomito M/F 3/4in BSP	Elbow M/F 3/4in BSP		3,31
	F07806000	Gomito F/F 3/4in BSP	Elbow F/F 3/4in BSP		3,19
	F07988000	Gomito M/F 1in BSP ottone nichelato	Elbow M/F 1in BSP Nickered brass		8,91
	F08609000	Gomito F/F 1in BSP ottone nichelato	Elbow F/F 1in BSP Nickered brass		9,78
Portagomma					
	F0643700A	Portagomma 3/4in x 20 (kit nr. 20 pezzi)	Hosetail 3/4in x 20 (kit nr. 20 pcs)		78,49
	F0775700A	Portagomma 1in x 20 (kit nr. 20 pezzi)	Hosetail 1in x 20 (kit nr. 20 pcs)		74,72
	F0776400A	Portagomma 1in x 25 (kit nr. 20 pezzi)	Hosetail 1in x 25 (kit nr. 20 pcs)		90,53
	F0776800B	Portagomma 3/4in x 25 (kit nr. 20 pezzi)	Hosetail 3/4in x 25 (kit nr. 20 pcs)		96,60
	F0826700A	Portagomma 1/2in x 20	Hosetail 1/2in x 20		3,30
Nipples					
	F07765000	Vite doppia M/M 1in x 1in	Nipple M/M 1in x 1in		3,38
	F07766000	Vite doppia M/M 3/4in x 3/4in	Nipple M/M 3/4in x 3/4in		2,18
Riduzioni					
	F07441000	Riduzione M/F 3/4 in x 1/2in	Reducing socket M/F 3/4in x 1/2in		2,50
	F07760000	Riduzione M/F 1in x 3/4in	Reducing socket M/F 1in x 3/4in		3,69
	F07762000	Riduzione M/M 1in x 3/4in	Reducing socket M/M 1in x 3/4in		4,73
	F07889000	Riduzione M/F 3/4in x 1in	Reducing socket M/F 3/4in x 1in		6,25
	F08913000	Riduzione M/M 1in x 1 1/2in	Reducing socket M/M 1in x 1 1/2in		7,54
Valvole di fondo					
	F00609000	Valvola di fondo diam. 25 con filtro di sovrappressione	Foot valve Diam. 25 with filter built-in safety		19,89
	F00612000	Valvola di fondo diam. 20 con filtro di sovrappressione	Foot valve Diam. 20 with filter built-in safety		19,89
	F15749000	Valvola di linea completa 1in (Kit nr. 12 pezzi) con valvola di sovrappressione	In-line foot valve 1in (Kit nr. 12 pcs) with built-in safety valve		135,30
	F07978000	Valvola di ritegno 1in	Foot valve 1in		13,33
	F08153000	Valvola di fondo 3/4in	Foot valve 3/4in		8,41
	F09170000	Valvola di sovrappressione 1in	Foot valve 1in with built-in safety valve		15,38
Valvole Vantage					
	F1239905A	Valvola Vantage 1in BSP (kit nr. 12 pezzi)	Vantage valve 1in BSP (kit nr. 12 pezzi)		321,85
	F1239908A	Valvola Vantage 3/4in BSP (kit nr. 12 pezzi)	Vantage valve 3/4in BSP (kit nr. 12 pezzi)		321,85
Swivels					
	000623000	Swivel 34.1 MM	Swivel 34.1 MM		21,53
	00062400A	Swivel 34.34 MF	Swivel 34.34 MF		14,86
	F0062000A	Swivel 34.1 MF	Swivel 34.1 MF		15,89
	F0062200A	Swivel 1.1 MF	Swivel 1.1 MF		18,45
	F0845600A	Swivel 12.12 MF	Swivel 12.12 MF		7,49
	F14567000	Swivel 90° 1" M/F	Swivel 90° 1" M/F		22,14
Accessori					
	F11806000	Kit supporto pistola unificato	Kit Nozzle Holder		21,35

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

CONNESSIONI FLANGIATE - FLANGED CONNECTIONS



R12229000	Tubo flangiato 130 mm	Flanged tube 130 mm		38,01
R1222800A	Tubo flangiato 300 mm	Flanged tube 300 mm		41,46
R12172000	Tubo flangiato 341 mm	Flanged tube 341 mm		41,81
R13251000	Tubo flangiato 205 mm	Flanged tube 205 mm		39,04
R10824000	Kit collettore flangiato	Kit flanged elbow		10,36

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

DUMBOX



F0091600A	Caraffa in polietilene - 1 lt (nr. 50 pz per scatola)	Oil container - 1 lt (nr. 50 pcs for box)		5,23
F00917000	Caraffa in polietilene - 2 lt (nr. 24 pz per scatola)	Oil container - 2 lt (nr. 24 pcs for box)		5,74
F00920000	Caraffa in polietilene - 5 lt (nr. 24 pz per scatola)	Oil container - 5 lt (nr. 24 pcs for box)		9,84
F0093000A	Imbuto diam. 180 mm (nr. 24 pz per scatola)	Funnel 180 mm (nr. 24 pcs for box)		6,51
F0093100A	Imbuto diam. 220 mm (nr. 50 pz per scatola)	Funnel 220 mm (nr. 50 pcs for box)		7,33

COD.	MODELLO	MODEL	VOLT/HZ	EURO
SISTEMA PER RIFORNIMENTO DI AdBlue® PER AUTO - CAR DISPENSER FOR AdBlue®				
NEW	F00100200	DELPHIN PRO 230/50	DELPHIN PRO 230/50	230/50 2.460,00
NEW	F00100210	DELPHIN PRO 230/50 W/SEC	DELPHIN PRO 230/50 W/SEC	230/50 2.460,00
NEW	F00100300	DELPHIN PRO DC	DELPHIN PRO DC	230/50 2.800,00
NEW	F00100500	DELPHIN PRO DC SEC	DELPHIN PRO DC/SEC	230/50 2.800,00



SELF SERVICE MC PER AdBlue® - SELF SERVICE MC FOR AdBlue®

F00744000	Self Service MC per AdBlue®	Self Service MC for AdBlue®	230/50	1.845,00



Dotazioni:

- Art. F00744000 - Colonnina in metallo h=1387 mm, elettropompa 230/50, tubo erogazione, conta litri, pistola automatica SB325, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro 3D, lettore chiave.

Equipments:

- Art. F00744000 - Steel cabinet h=1387 mm, heavy duty 230/50 AC membrane pump, hose, SB325 automatic nozzle, fuel monitoring system "MC" (80 users), flow meter, power box, 3D filter, i-button data system.

PIUSIBOX FOR AdBlue®

NEW	F00204060	PIUSIBOX per AdBlue®	PIUSIBOX for AdBlue®	24	1.096,75



NEW	F00201R20	PIUSIBOX Car Suction per AdBlue®	PIUSIBOX Car Suction for AdBlue®	230	424,35



Dotazioni:

- Art. F00204060 - Contenitore rigido in plastica con ruote. Elettropompa 24V DC, 6 mt cavo + pinze, interruttore on/off. Tubo di mandata 6 m. Tubo di aspirazione 2 m. Filtro 3D. Connettore SEC. Guanti, pistola aut. SB325 con sistema misfiling.

Equipments:

- Art. F00204060 - Wheeled plastic box. Heavy duty 2V DC membrane pump, mt. 6 cables + clips, on/off switch. Delivery hose 6 m. Suction hose 2 m. 3D filter. SEC coupling. Gloves, SB325 aut. nozzle with misfiling device.

SOLUZIONI PER AdBlue® - TRANSFER SYSTEMS FOR AdBlue®

	Erogatori	Dispensers		
	F00101000	PIUSI THREE25 + contaltri K24 +pistola SB325+SEC	PIUSI THREE25 + K24 meter +SB325 nozzle+SEC	230/50 1.025,00
	F00101010	PIUSI THREE25 + pistola SB325 METER+SEC	PIUSI THREE25 SB325 nozzle METER+SEC	230/50 1.025,00
	F00101020	PIUSI THREE25 + contaltri K24+ pistola SB325+EXT	PIUSI THREE25 +K24 meter + SB325 nozzle+EXT	230/50 1.025,00
	F00101030	PIUSI THREE25 + pistola SB325 METER+EXT	PIUSI THREE25 + SB325 nozzle METER+EXT	230/50 1.025,00
	F00611D10	Cartuccia filtro PIUSI 3D	PIUSI 3D filter cartridge	100,00



Dotazioni:

- Art. F00101000 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Gruppo contaltri K24. Pistola automatica SB325. Tubo mandata 6 m. Tubo di aspiraz. 1,5 m. Portagomma e fascette. Connett. SEC. Filtro. Bending Protection.
- Art. F00101010 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Pistola automatica SB325M con contaltri. Tubo di mandata 6 m. Tubo di aspirazione 1,5 m. Portagomma e fascette. Connettore SEC. Filtro. Bending Protection.
- Art. F00101020 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Gruppo contaltri K24. Pistola automatica SB325. Tubo mandata 6 m. Tubo di aspiraz. esterno. Portagomma e fascette. Connett. SEC. Filtro. Bending Protection.
- Art. F00101030 - Lamiera inox di supporto con porta pistola integrato. Elettropompa. Pistola automatica SB325M con contaltri. Tubo di mandata 6 m. Tubo di aspirazione esterno. Portagomma e fascette. Connettore SEC. Filtro. Bending Protection.

Equipments:

- Art. F00101000 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Meter K24. Automatic nozzle SB325. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling. Filter. Bending Protection.
- Art. F00101010 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Automatic nozzle SB325M with meter. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling. Filter. Bending Protection.
- Art. F00101020 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Meter K24. Automatic nozzle SB325. Delivery hose 6 m. External suction hose. Hose tail and clamps. SEC coupling. Filter. Bending Protection.
- Art. F00101030 - Stainless steel base with nozzle holder integrated. Heavy duty membran pump. Automatic nozzle SB325M with meter. Delivery hose 6 m. External suction hose. Hose tail and clamps. SEC coupling. Filter. Bending Protection.

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

SOLUZIONI PER AdBlue® - TRANSFER SYSTEMS FOR AdBlue®

	Erogatori	Dispensers		
	F00201C9B SuzzaraBlue PRO + SB 325*	SuzzaraBlue PRO + SB 325*	230/50	823,08
	F00201E8B SuzzaraBlue BASIC + SB 325*	SuzzaraBlue BASIC + SB 325*	230/50	676,50
	F00201B1B SuzzaraBlue PRO *	SuzzaraBlue PRO *	230/50	908,15
	F00201B2B SuzzaraBlue BASIC *	SuzzaraBlue BASIC *	230/50	561,70
	F00201A8B SuzzaraBlue 12V PRO	SuzzaraBlue 12V PRO	12	908,15
	F00201A9B SuzzaraBlue 12V BASIC	SuzzaraBlue 12V BASIC	12	561,70
	* Disponibili versioni con tubo esterno	* Version with external suction hose available		
	F0020196B SuzzaraBlue BOX K24	SuzzaraBlue BOX K24	230/50	1.066,00
	F00201AAA SuzzaraBlue Kit 12V	SuzzaraBlue Kit 12V	12V	387,45
	F00201C7A SuzzaraBlue Kit 230V	SuzzaraBlue Kit 230V	230V	387,45
	F0020135E SuzzaraBlue DRUM	SuzzaraBlue DRUM	230/50	543,25
	F00201D5C SuzzaraBlue DRUM + SB325	SuzzaraBlue DRUM + SB325	230V	676,50
	F00201E5C SuzzaraBlue DRUM + SB325 meter	SuzzaraBlue DRUM + SB325 meter	230V	823,08








Dotazioni:

- Art. F00201B1B - Lamiera inox di supporto con portapistola. Elettropompa. Gruppo contaltri K24. Pistola automatica inox. Tubo mandata 6 m. Tubo di aspiraz. 1,5 m. Portagomma e fascette. Connett. SEC
- Art. F00201B2B - Lamiera inox di supporto. Elettropompa. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,1 m. Portagomma e fascette. Connettore SEC
- Art. F00201A8B - Lamiera inox di supporto con portapistola. Elettropompa 12V con cavo 2 mt+pinze. Gruppo contaltri K24. Pistola aut. inox. Tubo mandata 6 m. Tubo aspiraz. 1,5 m. Portagomma e fascette.
- Art. F00201A9B - Lamiera inox di supporto. Elettropompa 12V con cavo 2 mt+pinze. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,1 m. Portagomma e fascette
- Art. F0020196B - Struttura metallica con portello anteriore munito di serratura, pompa a membrana, gruppo contaltri K24, pistola automatica inox, tubo mandata 6 mt.
- Art. F0020135E - Lamiera inox di supporto per fusto, elettropompa, pistola manuale, tubo di mandata (4 m), tubo di aspirazione.
- Art. F00201AAA + F00201C7A - Elettropompa, pistola manuale, tubo di mandata (6 m), tubo di aspirazione in pvc 1,5 m con valvola di fondo.

Equipments:

- Art. F00201B1B - Stainless steel base with nozzle holder. Heavy duty membrane pump. Meter K24. Automatic stainless steel nozzle. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling.
- Art. F00201B2B - Stainless steel base. Heavy duty membrane pump. Manual nozzle. Delivery hose 6 m. Suction hose 1,1 m. Hose tail and clamps. SEC coupling.
- Art. F00201A8B - Stainless steel base with nozzle holder. Heavy duty membrane pump 12V w/cable 2mt with pliers. Meter K24. Automatic stainless steel nozzle. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps.
- Art. F00201A9B - Stainless steel base. Heavy duty membrane pump 12V w/cable 2mt with pliers. Manual nozzle. Delivery hose 6 m. Suction hose 1,1 m. Hose tail and clamps.
- Art. F0020196B - Metal box with lit lock, membrane pump, K 24 meter, automatic inox nozzle, Delivery hose 6 mt.
- Art. F0020135E - Stainless steel base for drum, pump, manual nozzle, delivery hose (4 m), suction hose.
- Art. F00201AAA + F00201C7A - Membrane pump, delivery hose 6 m, suction hose 1,5 m pvc with foot valve, manual nozzle.

SOLUZIONI PER AdBlue® - TRANSFER SYSTEMS FOR AdBlue®







	Pompe AdBlue®	Heavy duty pumps		
	F00203090 Pompa a membrana 230/50HZ 2MT. CAVO	Diaphragm pump 230V/50HZ w/CABLE	230/50	256,25
	F00204080 Pompa a membrana 12V DC	Membrane pump 12V DC	12V	256,25
	F00204090 Pompa a membrana 24V DC	Membrane pump 24V DC	24V	256,25
	Pompe a mano	Hand pumps		
	NEW F00332A00 Piusi Hand Pump AdBlue® 56x4	Piusi Hand Pump AdBlue® 56x4		116,85
	NEW F00332A10 Piusi Hand Pump AdBlue® 2" but.	Piusi Hand Pump AdBlue® 2" but.		116,85
	NEW F00332A40 Piusi Hand Pump AdBlue® 2" bsp	Piusi Hand Pump AdBlue® 2" bsp		116,85
	NEW F00332A60 Piusi Hand Pump AdBlue® 70x6	Piusi Hand Pump AdBlue® 70x6		116,85
	NEW F00332A20 Piusi Hand Pump AdBlue® 56x4 con tubo	Piusi Hand Pump AdBlue® 56x4 w/hose		151,70
	NEW F00332A30 Piusi Hand Pump AdBlue® 2" but. con tubo	Piusi Hand Pump AdBlue® 2" but. w/hose		151,70
	NEW F00332A50 Piusi Hand Pump AdBlue® 2" bsp con tubo	Piusi Hand Pump AdBlue® 2" bsp w/hose		151,70
	NEW F00332A70 Piusi Hand Pump AdBlue® 70x6 con tubo	Piusi Hand Pump AdBlue® 70x6 w/hose		151,70
	NEW F00332B00 Piusi Hand Pump AdBlue® side	Piusi Hand Pump AdBlue® side		203,98
	NEW F00332B10 Piusi Hand Pump AdBlue® side con filtro	Piusi Hand Pump AdBlue® side w/filter		329,03
	NEW F20495000 Kit trasformazione Hand Pump per IBC	Kit to adapt Hand Pump for IBC		109,68
	F0033205A Pompa a mano Rotativa AdBlue®	Rotative handpump AdBlue®		68,06
	F0033208A Pompa a mano AdBlue®+3MT+Adatt. MAU\GRE	Handpump AdBlue® +3M+Adapt.MAUSER/GREIF		107,63
	F00332090 Pompa a mano a Pistone a leva con tubo aspirazione "Made in EU"	Piston lever handpump with dip tube "Made in EU"		59,45
	F00332100 Pompa a mano a Pistone a leva con tubo aspirazione/mandata "Made in EU"	Piston lever handpump with dip tube and delivery hose "Made in EU"		92,25
	F15517000 SuzzaraBlue Gravity Kit	SuzzaraBlue Gravity Kit		114,08

Dotazioni:

- Art. F0033205A - Pompa manuale senza adattatori e senza tubo di mandata
- Art. F0033208A - Pompa manuale con 3 metri di tubo mandata e spout inox. adattatori per fusto Mauser/Greif.
- Art. F00332090 - Pompa manuale a leva a pistone con tubo telescopico in aspirazione
- Art. F00332100 - Pompa manuale a leva a pistone con tubo telescopico in aspirazione, tubo mandata e adattatori per fusto Mauser/Greif.
- Art. F15517000 - Pistola manuale, tubo 3 mt e adattatore IBC.

Equipments:

- Art. F0033205A - Hand Pump without adapters and without delivery hose.
- Art. F0033208A - Hand Pump with mt 3 delivery hose and spout stainless steel, adapters for Mauser/Greif tank.
- Art. F00332090 - Piston Lever Hand Pump with dip tube
- Art. F00332100 - Piston Lever Hand Pump with dip tube, delivery hose and adapters for Mauser/Greif Tank.
- Art. F15517000 - Manual nozzle, delivery hose 3 mt and IBC adapter.

	COD.	MODELLO	MODEL	VOLT/HZ	EURO
SOLUZIONI PER AdBlue® - TRANSFER SYSTEMS FOR AdBlue®					
		Contaltri	Meters		
	F0040710A	K24 contaltri a turbina M/MF 1in GAS AdBlue®	K24 turbine meter M/MF 1in GAS AdBlue®		146,68
	F00617010	Pistola automatica SB325 (con contaltri)	Automatic nozzle SB325 (with meter)		420,25
		Contaltri pulser	Pulse meters		
	F0040721B	K24 contaltri pulser M/MF 1in BSP AdBlue®	K24 pulser M/MF 1in BSP AdBlue®		108,65
	F0042000A	Turbinox in-line pulser 1in x 1in	Turbinox in-line pulser 1in x 1in		190,14
	F0049503B	Display remoto con emettitore di impulsi 100 p/l	Remote display with puls out 100 p/l AdBlue®		249,90
		Pistole	Nozzles		
	F14761000	Pistola manuale con portagomma	Manual nozzle w/hosetail		49,52
	F0061903B	Pistola automatica A60 inox con swivel	Automatic nozzle A60 s. steel with swivel		299,87
	F00617000	Pistola automatica SB325	Automatic nozzle SB325		256,25
	F18400000	Piùsi adattatore magnetico	Piùsi Magnetic Adapter		20,50
	F19174000	Kit trasformazione SB325 misf. mag.	Kit trasformazione SB325 misf. mag.		79,95
	R19172000	Kit ricambio spout SB325 + misfilling	Kit ricambio spout SB325 + misfilling		59,45
	R19173000	Kit ricambio spout SB325	Kit ricambio spout SB325		28,70
	F15165000	Sistema protezione dagli errori di rifornimento - ELAFIX -	Misfuelling device - ELAFIX -		37,93

Dotazioni:

- Art. F00617000 – Pistola automatica con spout inox intercambiabile
- Art. F00617010 – Pistola automatica con contaltri elettronico integrato. Spout inox intercambiabile
- Art. R19172000 – Ricambio spout con sistema misfilling
- Art. R19173000 – Ricambio spout
- Art. F19174000 – Ricambio spout con sistema misfilling + adattatore magnetico

Equipments:


- Art. F00617000 – Automatic nozzle with replaceable stainless steel spout.
- Art. F00617010 – Automatic nozzle with built-in meter. Replaceable stainless steel spout.
- Art. R19172000 – Kit stainless steel spout with misfilling system
- Art. R19173000 – Kit stainless steel spout
- Art. F19174000 – Kit stainless steel spout with misfilling system + magnetic adaptor

SOLUZIONI PER AdBlue® - TRANSFER SYSTEMS FOR AdBlue®

	Sistemi di controllo	Control system		
	MC box	MC box		
	F1398006B	Kit MC box AdBlue® 120 utenti	Kit MC box AdBlue® 120 users	230/50 1.348,56
	F15904000	Kit N° 10 chiavi utente colore Giallo	Kit N° 10 User Keys color Yellow	131,20
	F12496000	Chiave gestore colore Rosso	Manager Key color Red	54,43

SOFTWARE

	NEW	F00773010	SELF SERVICE MANAGEMENT 2018 - USB	SELF SERVICE MANAGEMENT 2018 - USB		310,00
	NEW	F00773210	SELF SERVICE MANAGEMENT 2018 - WEB	SELF SERVICE MANAGEMENT 2018 - WEB		250,00

	Ocio	Ocio		
	F00755140	Indicatore di livello RS out AdBlue®	Level indicator RS out AdBlue®	230/50 391,14
	F00755S1A	Ocio Desk Singletank (PC interfaccia + software* per 1 serbatoio)	Ocio Desk Singletank (PC interface + software* for 1 tank)	434,60
	F00755S0C	Ocio Desk Multitank 4 (PC interfaccia + software* per 4 serbatoi)	Ocio Desk Multitank 4 (PC interface + software* for 4 tanks)	760,55
	F00755S2A	Ocio Desk Multitank 8 (PC interfaccia + software* per 8 serbatoi)	Ocio Desk Multitank 8 (PC interface + software* for 8 tanks)	1.005,01
	F00755S3A	Ocio Desk Multitank 12 (PC interfaccia + software* per 12 serbatoi)	Ocio Desk Multitank 12 (PC interface + software* for 12 tanks)	1.249,48
	F00755G50	Ocio GSM Quad Band SMS	Ocio GSM Quad Band SMS	928,96
	F00755G20	Espansione Ocio GSM da 2 A 4 serbatoi	Expansion Ocio GSM tanks 2 - 4	217,30
	F00755G40	Espansione Ocio GSM da 5 A 8 serbatoi	Expansion Ocio GSM tanks 5 - 8	325,95
F00755SBA	Kit Wi-Fi Ocio Desk single tank*	Kit Wi-Fi Ocio Desk single tank*	605,00	

* Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

* Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).

COD.	MODELLO	MODEL	VOLT/HZ	EURO
------	---------	-------	---------	------

SOLUZIONI PER AdBlue® - TRANSFER SYSTEMS FOR AdBlue®

		Arrotolatori senza tubo	Hose Reels without hose	
	F0075006A	Arrotolatore per AdBlue® Small	AdBlue® hose reel (without hose)	323,90
	Arrotolatori con tubo		Hose Reels with hose	
	F0075007C	Arrotolatore per AdBlue® con tubo 8 mt Small	AdBlue® hose reel with 8 mt hose	387,45
	F0075011B	Arrotolatore per AdBlue® con tubo 15 mt Big	AdBlue® hose reel with 15 mt hose	535,05
		Accessori	Accessories	
	F1627900A	Supporto girev. arrotol. Big	Rotating support plate Big	47,00
	F1629800A	Staffa fissa arrotolatore Big	Fix support plate Big	28,00
	F1731700A	Supporto girevole arrotolatore Small	Rotating support plate Small	47,00
	F1731600A	Staffa fissa arrotolatore Small	Fix support plate Small	24,00
	F17275000	Kit base arrotolatore per serbatoio IBC	Kit plate hosereel for IBC tank	92,25
		Carrello	Troll	
	F12068010	Kit carrello SuzzaraBlue TROLL	SuzzaraBlue TROLLEY kit	320,83
		Tubi	Hoses	
	F14125050	Tubo mandata EPDM D. 19 - 80 mt	Delivery hose EPDM D. 19 - 80 mt	475,60
	F14250000	Tubo mandata EPDM D. 19 - 4 mt	Delivery hose EPDM D. 19 - 4 mt	31,98
	F14125020	Tubo mandata EPDM D. 19 - 6 mt	Delivery hose EPDM D. 19 - 6 mt	47,97
	F14125030	Tubo mandata EPDM D. 19 - 8 mt	Delivery hose EPDM D. 19 - 8 mt	63,96
	F14125040	Tubo mandata EPDM D. 19 - 10 mt	Delivery hose EPDM D. 19 - 10 mt	79,95
	F13800000	Fascetta 23-35-12 AISI 304 inox (Kit nr. 10 pz)	Clamp 23-35-12 AISI 304 inox (Kit nr. 10 pcs)	41,00
	F15515010	Kit aspirazione esterno 0,3 mt Fusto IBC + valvola di linea	Kit Bottom Connection	37,93
	F15515000	Kit aspirazione esterno 1,4 mt Fusto IBC + valvola di linea	External suction hose IBC tank with foot valve	61,50
	F14146000	Kit aspirazione tubo EPDM 1,5 mt + valvola di fondo	Kit Suction hose EPDM 1,5 mt with foot valve	52,99
	F15883000	Kit aspirazione tubo EPDM 1,1 mt attacco SEC	Kit Suction hose EPDM 1,1 mt with SEC	48,18
	F15606000	Kit aspirazione rigido SuzzaraBlue Drum	Kit rigid suction hose SuzzaraBlue Drum	52,28
		Accessori	Accessories	
	NEW F20189000	Connettore AF2 56x4 Buttress - 1" BSP	AF2 56x4 Buttress - 1" BSP	34,34
	NEW F20190000	Connettore AF2 2" Buttress - 1" BSP	AF2 2" Buttress - 1" BSP	34,34
	NEW F20257000	Connettore AF2 2" BSP - 1" BSP	AF2 2" BSP - 1" BSP	34,34
	NEW F20258000	Connettore AF2 2" 70x6 - 1" BSP	AF2 2" 70x6 - 1" BSP	34,34
	F15452000	Connettore Sec + Portagomma 90°	Easy coupling SEC with hosetail 90°	26,08
	F00611D10	Cartuccia filtro Piusi 3D	Piusi 3D filter cartridge	102,50
	F00611D00	Kit filtro completo Piusi 3D	Kit Piusi 3D filter + housing	125,05
	F1891000A	Connettore rapido PDC AdBlue®	PDC PIUSI DEF coupler	76,88
	F15236000	Adattatore M/F 2in Fusto Greif	Adapter M/F 2in - Tank Greif	3,26
	R1512800A	Adattatore M/F 2in S70x6 Fusto Mauser	Adapter M/F 2in - S70x6 - Tank Mauser	4,28
	F15776000	Attacco Girevole M-F 1in Plastica per Pistola manuale	Swivel M-F 1in GAS Plastic for manual nozzle	10,43
	F16475000	Adattatore K24 per Pistola automatica	Connector K24 for automatic nozzle	23,99
	F14132000	Swivel Inox 3/4in M per Tubo D.19 Mm	Swivel St. steel 3/4in M for hose d.19 mm	21,88
	F16073000	Manicotto Inox 1in BSP (Kit Nr. 20 Pz)	Socket SS 1in BSP (Kit nr. 20 pcs)	158,88
	F16074000	Manicotto Inox 1in NPT (Kit Nr. 20 Pz)	Socket SS 1in NPT (Kit nr. 20 pcs)	88,15
	F16458000	Manic. Inox 1in BSP x 1in NPT (Kit 20 Pz)	Socket SS 1in BSP x 1in NPT (Kit 20 pcs)	88,15
	F15484000	Portagomma D.19 90° Ghiera per K24	Hosetail D.19 90° with ring nut for K24	6,63
	F15485000	Portagomma D.19 90° Ghiera e Nipplo	Hosetail D.19 90° with ring nut and nipple	10,75
	F15522000	Portagomma Diritto Ø20 1G Plastica	Hosetail Straight Ø20 1G Plastic	5,22
	F16435000	Portagomma con Ghiera 1In X 20	Hosetail with ring nut 1in x 20	4,10
	F16433000	Raccordo 90° con nr. 2 Ghiera 1in	Connector 90° with nr. 2 ring nut 1in	6,92
	F16434000	Raccordo Diritto con nr. 2 Ghiera 1in	Straight Connector with nr. 2 ring nut 1in	6,23
	F16497000	Manicotto di protezione per tubo da 3/4"	Rubber protector for hose 3/4"	3,12

COD.	DESCRIZIONE	DESCRIPTION	PAGE
INDICE PER CODICE - INDEX CODE			
000214000	ST E 80/M	ST E 80/M	9
000216000	ST E 120/M	ST E 120/M	9
000244000	ST E 80/M A80	ST E 80/M A80	9
000248000	ST VISCOMAT 70/M	ST VISCOMAT 70/M	9
000252000	ST E 120/M A120	ST E 120/M A120	9
000256000	ST VISCOMAT 70/M K33	ST VISCOMAT 70/M K33	9
000263100	VISCOTROLL 70	VISCOTROLL 70	20
000263110	VISCOTROLL 70/K33	VISCOTROLL 70/K33	20
000266P00	ST PANTHER 56/M	ST PANTHER 56/M	9
000270000	DRUM VISCOMAT 70 M.	DRUM VISCOMAT 70 M.	10
000270010	DRUM VISCOMAT 70 M. K33	DRUM VISCOMAT 70 M. K33	10
000271P00	DRUM 56	DRUM 56	10
000272P00	DRUM 56 K33	DRUM 56 K33	10
000273P00	DRUM 56 A60	DRUM 56 A60	10
000274P00	DRUM 56 K33 A60	DRUM 56 K33 A60	10
000286P00	ST PANTHER 56/M A60	ST PANTHER 56/M A60	9
000303000	VISCOMAT 90 T 400V/50HZ	VISCOMAT 90 T 400V/50HZ	14
000305000	E 80/M + INT. FLANGE D.80	E 80/M + INT. FLANGE D.80	13
000326000	E 120/M + INT. FLANGE D.80	E 120/M + INT. FLANGE D.80	13
000390000	ST E 80/M K33	ST E 80/M K33	9
000392000	ST E 80/M K33 A80	ST E 80/M K33 A80	9
000395000	ST E 120/M K33	ST E 120/M K33	9
000397000	ST E 120/M K33 A120	ST E 120/M K33 A120	9
00044007A	PULSE METER 400 G MONOC. WINDSCREEN	K400 PULSER WINDSCREEN METER	17
000452000	K200 PULSER - 1/4in BSP	K200 PULSER - 1/4in BSP	17
000452030	K200 PULSER HP	METER K200 PULSER HP	17
000473000	K600/4 PULS/MONOC 1 1/2in GAS	K600/4 PULS/SINGLE CHANEL 1 1/2in GAS	17
000483020	CONTALITRI K400 C L/GAS WINDSCREEN	METER K400 C L/GAS WINDSCREEN	16
00049700A	CONTALITRI K600/4 LITRI 1 1/2in GAS	K600/4 METER L 1 1/2in GAS	16
00050300A	DEPUROIL/M	DEPUROIL/M	19
000550000	CONTALITRI K33 VER.A	K33 METER VER.A	16
000560000	CONTALITRI K44 VER.A	K44 METER VER.A	16
00056500A	CONTALITRI K44/PULSER VER.D	K44/PULSER METER	16
00057500C	CUBE 56/33	CUBE 56/33	5
000623000	SWIVEL 34.1 M	SWIVEL 34.1 M	24
00062400A	SWIVEL 34.34	SWIVEL 34.34	24
00065001A	SELF 3000 1in BSP UNLEADED SPOUT	SELF 3000 1in GAS UNLEADED SPOUT	17
00065003A	SELF 3000 1in BSP UNLEADED SPOUT S/P	SELF 3000 1in GAS UNLEADED SPOUT W/O LOC	4
000669000	ESTREMITA' CON SNODO	FLEX SPOUT	18
000732000	PANTHER 72 230V/50HZ	PANTHER 72 230V/50HZ	13
000934000	ESTREMITA RIGIDA CON MNDN HF	RIGID SPOUT WITH MNDN HF	18
000935000	ESTREMITA FLESSIBILE MNDN HF	FLEX SPOUT WITH MNDN HF	18
000938000	ESTREMITA RIGIDA CON MNDN LF	RIGID SPOUT WITH MNDN LF	18
00933100A	CASSETTA METALLICA PER STAZIONI	METAL BOX	10
NEW F00100200	DELPHIN PRO 230 / 50	DELPHIN PRO 230 / 50	26
NEW F00100210	DELPHIN PRO 230 / 50 W/SEC	DELPHIN PRO 230 / 50 W/SEC	26
NEW F00100300	DELPHIN PRO DC	DELPHIN PRO DC	26
NEW F00100500	DELPHIN PRO DC / SEC	DELPHIN PRO DC / SEC	26
F00101000	PIUSI THREE25 + contalitri K24 + pistola SB325+SEC	PIUSI THREE25 + K24 meter +SB325 nozzle+SEC	26
F00101010	PIUSI THREE25 + pistola SB325 METER+SEC	PIUSI THREE25 SB325 nozzle METER+SEC	26
F00101020	PIUSI THREE25 + contalitri K24+ pistola SB325+EXT	PIUSI THREE25 +K24 meter + SB325 nozzle+EXT	26
F00101030	PIUSI THREE25 + pistola SB325 METER+EXT	PIUSI THREE25 + SB325 nozzle METER+EXT	26
F0020135E	SUZZARABLU DRUM 230V / 50Hz	SUZZARABLU 230V / 50HZ DRUM	27
F0020196B	SUZZARABLU BOX K24	SUZZARABLU BOX K24	27
F00201A8B	SUZZARABLU PRO K24 12 V	SUZZARABLU PRO K24 12 V	27
F00201A9B	SUZZARABLU BASIC 12 V	SUZZARABLU BASIC 12 V	27
F00201AAA	SUZZARA BLUE KIT 12V	SUZZARA BLUE KIT 12V	27
F00201B1B	SUZZARABLU PRO 230V/50Hz K24 SIDE W/SEC	SUZZARABLU PRO 230V/50Hz K24 SIDE W/SEC	27
F00201B2B	SUZZARA BLUE BASIC 230V/50Hz SIDE W/SEC	SUZZARA BLUE BASIC 230V/50Hz SIDE W/SEC	27

COD.	DESCRIZIONE	DESCRIPTION	PAGE
INDICE PER CODICE - INDEX CODE			
F00201C7A	SUZZARA BLUE KIT 230 V	SUZZARA BLUE KIT 230 V	27
F00201C9B	SUZZARABLUE PRO 230V/50Hz SB325 W/SEC	SUZZARABLUE PRO 230V/50Hz SB325 W/SEC	27
F00201D5C	SUZZARABLUE DRUM 230V/50Hz+SB325	SUZZARABLUE 230V / 50Hz DRUM+SB325	27
F00201E5C	SUZZARABLUE DRUM + SB325 METER	SUZZARABLUE DRUM + SB325 METER	27
F00201E8B	SUZZARA BLUE BASIC 230V/50Hz SB325 W/SEC	SUZZARA BLUE BASIC 230V/50Hz SB325 W/SEC	27
F00201R20	PIUSI BOX CAR SUCTION AdBlue® 230V	PIUSI BOX CAR SUCTION AdBlue® 230V	26
F00202000	PICO 230V PISTOLA MANUALE TUBO 4MT	PICO 230V MANUAL NOZZLE 4MT HOSE	12
F00202010	PICO 230V PISTOLA AUTOMATICA TUBO 4MT	PICO 230V AUTOMATIC NOZZLE 4MT HOSE	12
F00202020	PICO 230V MAN\NOZZLE 4MT HOS K24 METER	PICO 230V MAN\NOZZLE 4MT HOS K24 METER	12
F00202030	PICO 230V AUT\NOZZLE 4MT HOS K24 METER	PICO 230V AUT\NOZZLE 4MT HOS K24 METER	12
F00202040	PICO 12V PISTOLA MANUALE TUBO 4MT	PICO 12V MANUAL NOZZLE 4MT HOSE	12
F00202050	PICO 12V PISTOLA AUTOMATICA TUBO 4MT	PICO 12V AUTOMATIC NOZZLE 4MT HOSE	12
F00202060	PICO 12V MAN\NOZZLE 4MT HOS K24 METER	PICO 12V MAN\NOZZLE 4MT HOS K24 METER	12
F00202070	PICO 12V AUT\NOZZLE 4MT HOS K24 METER	PICO 12V AUT\NOZZLE 4MT HOS K24 METER	12
F00203090	POMPA A MEMBRANA 230/50HZ 2MT. CAVO	DIAPHRAGM PUMP 230V/50HZ w/CABLE	27
F00204060	PIUSIBOX for AdBlue®	PIUSIBOX for AdBlue®	26
F00204080	POMPA A MEMBRANA 12V DC	MEMBRANE PUMP 12V DC	27
F00204090	POMPA A MEMBRANA 24V DC	MEMBRANE PUMP 24V DC	27
F00208A00	PIUSI MA 130 - POMPA PNEUM. A MEMBRANA	PIUSI MA 130 - AIR OPERATED MEMBRANE PUMP	15
F00208A10	PIUSI MA 180 - POMPA PNEUM. A MEMBRANA	PIUSI MA 180 - AIR OPERATED MEMBRANE PUMP	15
F00208A20	PIUSI MA 190 - POMPA PNEUM. A MEMBRANA	PIUSI MA 190 - AIR OPERATED MEMBRANE PUMP	15
F00208P00	PIUSI MP 130 - POMPA PNEUM. A MEMBRANA	PIUSI MP 130 - AIR OPERATED MEMBRANE PUMP	15
F00208P10	PIUSI MA 140 - POMPA PNEUM. A MEMBRANA	PIUSI MA 140 - AIR OPERATED MEMBRANE PUMP	15
F00208P20	PIUSI MP 140 - POMPA PNEUM. A MEMBRANA	PIUSI MP 140 - AIR OPERATED MEMBRANE PUMP	15
F00208P30	PIUSI MP 180 - POMPA PNEUM. A MEMBRANA	PIUSI MP 180 - AIR OPERATED MEMBRANE PUMP	15
F00208P40	PIUSI MP 190 - POMPA PNEUM. A MEMBRANA	PIUSI MP 190 - AIR OPERATED MEMBRANE PUMP	15
F00212000	PIUSI PITSTOP 45 12V /14 MT	PIUSI PITSTOP 45 12V /14 MT	11
F00213000	PIUSI PITSTOP 45 24V /14 MT	PIUSI PITSTOP 45 24V /14 MT	11
F0022201A	DRUM BI-PUMP 12V	DRUM BI-PUMP 12V	10
F0022203A	DRUM BI-PUMP 12V A120	DRUM BI-PUMP 12V A120	10
F0022205A	DRUM BI-PUMP 12V K33	DRUM BI-PUMP 12V K33	10
F0022207A	DRUM BI-PUMP 12V K33 A120	DRUM BI-PUMP 12V K33 A120	10
F0022300C	CARRY 3000 12V	CARRY 3000 12V	12
F00223260	CARRY 3000 12V LINEA - 3/4 BSP	CARRY 3000/12V - 3/4 BSP	12
F0022400C	CARRY 3000 24V	CARRY 3000 24V	12
F00224240	CARRY 3000 24V LINEA - 3/4 BSP	CARRY 3000/24V - 3/4 BSP	12
F0022500C	BATTERY KIT 3000/12V	BATTERY KIT 3000/12V	12
F00225410	BATTERY KIT 3000 12V BO 3/4"SELF2000 1"F	BATTERY KIT 3000 12V BO 3/4"SELF2000 1"F	12
F0022600C	BATTERY KIT 3000/24V	BATTERY KIT 3000/24V	12
F00226380	BATTERY KIT 3000 24V BO 3/4"SELF2000 1"F	BATTERY KIT 3000 24V BO 3/4"SELF2000 1"F	12
F0023100B	PIUSI BOX 12V BASIC N.	PIUSI BOX 12V BASIC N.	12
F0023101B	PIUSI BOX 12V PRO N.	PIUSI BOX 12V PRO N.	12
F0023200B	PIUSI BOX 24V BASIC N.	PIUSI BOX 24V BASIC N.	12
F0023201B	PIUSI BOX 24V PRO N.	PIUSI BOX 24V PRO N.	12
F0026100D	DRUM VISCOMAT 200/2 230V/50-60Hz	DRUM VISCOMAT 200/2 230V/50-60Hz	10
F0026200D	DRUM VISC 200/2 230V/50-60Hz K400	DRUM VISC 200/2 230V/50-60Hz K400	10
F0026300D	VISCOTROLL 200/2 -BY PASS REG.	VISCOTROLL 200/2 -BY PASS REG.	20
F0026301D	VISCOTROLL 200/2 K400 -BY PASS REG.	VISCOTROLL 200/2 K400 -BY PASS REG.	20
F0026302D	VISCOTROLL 200/2 PST REG	VISCOTROLL 200/2 PST REG	20
F0026303D	VISCOTROLL 200/2 PST K400 REG	VISCOTROLL 200/2 PST K400 REG	20
F00263200	VISCOTROLL 120/1 12V PST	VISCOTROLL 120/1 12V PST	20
F00263210	VISCOTROLL 120/1 12V K400 PST	VISCOTROLL 120/1 12V K400 PST	20
F00265F0A	ST PANTHER 72 K33/F/6MT/PA60 4MT + ASP	ST PANTHER 72 K33/F/6MT/PA60/ASP 4MT	9
F00265F3A	ST Panther 72 K33 A60 Filtro CC,con tubo aspir.	ST Panther 72 K33 A60 CC Filter with suction hose	9
F00265F40	ST PANTHER 72 K33/F/6MT/PA60 4MT NO ASP	ST PANTHER 72 K33/F/6MT/PA60 4MT NO ASP	9
F00265R70	ST Panther 72 K24 A80 Filtro CC, senza tubo aspir.	ST Panther 72 K24 A80 CC Filter, Without suction hose	9
F00265S20	ST Panther 72 K24 A60 6mt, senza tubo aspir.	ST Panther 72 K24 A80 CC Filter,without suction hose	9
F00287P0A	ST PANTHER 56/M K33 A60	ST P.56/M K33 A60	9
F0030200D	VISCOMAT 200/2 M 230 50/60 +FLOWMAT -NW-	VISCOMAT 200/2 M 230 50/60 +FLOWMAT -NW-	14

	COD.	DESCRIZIONE	DESCRIPTION	PAGE
INDICE PER CODICE - INDEX CODE				
	F0030204D	VISCOMAT 230/3 M 230 50/60 +FLOWMAT -NW-	VISCOMAT 230/3 M 230 50/60 + FLOWMAT-NW-	14
	F0030206D	VISCOMAT 350/2 M 230 50/60 +FLOWMAT -NW-	VISCOMAT 350/2 M 230/50 + FLOWMAT -NW-	14
	F00303M00	VISCOMAT 90 M 230V - 50/60 Hz	VISCOMAT 90 M 230V/50Hz	14
	F0030401D	VISCOMAT 350/2 M 230V/50HZ REG.	VISCOMAT 350/2 M 230V/50HZ REG.	14
	F0030403D	VISCOMAT 200/2 M 230V/50-60HZ REG.	VISCOMAT 200/2 M 230V/50-60HZ REG.	14
	F0030405D	VISCOMAT 200/2 T 400V/50HZ REG.	VISCOM 200/2 T 400V/50HZ+PIEDI REG.	14
	F0030430D	VISCOMAT 230/3 M 230V/50HZ REG.	VISCOMAT 230/3 M 230V/50HZ REG.	14
	F00304T1D	VISCOMAT 350/2 T 400V/50HZ REG.	VISCOMAT 350/2 T 400V/50HZ REG.	14
	F00304T4D	VISCOMAT 230/3 T 400V/50HZ REG.	VISCOMAT 230/3 T 400V/50HZ REG.	14
	F0030900A	VISCOMAT 120/1 12V DC	VISCOMAT 120/1 12V DC	14
	F0030901A	VISCOMAT 60/2 12V DC	VISCOMAT 60/2 12V DC	14
	F0030902A	VISCOMAT 60/1 12V DC	VISCOMAT 60/1 12V DC	14
	F00309060	BATTERY KIT VISCOMAT 60/2 12V	BATTERY KIT VISCOMAT 60/2 12V	12
	F0031000A	VISCOMAT 120/1 24V DC	VISCOMAT 120/1 24V DC	14
	F0031001A	VISCOMAT 60/2 24V DC	VISCOMAT 60/2 24V DC	14
	F0031002A	VISCOMAT 60/1 24V DC	VISCOMAT 60/1 24V DC	14
	F00310070	BATTERY KIT VISCOMAT 60/2 24V	BATTERY KIT VISCOMAT 60/2 24V	12
	F00311000	VISCOMAT 120/1 12V PST	VISCOMAT 120/1 12V PST	14
	F00311010	VISCOMAT 120/1 24V PST	VISCOMAT 120/1 24V PST	14
	F00315000	GRUPPO ST 200 230V 50HZ	ST200 230V 50HZ	11
	F0031600A	H P PM GPI PISTONE	H P PM GPI PISTON	16
	F00318000	GRUPPO ST 200 24V	GRUPPO ST 200 24V	11
NEW	F00321000	POMPA E300	E300 PUMP	13
	F0033190A	VISCOMAT 70 OLIO/T 400V / 50-60 HZ	OIL VISCOMAT 70 T 400V / 50-60 HZ	14
	F0033200A	H P ROTATIVA 50 L/MIN ALLUMINIO	ALUMINIUM ROTATIVE HAND PUMP	16
	F0033201A	POMPA A MANO ROTATIVA GHISA	ROTATIVE CAST IRON HAND PUMP	16
	F0033205A	POMPA A MANO ROTATIVA POLIPROP.UREA	POLYPROPYLENE ROTATIVE HAND PUMP UREA	27
	F0033208A	POMPA MANO UREA+3MT+ADATT MAU'GRE	HANDPUMP UREA+3M+ADAPT.MAUSER/GREIF	27
	F00332090	PISTON HAND PUMP W/ SUCT "MADE IN EU"	PISTON HAND PUMP W/ SUCT "MADE IN EU"	27
	F00332100	PISTON-PUMP W/SUCT /DEL "MADE IN EU"	PISTON-PUMP W/SUCT /DEL "MADE IN EU"	27
NEW	F00332500	PIUSI HAND PUMP DIESEL/OIL 2"BSP SPOUT	PIUSI HAND PUMP DIESEL/OIL 2"BSP SPOUT	16
NEW	F00332520	PIUSI HAND PUMP DIESEL/OIL 2"BSP HOSE	PIUSI HAND PUMP DIESEL/OIL 2"BSP HOSE	16
	F00332A00	PIUSI HAND PUMP per AdBlue® 56x4	PIUSI HAND PUMP for AdBlue® 56x4	27
	F00332A10	PIUSI HAND PUMP per AdBlue® 2" BUT.	PIUSI HAND PUMP for AdBlue® 2" BUT.	27
	F00332A20	PIUSI HAND PUMP per AdBlue® 56x4 CON TUBO	PIUSI HAND PUMP for AdBlue® 56x4 W/HOSE	27
	F00332A30	PIUSI HAND PUMP per AdBlue® 2" BUT. CON TUBO	PIUSI HAND PUMP for AdBlue® 2" BUT. W/HOSE	27
	F00332A40	PIUSI HAND PUMP per AdBlue® 2" BSP	PIUSI HAND PUMP for AdBlue® 2" BSP	27
	F00332A50	PIUSI HAND PUMP per AdBlue® 2" BSP CON TUBO	PIUSI HAND PUMP for AdBlue® 2" BSP W/HOSE	27
	F00332A60	PIUSI HAND PUMP per AdBlue® 70x6	PIUSI HAND PUMP for AdBlue® 70x6	27
	F00332A70	PIUSI HAND PUMP per AdBlue® 70x6 CON TUBO	PIUSI HAND PUMP for AdBlue® 70x6 W/HOSE	27
	F00332B00	PIUSI HAND PUMP per AdBlue® SIDE	PIUSI HAND PUMP for AdBlue® SIDE	27
	F00332B10	PIUSI HAND PUMP per AdBlue® SIDE CON FILTRO	PIUSI HAND PUMP for AdBlue® SIDE W/FILTER	27
	F0033490A	OIL VISCOMAT 70 230V 50/60HZ	OIL VISCOMAT 70 230V 50/60HZ	14
	F0034000B	PANTHER DC 12V	PANTHER DC 12V	13
	F0034003B	BATTERY KIT PANTHER DC 12V	BATTERY KIT PANTHER DC 12V	12
	F0034004B	CARRY PANTHER DC 12V	CARRY PANTHER DC 12V	12
	F0034100C	PANTHER DC 24/12V	PANTHER DC 24/12V	13
	F0034103C	BATTERY KIT PANTHER DC 24/12V	BATTERY KIT PANTHER DC 24/12V	12
	F0034104C	CARRY PANTHER DC 24/12V	CARRY PANTHER DC 24/12V	12
	F00342000	BP3000 12V	BP3000 12V	13
	F00347000	BP3000 24V	BP3000 24V	13
	F0034900A	POMPA A MANO A LEVA	PISTON HAND PUMP 25 l/m'	16
	F0035100A	H P PISTONE 35 L/MIN	H P PISTONE 35 L/MIN	16
	F0035200A	INGRASSATORE 500cc / 16oz	GREASE GUN 500cc / 16oz	16
	F0035201A	INGRASSATORE 800cc / 28oz	GREASE GUN 800cc / 28oz	16
	F0035202A	INGRASSATORE 1000cc / 35oz	GREASE GUN 1000cc / 35oz	16
	F00357500	BP3000 12V LINEA - 3/4 BSP	BP3000 12V- 3/4 BSP	13
	F00358500	BP3000 24V LINEA - 3/4 BSP	BP3000 24V- 3/4 BSP	13
	F0036301A	BI-PUMP 12V C/INT C/CAVO 2MT	BI-PUMP 12V W/SWITCH W/CABLE 2MT	13

INDICE PER CODICE - INDEX CODE

COD.	DESCRIZIONE	DESCRIPTION	PAGE
F0036302A	BI-PUMP 12V C/INT C/CAVO 4MT	BI-PUMP 12V W/SWITCH W/CABLE 4MT	13
F0036303A	BI-PUMP 24V C/INT C/CAVO 2MT	BI-PUMP 24V W/SWITCH W/CABLE 2MT	13
F0036304A	BI-PUMP 24V C/INT C/CAVO 4MT	BI-PUMP 24V W/SWITCH W/CABLE 4MT	13
F0036321A	BI-PUMP 12/24V S/INT S/CAVO	BI-PUMP 12\24V WO\SWITCH WO\CABLE	13
F00363A0A	BI-PUMP 12V C/INT S/CAVO	BI-PUMP 12V W\SWITCH WO\CABLE	13
F00363B0A	BI-PUMP 24V C/INT S/CAVO	BI-PUMP 24V W\SWITCH WO\CABLE	13
F00365010	ST CASSETTA P72/M K33 F ACCESS	ST BOX P72 K33 W/WCAPTOR W/ACCESS85	10
F00365020	ST CASSETTA P56/M K33 F BASIC	ST BOX P56 K33 W/WCAPTOR BASIC	10
F00365060	ST CASSETTA P72/M K33 A60 WC BASIC	ST BOX P72/M K33 A60 WC BASIC	10
F00371000	EX50 12V ATEX	EX50 12V ATEX	4
F00372000	DRUM EX50 12V ATEX /AUTO/F/4MT/	DRUM EX50 12V ATEX /AUTO/F/4MT/	4
F00372010	DRUM EX50 12V ATEX /AUTO/F/4MT/	DRUM EX50 12V ATEX /AUTO/F/4MT/	4
F00372020	GRUPPO DRUM EX50 12V ATEX	KIT DRUM EX50 12V ATEX	4
F00372030	DRUM EX50 12V ATEX /MAN/F/4MT/CAVO	DRUM EX50 12V ATEX /MAN/F/4MT/CABLE	4
F00372040	DRUM EX50 12V ATEX /AUTO/F/4MT/CAVO	DRUM EX50 12V ATEX /AUTO/F/4MT/CABLE	4
F0037300A	EX50 230V ATEX	EX50 230V ATEX	4
F0037400A	DRUM EX50 230V ATEX /MAN/F/4MT	DRUM EX50 230V ATEX /MAN/F/4MT	4
F0037401A	DRUM EX50 230V ATEX /AUTO/F/4MT	DRUM EX50 230V ATEX /AUTO/F/4MT	4
F0037402A	GRUPPO DRUM EX50 + PORTAPISTOLA+ATTACCO 2'	KIT DRUM EX50 230V ATEX	4
F0037500A	DRUM EX50 K33 12V DC ATEX /MAN/F/4M	DRUM EX50 K33 12V DC ATEX /MAN/F/4M	4
F0037501A	DRUM EX50 K33 12V DC ATEX /AUTO/F/4M	DRUM EX50 K33 12V DC ATEX /AUTO/F/4M	4
F0037502A	DRUM EX50 12V ATEX /MAN/F/4MT/K33/CAVO	DRUM EX50 12V ATEX /MAN/F/4MT/K33/CABLE	4
F0037503A	DRUM EX50 12V ATEX /AUTO/F/4MT/K33/CAVO	DRUM EX50 12V ATEX /AUTO/F/4MT/K33/CABLE	4
F0037600B	DRUM EX50 230V ATEX /MAN/F/4MT/K33	DRUM EX50 230V ATEX /MAN/F/4MT/K33	4
F0037601B	DRUM EX50 230V ATEX /AUTO/F/4MT/K33	DRUM EX50 230V ATEX /AUTO/F/4MT/K33	4
F00377000	ST EX 50 K33/AUT 230/50-60	ST EX 50 K33/AUT 230/50-60	4
NEW F00380001	EX75 12V ATEX	EX75 12V ATEX	4
F00385P0A	ST PANTHER 56/M K33	ST PANTHER 56/M K33	9
F00386F0A	ST PANTHER 56 K33/F/6MT/PA60 4MT + ASP	ST PANTHER 56 K33/F/6MT/PA60/ASP 4MT	9
F00386F60	ST PANTHER 56 K33/F/6MT/PA60	ST PANTHER 56 K33/F/6MT/PA60	9
F00386R70	ST Panther 56 K33 A60 Filtro CC, senza tubo aspir.	ST Panther 56 K33 A60 CC Filter, without suction hose	9
F00395F0A	ST E120 K33/F/6MT/PA120/ASP 4 MT	ST E120 K33/F/6MT/PA120/ASP 4 MT	9
F00395F60	ST E120 K33/F/6MT/PA120 4 MT NO ASP	ST E120 K33/F/6MT/PA120 4 MT NO ASP	9
F0040710A	K24 METER M/MF LITER WHITE 1inBSP	K24 METER M/MF LITER WHITE 1inBSP	28
F0040721B	K24 PULSER M/MF LITER WHITE 1inBSP	K24 PULSER M/MF LITER WHITE 1inBSP	28
F00408100	K24-A M/F 1" BSP	K24-A M/F 1" BSP	16
F00408X00	K24-A M/F 1" BSP ATEX/IECEX	K24-A M/F 1" BSP ATEX/IECEX	4
F00408Y00	K24-A PULSE M/F 1" BSP ATEX/IECEX	K24-A PULSE M/F 1" BSP ATEX/IECEX	4
F0042000A	TURBINOX IN-LINE PULSE METER 1in x 1in M	TURBINOX IN-LINE PULSE METER 1in x 1in	28
F0043000A	GREASTER - Gr/Kg	GREASTER - Gr/Kg	18
F0043011A	GREASTER DI LINEA GR/KG1/8"BSP	IN LINE K200 GREASE METER GR/KG1/8"BSP	16
F0043012A	K200 METER mL/L	K200 METER mL/L	16
F0043100A	GREASTER Gr/Kg -Z- SWIVEL SPOUT RIGIDO	GREASTER Gr/Kg -Z- SWIVEL RIGID SPOUT	18
F00440200	PULSE METER K400 GAS MONOCANALE	K400 BSP PULSER	17
F00472A00	K600/3 PULSER 1in GAS ver.GASOLIO	K600/3 PULSER 1in GAS DIESEL METER	17
F00472A20	K600/2-3 PULSER 3/4in GAS ver.OLIO	K600/2-3 PULSER 3/4in GAS OIL VERSION	17
F00484000	CONTALITRI K400 L/BSP	K400 METER L/BSP	16
F00486150	NEXT 2 METER 3/4" BSP	NEXT 2 METER 3/4" BSP	16
F00490020	CONTALITRI K40 MECCANICO LITRI	K40 MECHANICAL METER LITER	16
F00491000	CONTALITRI K600 B/3 1" BSP VERSIONE GASOLIO	K600 B/3 METER 1" BSP DIESEL VERSION	16
F00491010	CONTALITRI OLIO K600 B/3 3/4" BSP VERS. OLIO	K600 B/3 METER 3/4" BSP OIL VERSION	16
F00492000	CONTALITRI K600 B/3 1" BSP PULSE OUT VERS.GASOLIO	K600 B/3 METER 1" BSP PULSE OUT DIESEL VERSION	16
F00492010	CONTALITRI OLIO K600 B/3 3/4" BSP PULSE OUT VERS. OLIO	K600 B/3 METER 3/4" BSP PULSE OUT OIL VERSION	16
F0049501A	DISPLAY REMOTO PULS OUT UNIVERSALE	REMOTE DISPLAY PULS OUT UNIVERSAL	17
F0049502A	DISPLAY REMOTO PULS IN UNIVERSALE	REMOTE DISPLAY PULS IN UNIVERSAL	17
F0049503B	DISPLAY REMOTO PULS OUT 100 UREA	REMOTE DISPLAY Puls OUT 100 UREA	28
F00496A00	CONTALITRI K600/3 METER 1in G GASOLIO	K600/3 ELECTRONIC METER 1 in G DIESEL	16
F00496A20	CONTALITRI K600/3 METER 3/4in G verOLIO	K600/3 ELECTRONIC METER 3/4 in GAS OIL	16
F0049800A	K700 Pulser 2in BSP	K700 Pulser 2in BSP	17

COD.	DESCRIZIONE	DESCRIPTION	PAGE
F0049900B	K900 CONTALITRI 3in BSP	K900 METER 3in BSP	16
F0049902B	K900 CONTALITRI PULSER 3in BSP	K900 METER PULSER 3in BSP	17
F0050000B	CAMBIAOLIO 230 V - 50/60 Hz	CAMBIAOLIO 230 V - 50/60 Hz	19
F00500B00	VACUBOX 230V/50HZ	VACUBOX 230V/50HZ	19
F00506000	FILTROLL DIESEL 230V 50/60HZ	FILTROLL DIESEL 230V 50/60HZ	19
F00506010	FILTROLL OIL/DIESEL 230/50	FILTROLL OIL/DIESEL 230/50	19
F0050606A	FILTROLL 12V GASOLIO	FILTROLL 12V DIESEL	19
F00540000	CONTALITRI MECCANICO K700M LT/GAS VER.A	MECHANICAL METER K700M LT/GAS VER.A	16
F0057000A	CONTALITRI K33 VER.A ATEX	K33 METER VER.A ATEX	4
F0057001A	CONTALITRI K33 VER.B ATEX	K33 METER VER.B ATEX	4
F0057002A	CONTALITRI K33 VER.C ATEX	K33 METER VER.C ATEX	4
F0057003A	CONTALITRI K33 VER.D ATEX	K33 METER VER.D ATEX	4
F0057600C	CUBE 56/K33 DC 12V	CUBE 56/33 DC 12V	5
F0057700C	CUBE 70/K33 DC 24V	CUBE 70/33 DC 24V	5
F0059100A	CUBE 70/33	CUBE 70/33 DISPENSER	5
F00592000	CUBE 90/44	CUBE 90/44	5
F0059400C	CUBE 70 MC IB-PIUSI	CUBE 70 MC IB-PIUSI	5
F0059413B	CUBE 70 MC DC 12V IB-PIUSI 50 UTENTI	CUBE 70 MC DC 12V IB-PIUSI 50 USERS	5
F0059414B	CUBE 70 MC DC 24V IB-PIUSI 50 UTENTI	CUBE 70 MC DC 24V IB-PIUSI 50 USERS	5
F0059415B	CUBE 70 MC 120 UTENTI IB-PIUSI	CUBE 70 MC 120 USER IB-PIUSI	5
F00594220	CUBE 70 MC DC 12V 120 UTENTI	CUBE 70 MC DC 12V 120 USERS	5
F0059500A	CUBE 70 MC PRESET 230V	CUBE 70 MC PRESET 230V	5
F00595500	CUBE 70 MC LITE 20 UTENTI	CUBE 70 MC LITE 20 USERS	5
F00596000	CUBE 70 MC 2.0	CUBE 70 MC 2.0	8
F00596100	CUBE 90 MC 2.0	CUBE 90 MC 2.0	8
F00597010	MCBOX LAN 2.0	MCBOX LAN 2.0	8
F0059702A	MCBOX WIFI 2.0	MCBOX WIFI 2.0	8
F00602020	PISTOLA A60 1in F UNLEADED VERDE	A60 NOZZLE 1in F UNLEADED VERDE	17
F00602030	PISTOLA AUTOMATIC 60 RAPSOIL 1n F.	AUTOMATIC NOZZLE 60 RAPSOIL 1n F.	17
F00603060	PISTOLA AUTOMATIC 60 1in F NERA	AUTOMATIC NOZZLE A60	17
F00604030	PISTOLA AUTOMATIC 80 1in F NERA	AUTOMATIC NOZZLE 80 1in F BLACK	17
F0060502A	TUBO GAS.ø20 PARKER 80 m	DIESEL HOSE ø20 PARKER 80 mt	22
F0060602A	TUBO GAS.ø25 PARKER 40m	DIESEL HOSE ø25 PARKER 40m	22
F00609000	VALVOLA DI FONDO DIAM.25	FOOT VALVE DIAM.25	24
F00610020	PISTOLA AUTOMATIC 120 1in F NERA	AUTOMATIC NOZZLE 120 1in F BLACK	17
F00611000	CARTUCCIA 10 MICRON FILTRO 3/4in	CARTRIGE 10 MICRON FILTER 3/4in	23
F00611010	WATER CAPTOR CARTDRIGE 70 L/MIN (12pcs)	WATER CAPTOR CARTDRIGE 70 L/MIN (12pcs)	23
F00611020	WATER CAPTOR CARTDRIGE 150 L/MIN (6pcs)	WATER CAPTOR CARTDRIGE 150 L/MIN (6pcs)	23
F00611030	CARTUCCIA CLEAR CAPTOR 5 MICRO (6pcs)	CLEAR CAPTOR CARTRIDGE 5 MICRON (6pcs)	23
F00611040	CARTUCCIA CLEAR CAPTOR WAT\ABS (6pcs)	CLEAR CAPTOR CARTRIDGE WAT\ABS (6pcs)	23
F00611060	CARTUCCIA METALLICA CLEAR CAPTOR	METALIC CARTRIDGE	23
F00611A00	WATER CAPTOR FILTER 70L/MIN / 2 CART	WATER CAPTOR FILTER 70L/MIN / 2 CART	23
F00611A10	WATER CAPTOR FILTER 150L/MIN / 1 CART	WATER CAPTOR FILTER 150L/MIN / 1 CART	23
F00611B00	CLEAR CAPTOR FILTER 5 MICRO/ 2 CARTDRIGE	CLEAR CAPTOR FILTER 5 MICRO/ 2 CARTDRIGE	23
F00611B10	CLEAR CAPTOR FILTER WATER ABS./ 2 CARTD	CLEAR CAPTOR FILTER WATER ABS./ 2 CARTD	23
F00611B60	CLEAR CAPTOR STRAINER	CLEAR CAPTOR STRAINER	23
F00611C00	BIO FUEL FILTER 70 L/MIN / 2 CART	BIO FUEL FILTER 70 L/MIN / 2 CART	23
F00611C10	BIO FUEL FILTER 100 L/MIN /1 CART+GUARN.	BIO FUEL FILTER 100 L/MIN /1 CART+ORING	23
F00611D00	KIT FILTRO COMPLETO PIUSI 3D	3D FILTER + HOUSING	29
F00611D10	CARTUCCIA FILTRO PIUSI 3D	PIUSI 3D FILTER CARTRIDGE	29
F00612000	VALVOLA DI FONDO DIAM.20	FOOT VALVE DIAM.20	24
F00613020	PISTOLA AUTOMATIC 60 1in ATEX	AUTOMATIC NOZZLE 60 1in ATEX	4
F00613A00	AUTOMATIC NOZZLE A60 EN 13012 SWIVEL	AUTOMATIC NOZZLE A60 EN 13012 SWIVEL	17
F00617000	PISTOLA AUTOMATICA SB325	AUTOMATIC NOZZLE SB325	28
F00617010	PISTOLA AUTOMATICA SB325 METER	AUTOMATIC NOZZLE SB325 METER	28
F0061903B	PISTOLA AUTOM. A60 INOX C/SWIVEL	AUTOMATIC NOZZLE A60 SS w/ SWIVEL	28
F0062000A	SWIVEL 34.1	SWIVEL 34.1	24
F0062200A	SWIVEL 1.1	SWIVEL 1.1	24
F0063000A	PISTOLA IN PLASTICA 1in C/SWIVEL NERA	PLASTIC NOZZLE 1in C/SWIVEL BLACK	17

INDICE PER CODICE - INDEX CODE

COD.	DESCRIZIONE	DESCRIPTION	PAGE
F0063001A	PISTOLA IN PLASTICA 1IN BIANCA	PLASTIC NOZZLE 1in	17
F00636000	ATTACCO RAPIDO 1in GAS	HQC 1IN GAS	22
F00640000	Pistol-ONE w/o Spout BSP	Pistol-ONE w/o Spout BSP	19
F00640010	Pistol-ONE w/RIGID Spout BSP	Pistol-ONE w/RIGID Spout BSP	19
F00640020	Pistol-ONE w/FLEXIBLE Spout BSP	Pistol-ONE w/FLEXIBLE Spout BSP	19
F00641130	SELF 2000 PIUSI F1in GAS	SELF 2000 PIUSI F1"BSP	17
F0065000A	SELF 3000 1in BSP LEADED SPOUT	SELF 3000 1in GAS LEADED SPOUT	17
F00665000	ESTREMITA' RIGIDA A/P	RIGID SPOUT W/AUTOMATIC ANTI-DRIP VALVE	18
F00666000	ESTREMITA' FLESSIBILE A/P	FLEX SPOUT W/AUTOMATIC ANTI-DRIP VALVE	18
F0067000A	ESTREMITA' RIGIDA B/P	RIGID EXTENSION B/P	18
F0067002A	ESTREMITA' RIGIDA CORTE B/P	RIGID EXTENSION B/P	18
F0067100A	ESTREMITA' FLESSIBILE B/P	FLEXIBLE EXTENSION B/P	18
F0068700D	PISTOLA K500 LT/BSP NW	PRESET METER K500	18
F0068720A	PISTOLA K500 LT/BSP ESTR. RIG. B/P NW	PRESET METER K500 RIG. B/P NW	18
F0068721A	PISTOLA K500 LT/BSP ESTR. FLEX B/P NW	PRESET METER K500 ESTR. FLEX B/P NW	18
F00702000	ACCESS 85	ACCESS 85	11
F00702010	ACCESS 85 CON CHIAVI	ACCESS 85 W/KEYS	11
F00730000	PANTHER 56 230V/50HZ PIUSI	PANTHER 56 230V/50HZ PIUSI	13
F00733020	PANTHER 90 230V/50HZ + FLANGE	PANTHER 90 230V/50HZ + FLANGE	13
F0073701B	SELF SERVICE 70 K44 F 230/50	SELF SERVICE 70 K44 F 230/50	6
F00737B0B	SELF SERVICE TANK 70 K44 230V/50HZ	SELF SERVICE TANK 70 K44 230V/50HZ	6
F00737B2B	SELF SERVICE TANK 70 K44PUL 230V/50HZ	SELF SERVICE TANK 70 K44PUL 230V/50HZ	6
F0073801C	SELF SERVICE 70 MC 230/50 IB-PIUSI	SELF SERVICE 70 MC F 230/50 IB-PIUSI	6
F00738060	SELF SERVICE 70 MC 7mt PRINTER 230/50-IB	SELF SERVICE 70 MC 7mt PRINTER 230/50-IB	6
F00738B0C	SELF SERVICE TANK 70 MC 230V IB-PIUSI	SELF SERVICE TANK 70 MC 230V IB-PIUSI	6
F0073900B	SELF SERVICE 70 FM 230V/50HZ IB-PIUSI	SELF SERVICE 70 FM 230V/50HZ IB-PIUSI	6
F00739B0B	SELF SERVICE TANK 70 FM 230V IB-PIUSI	SELF SERVICE TANK 70 FM 230V IB-PIUSI	6
F0074001B	SELF SERVICE 100 K44 F 230/50	SELF SERVICE 100 K44 F 230/50	6
F0074002A	SELF SERVICE 100 K44 PULS 230V/50HZ	SELF SERVICE 100 K44 PULS 230V/50HZ	6
F00740B0B	SELF SERVICE TANK 100 K44 230V/50HZ	SELF SERVICE TANK 100 K44 230V/50HZ	6
F0074101C	SELF SERVICE 100 MC 230/50 IB-PIUSI	SELF SERVICE 100 MC F 230/50 IB-PIUSI	6
F00741B0C	SELF SERVICE TANK 100 MC 230V IB-PIUSI	SELF SERVICE TANK 100 MC 230V IB-PIUSI	6
F0074200B	SELF SERVICE 100 FM 230V/50HZ IB-PIUSI	SELF SERVICE 100 FM 230V/50HZ IB-PIUSI	6
F00742B0B	SELF SERVICE TANK 100 FM 230V IB-PIUSI	SELF SERVICE TANK 100 FM 230V IB-PIUSI	6
F00743010	SELF SERVICE 100 FM 2.0 230V 50Hz	SELF SERVICE 100 FM 2.0 230V 50Hz	8
F00743020	SELF SERVICE 100 MC 2.0 230V 50Hz§	SELF SERVICE 100 MC 2.0 230V 50Hz§	8
F00744000	SELF SERVICE MC ADBLUE 230/50 IB-PIUSI	SELF SERVICE MC ADBLUE 230/50 IB-PIUSI	26
F0075000A	ARROTOL.NUDO TUBO ¾" BSP GASOLIO/ BIG	HOSE REELS (BARE) FOR HOSE ¾" BSP BIG	20
F0075001A	ARROTOL.NUDO TUBO 1" BSP GASOLIO/BIG	HOSE REELS (BARE) FOR HOSE 1" BSP BIG	20
F0075002B	ARROTOL.TUBO D25 8mt 1" BSP GASOLIO/BIG	HOSE REELS WITH HOSE 8mt 1" BSP BIG	20
F0075003B	ARROTOL. TUBO D25 10mt 1" BSP GASOLIO/BIG	HOSE REELS WITH HOSE 10mt 1" BSP BIG	20
F0075004B	ARROTOL. TUBO D20 10mt 1" BSP GASOLIO/BIG - 1" in BSP	HOSE REEL WITH HOSE 10mt 1" BSP BIG - 1" in BSP	20
F0075006A	ARROTOL.NUDO TUBO ¾" BSP UREA/SMALL	HOSE REELS (BARE) FOR HOSE ¾" BSP UREA SMALL	29
F0075007C	ARROTOL.TUBO D20 8mt ¾" UREA/SMALL	HOSE REELS WITH HOSE 8mt ¾" FOR UREA SMALL	29
F0075008A	ARROTOL.NUDO TUBO ¾" BSP GASOLIO/SMALL	HOSE REELS (BARE) FOR HOSE ¾" BSP SMALL	20
F0075009B	ARROTOL.TUBO D20 8mt 1" BSP GASOLIO/SMALL	HOSE REELS WITH HOSE 8mt ¾" BSP SMALL	20
F0075010B	ARROTOL. TUBO D20 14m 1" BSP GASOL/BIG	HOSE REELS WITH HOSE ¾" 14mt 1" BSP BIG	20
F0075011B	ARROTOL. TUBO D.20 15mt ¾" UREA/BIG	HOSE REELS WITH HOSE 15mt ¾" FOR UREA BIG	29
F0075012B	ARROTOL. TUBO D20 10mt 1" BSP GASOLIO/BIG - 3/4" in BSP	HOSE REEL WITH HOSE 10mt 1" BSP BIG - 3/4" in BSP	20
F0075013B	ARROTOL. TUBO D,20 10mt ¾" BSP BENZINA/BIG	HOSE REELS WITH HOSE 10mt ¾" BSP GASOLINE/BIG	20
F0075018B	ARROTOL.NUDO TUBO D25 15mt 1" BSP GASOLIO/XL	HOSE REELS BARE HOSE 15mt 1" BSP/XL	20
F0075019B	ARROTOL.CON TUBO D25 15mt 1" BSP GASOLIO/XL	HOSE REELS WITH HOSE 15mt 1" BSP/XL	20
F0075023B	ARROTOL.TUBO D25 10m 1" BSP HEAVY DUTY** GASOLIO/BIG	HOSE REELS WITH HOSE 1"x10mt 1" BSP HEAVY DUTY **	20
F0075024B	ARROTOL.TUBO D20 10m 1" BSP HEAVY DUTY** GASOLIO/BIG	HOSE REELS WITH HOSE ¾"x10mt 1" BSP HEAVY DUTY**	20
F0075025A	ARROTOL.TUBO D25 15m 1" BSP HEAVY DUTY** GASOLIO/XL	HOSE REELS BARE HOSE 1"x15mt 1" BSP HEAVY DUTY**	20
F0075026B	ARROTOL. NUDO TUBO D25 15m 1" BSP HEAVY DUTY** GASOLIO/XL	HOSE REELS BARE HOSE 1"x15mt 1" BSP HEAVY DUTY**	20
F0075510D	LEVEL IND.OCIO LV230V 50/60HZ RS OUT-NW-	LEVEL IND.OCIO LV230V 50/60HZ RS OUT-NW-	7
F00755140	LEVEL IND.OCIO LV230V 50/60HZ RS OUT URE	LEVEL IND.OCIO LV230V 50/60HZ RS OUT URE	28
F0075521A	LEVEL IND. OCIO WIFI 2.0	LEVEL IND. OCIO WIFI 2.0	8

NEW

COD.	DESCRIZIONE	DESCRIPTION	PAGE
F00755220	LEVEL IND. OCIO 2.0 RS485	LEVEL IND. OCIO 2.0 RS485	8
F00755260	LEVEL IND. OCIO MC 2.0	LEVEL IND. OCIO MC 2.0	8
F00755G20	ESPANSIONE OCIO GSM DA 2 A 4 TANK	EXPANSION OCIO GSM 2 - 4 TANKS	7
F00755G40	ESPANSIONE OCIO GSM DA 5 A 8 TANK	EXPANSION OCIO GSM 5 - 8 TANKS	7
F00755G50	OCIO GSM QUAD BAND- SMS	OCIO GSM QUAD BAND- SMS	7
F00755S0C	OCIO DESK MULTITANK 4	OCIO DESK MULTITANK 4	7
F00755S1A	OCIO DESK SINGLE TANK	OCIO DESK SINGLE TANK	7
F00755S2A	OCIO DESK MULTITANK 8	OCIO DESK MULTITANK 8	7
F00755S3A	OCIO DESK MULTITANK 12	OCIO DESK MULTITANK 12	7
F00755SBA	PW-WiFi - Kit WiFi OCIO DESK SINGLE TANK	PW-WiFi - Kit WiFi OCIO DESK SINGLE TANK	7
F00772000	SSM 2.0 CLIENT Software	SSM 2.0 CLIENT Software	8
F00772010	SSM 2.0 STANDARD Software	SSM 2.0 STANDARD Software	8
F00772020	SSM 2.0 PROFESSIONAL Software	SSM 2.0 PROFESSIONAL Software	8
F00772030	SSM 2.0 ENTERPRISE Software	SSM 2.0 ENTERPRISE Software	8
F00772040	SSM 2.0 ULTIMATE Software	SSM 2.0 ULTIMATE Software	8
F00772200	SSM 2.0 CLIENT - WEB EDITION Software	SSM 2.0 CLIENT - WEB EDITION Software	8
F00772210	SSM 2.0 STANDARD - WEB EDITION Software	SSM 2.0 STANDARD - WEB EDITION Software	8
F00772220	SSM 2.0 PROFESSIONAL-WEB EDITION Software	SSM 2.0 PROFESSIONAL-WEB EDITION Software	8
F00772230	SSM 2.0 ENTERPRISE -WEB EDITION Software	SSM 2.0 ENTERPRISE -WEB EDITION Software	8
F00772240	SSM 2.0 ULTIMATE - WEB EDITION Software	SSM 2.0 ULTIMATE - WEB EDITION Software	8
F00773010	SELF SERVICE MANAGEMENT 2018 - USB	SELF SERVICE MANAGEMENT 2018 - USB	7
F00773210	SELF SERVICE MANAGEMENT 2018 - WEB	SELF SERVICE MANAGEMENT 2018 - WEB	7
F0091600A	CARAFFA IN POLIETILENE 1 LT.	OIL CONTAINER 1 LT	25
F00917000	CARAFFA IN POLIETILENE 2 LT.	OIL CONTAINER 2 LT	25
F00920000	CARAFFA IN POLIETILENE 5 LT.	OIL CONTAINER 5 LT	25
F0093000A	IMBUTO IN POLIETILENE DIAM. 180	FUNNEL 180	25
F0093100A	IMBUTO IN POLIETILENE DIAM. 220	FUNNEL 220	25
F00939000	ESTREMITA' FLESSIBILE MNDN LF	FLEX SPOUT WITH MNDN LF	18
F0096600A	IMPUGNATURA EASYOIL FF 1/2IN X1/2IN BSP NERA	HANDGRIP EASYOIL FF 1/2IN X 1/2IN BSP BLACK	18
F00966130	EASY OIL + SWIVEL + E.R. + VA	EASYOIL+SW+RIGID SPOUT+VA	18
F00966140	EASY OIL + SWIVEL + E.F. + VA	EASY OIL + SWIVEL + E.F. + VA	18
F00966150	EASY OIL + SWIVEL + E.ROT. + VA	EASY OIL + SWIVEL + E.ROT. + VA	18
F00973020	K40 L/GAS + EASY OIL + SW + EF B/P	K40 L/GAS + EASY OIL + SW + EF B/P	18
F00973030	K40 L/GAS + EASY OIL + SW + ER B/P	K40 L/GAS + EASY OIL + SW + ER B/P	18
F00974010	NEXT/2 Pistol-ONE w/RIGID Spout BSP	NEXT/2 Pistol-ONE w/RIGID Spout BSP	18
F00974020	NEXT/2 Pistol-ONE w/FLEXIBLE Spout BSP	NEXT/2 Pistol-ONE w/FLEXIBLE Spout BSP	18
F00976W0A	K400 WINDSCREEN + PISTOLA + ER + SW	K400 WINDSCREEN+NOZZLE+RS+SW	18
F00976W10	PISTOLA WINDSCREEN + ER + SW	WINDSCREEN NOZZLE+RS+SW	17
F00984000	K400 L/BSP N + EO+SW+ER+PROT	K400 L/BSP N + EO+SW+ER+PROT	18
F00984010	K400 L/BSP N + EO+SW+EF+PROT	K400 L/BSP N + EO+SW+EF+PROT	18
F0643700A	PORTAGOMMA 3/4in x 20 + OR - 20pcs -	HOSETAIL 3/4in x 20 + OR - 20pcs -	24
F07441000	RIDUZIONE M/F 3/4 inGx1/2in G ART.241 ZN	REDUCING SOCKET M/F 3/4 inGx1/2in G	24
F0775700A	PORTAGOMMA 1in x 20 GAS + OR - 20pcs -	HOSETAIL 1in x 20 GAS + OR - 20pcs -	24
F07760000	RIDUZIONE M/F 1in x3/4in ART.241 ZN	ADAPTER M/F 1in x3/4in ART.241 ZN	24
F07762000	VITE DOPPIA M/M 1in Gx3/4in G	REDUCING SOCKET 1in Gx3/4in G	24
F0776400A	PORTAGOMMA 1in x 25 + OR - 20pcs -	HOSE TAIL 1in x 25 + OR - 20pcs -	24
F07765000	VITE DOPPIA M/M 1in Gx1in G	REDUCING SOCKET 1in Gx1in G	24
F07766000	VITE DOPPIA M/M 3/4 FIL.	REDUCING SOCKET M/M 3/4	24
F0776800B	PORTAGOMMA 3/4"x25 - 20pcs -	HOSE TAIL 3/4"x25 - 20pcs -	24
F0777200A	FILTRO 70l/min CON TESTATA 1in GAS	FILTER 70l/min WITH HEAD 1in GAS	23
F07805000	GOMITO M/F 3/4	ELBOW M/F 3/4	24
F07806000	GOMITO F/F 3/4	ELBOW F/F 3/4	24
F07889000	RIDUZIONE M/F 3/4 in X1in ART.246 ZN	ADAPTER M/F 3/4 in X1in ART.246 ZN	24
F07978000	VALVOLA DI RITEGNO 1in GAS	VALVOLA DI RITEGNO 1in GAS	24
F07979000	FILTRO INOX PER VALVOLA 1in G	INOX FILTER for VALVE 1in G	23
F07988000	GOMITO M/F 1inc G OTTONE NICHELATO	ELBOW M/F 1" GAS NICKELLED BRASS	24
F08153000	VALVOLA DI FONDO 3/4in G SENZA FILTRO	FOOT VALVE 3/4 G NO FILTER	24
F08173000	SIGILLANTE OLEODINAMICO	SEALING LIQUID	22
F0826700A	PORTAGOMMA 1/2in x 20 GAS	HOSETAIL 1/2in x 20 GAS	24

COD.	DESCRIZIONE	DESCRIPTION	PAGE
INDICE PER CODICE - INDEX CODE			
F0845600A	SWIVEL 12.12	SWIVEL 12.12	24
F08609000	GOMITO F/F 1in G OTTONE NICHELATO	ELBOW F/F 1in G NICKED BRASS	24
F08858000	TUBO GAS.ø25 L=6m 1"x1"	DIESEL HOSE ø25 L=6m CRIMPED 1"x1"	22
F08913000	VITE DOPPIA M/M 1in Gx1 1/2 in G	NIPPLE M/M 1in Gx1 1/2 in G	24
F08934000	TUBO ESTENSIBILE PER ASPIRAZIONE	EXTENSIBLE SUCTION PIPE	22
F08934010	KIT ASPIRAZIONE 1800 MM TELESCOPICO	TELESCOPIC STEEL PIPE 1800 MM	22
F08934020	TUBO TELESCOPICO ACCIAIO 1100 MM	TELESCOPIC STEEL PIPE 1100 MM	22
F08945000	TUBO GAS.ø20 L=6m 1"x1"	DIESEL HOSE ø20 L=6m CRIMPED 1"x1"	22
F08950000	FILTRO DI LINEA 1.1 F/F FLANGIATO	LINE FILTRO 1.1 F/F FLANGED	23
F08976000	TUBO GAS.ø20 L=4m 1"x1"	DIESEL HOSE ø20 L=4m CRIMPED 1"x1"	22
F08977000	TUBO GAS.ø25 L=4m 1"x1"	DIESEL HOSE ø25 L=4m CRIMPED 1"x1"	22
F0914900A	FILTRO CON TESTATA 1in G	FILTER WITH HEAD 1in G	23
F09149020	FILTRO 5 MICRON CON TESTATA 1in G	FILTER 5 MICRON WITH HEAD 1in G	23
F09170000	VALVOLA DI SOVRAPRESSIONE	HIGHER PRESSURE VALVE	24
F09359000	CARTUCCIA 10 MICRON FILTRO 1in -1 1/4in	CARTRIDGE 10 MICRON FILTER 1in -1 1/4in	23
F09359010	CARTUCCIA 5 MICRON FILTRO 1in -1 1/4in	CARTRIDGE 5 MICRON FILTER 1in -1 1/4in	23
F09659000	PROTEZIONE SWIVEL - NERA	SWIVEL PROTECTION - BLACK	18
F09949000	FILTRO INOX DIAM 11.8x80	INOX DIAM 11.8x80 FILTER	18
F10571000	FILTRO PER VALVOLA 3/4in	VALVE FILTER 3/4in	23
F10767000	SERRAFILETTI UNIVERS. BLU LOXEAL 55.03	UNIVERSAL SEALING PASTE BLU LOXEAL 55.03	22
F1113100B	TUBO PVC SPIR.TRAS.ø25 L=60m	TRAS. PVC HOSE ø25 L=60m	22
F1113200A	TUBO PVC SPIR.TRAS.ø25 L=1.6m 1"x1"+VF	TRAS. PVC HOSE ø25 L=1.6m CRIMPED 1"x1"	22
F11638010	TUBO PVC SPIR.TRASP. ø25 L=4M 1"X1" + VF	PVC SPIR.TRASP. ø25 L=4M 1"X1" + VF	22
F1175200B	DISPLAY REMOTO PULS OUT K600/3 LT SEL	REMOTE DISPLAY PULS OUT K600/3 LT SEL	17
F1175300B	DISPLAY REMOTO PULS OUT K600/4 LT SEL	REMOTE DISPLAY PULS OUT K600/4 LT SEL	17
F1175400B	DISPLAY REMOTO PULS OUT K700/LT SEL	REMOTE DISPLAY PULS OUT K700/LT SEL	17
F11774010	KIT SONDE VACUBOX 8x6 / 6X4 X 1000	KIT PROBES VACUBOX 8x6 / 6X4 X 1000	19
F11806000	KIT SUPPORTO PISTOLA UNIFICATO	UNIVERSAL KIT NOZZLE SUPPORT	24
F12068010	KIT CARRELLO SUZZARABLU	SUZZARABLU TROLLEY KIT	29
F12120010	TUBO ASP.ø25 L=60m (PLUTONE)	SUCTION HOSE ø25 L=60m	22
F12262010	KIT LETTORE CHIAVI	KIT KEY READER	8
F12278000	SERRAFILETTI UNIVERS. VERDE LOXEAL 85.21	UNIVERSAL SEALING PASTE VERDE LOXEAL 85.21	22
F1239905A	VANTAGE VALVE 1in GAS - 12 PCS -	VANTAGE VALVE 1in GAS - 12 PCS -	24
F1239908A	VANTAGE VALVE 3/4in GAS - 12 PCS -	VANTAGE VALVE 3/4in GAS - 12 PCS -	24
F12496000	MANAGER KEY ROSSA	RED MANAGER KEY	5-7
F1270800C	KIT PIEDISTALLO CUBE -NERO OPACO-	KIT PEDESTAL CUBE BLACK	5
F12710040	PW-WIFI	PW-WIFI	7
F12710050	PW-LAN	PW-LAN	7
F1271009A	PW STATION WIFI	PW STATION WIFI	7
F1271012A	PW WIFI 2.0	PW WIFI 2.0	8
F12939000	KIT PER OLIO	KIT OIL	7
F13249000	PISTOLA AUTOMATICA 280 LPM BSP	AUTOMATIC NOZZLE 280 LPM	17
F13292000	PW14 - USB converter	PW14 - USB converter	5
F13800000	FASCETTA 20-32-12 AISI304 INOX (10 pz)	KIT Nr.10 pcs CLAMPS 25-35-12 SS AISI304	29
F1398000C	KIT MC BOX 230V 80 USER 50/60HZ IB-PIUSI	KIT MC BOX 230V 80 USER 50/60HZ IB-PIUSI	7
F1398001B	KIT MC BOX 12V 120 USER IB-PIUSI	MC BOX 12V 120 USER IB-PIUSI	7
F1398002B	KIT MC BOX 24V 120 USER IB-PIUSI	KIT MC BOX 24V 120 USER IB-PIUSI	7
F1398005B	KIT MC BOX 230V 120 USER IB-PIUSI	KIT MC BOX 230V 120 USER IB-PIUSI	7
F1398006B	KIT MC BOX UREA 120 USER IB-PIUSI	KIT MC BOX UREA 120 USER IB-PIUSI	28
F1398010A	MC BOX PRESET 85-260V 50/60 Hz	MC BOX PRESET 230V	7
F13981000	MC BOX LITE	MC BOX LITE	7
F14125020	TUBO PER ADBLUE 3/4, MT.6 BOX	ADBLUE HOSE 3/4, MT.6 BOX	29
F14125030	TUBO PER ADBLUE 3/4, MT.8 BOX	ADBLUE HOSE 3/4, MT.8 BOX	29
F14125040	TUBO PER ADBLUE 3/4,MT.10 BOX	ADBLUE HOSE 3/4, MT.10 BOX	29
F14125050	TUBO PER ADBLUE 3/4 ROTOLO 80mt.	EPDM HOSE UREA 3/4 Roll 80 mt	29
F14132000	SWIVEL INOX 3/4" M X tubo 19 mm	SWIVEL Stainless Steel 3/4"M X Hose19 mm	29
F14146000	KIT ASPIR.TUBO PVC NERO SPIR.1,5m CVF	KIT SUCTION HOSE EPDM 1,5MT W/FOOT VALVE	29
F14250000	TUBO PER ADBLUE 3/4, MT.4	3/4 EPDM HOSE , 4 MT LONG	29
F14528000	TESTATA FILTRO PRESSOFUSA 1"G 1"G 3/4"G	FILTER HEAD 1"G 1"G 3/4"G	23

COD.	DESCRIZIONE	DESCRIPTION	PAGE
F14567000	SWIVEL 45° 1" M/F	SWIVEL 45° 1" M/F	24
F14640000	TESTATA FILTRO PRESS 1"inx1"IN UNF	FILTER HEAD 1"inx1"IN UNF	23
F14761000	PISTOLA MANUALE SUZZARA BLU C\PG S\PUL	MANUAL NOZZLE UREA w/HOSETAIL w/out LOCK	28
F14861000	CARTUCCIA BIODIESEL WATER SEP.70 L/M	CARTRIDGE BIODIESEL WATER SEP.70 L/M	23
F15165000	ELAFIX 40 MAGNETIC ADAPTOR	ELAFIX 40 MAGNETIC ADAPTOR	28
F15236000	ADATTATORE M/F 2in UREA	ADAPTER MF 2in ADBLUE	29
F15452000	CONNETTORE SEC + PORTAGOMMA 90°	SEC + HOSETAIL 90°	29
F15484000	PORTAGOMMA D.19 90° C/GHIERA PER K24	HOSETAIL D.19 90° W/RING NUT FOR K24	29
F15485000	PORTAGOMMA D.19 90° C/GHIERA E NIPPLIO	HOSETAIL D.19 90° W/RING NUT AND NIPPLE	29
F15515000	KIT ASP.EXT.FUSTO IBC + VALVOLA DI LINEA	EXT SUCTION HOSE IBC TANK W/FOOT VALVE	29
F15515010	KIT BOTTOM CONNECTION	KIT BOTTOM CONNECTION	29
F15517000	SUZZARA BLUE GRAVITY KIT	SUZZARA BLUE GRAVITY KIT	27
F15522000	PORTAGOMMA DIRITTO ø20 1G PLASTICA	HOSETAIL STRAIGHT ø20 1G PLASTIC	29
F15606000	KIT ASPIRAZ RIGIDO SUZZ BLUE DRUM	KIT RIGID SUCTION HOSE SUZZARA BLUE DRUM	29
F15743000	TESTATA FILTRO 70/100LT	FILTER HEAD 70/100LT	23
F15744000	TESTATA FILTRO A BICCHIERE	CLEAR CAPTOR FILTER HEAD	23
F15749000	VALVOLA DI LINEA COMPLETA 1in GAS -12pcs	FOOT VALVE 1in GAS -12pcs	24
F15776000	ATTACCO GIR. M-F 1in GAS PLASTICA P/MAN	SWIVEL M-F 1in GAS PLASTIC MANUAL NOZZLE	29
F15883000	KIT ASP. TUBO EPDM 1,1 MT C/ATTACCO SEC	KIT SUCTION HOSE EPDM 1,1 MT w/ SEC	29
F15904000	USER KEY GIALLA (N.10 PZ)	KIT Nr. 10 pcs USER KEY YELLOW	5
F16004010	ESTREMITA' FLESS PISTOL-ONE	FLEX SPOUT PISTOL-ONE	19
F16005010	ESTREMITA' RIGIDA PISTOL-ONE	RIGID SPOUT PISTOL-ONE	19
F1601100A	COPERCHIO CON INTERRUOTORE BP3000	ELECTRICAL BOX WITH SWITCH BP3000	13
F16073000	MANICOTTO INOX 1"G+GUARN.PIANA (20pcs)	STAINLESS STEEL SOCKET 1"(20 pcs)BSP/BSP	29
F16074000	MANICOTTO INOX 1"NPT(20pcs)	KIT 20 pcs SOCKET 1"NPT Stainless Steel	29
F16172000	KIT N.2 PORTAGOMMA 3/4 DRITTO NEW BP	LP 3/4 STRAIGHT HOSE TAIL KIT (2 pcs.)-N	13
F16173000	KIT N.1 PORTAGOMMA 3/4 90° NEW BP	LP 3/4 90° HOSE TAIL KIT (1 pcs.)-NEW	13
F16178000	KIT N.1 COLLETORE 90° NEW BP	LP 90° FLANGED ELBOW-NEW	13
F1627900A	SUPPORTO GIREVOLE ARROTOLATORE BIG	BIG HOSE REEL ROTATING SUPPORT	20
F1629800A	STAFFA FISSA ARROTOLATORE BIG	BIG HOSE REEL FIXED BASE	20
F16367000	TUBO COLLEGAMENTO ARROTOLATORE	DIESEL JUNCTION HOSE ø25 L=1m CRIMPED 1"x1"	20
F1640400A	KIT ASPIRAZIONE TUBO 4MT V\F	SUCTION KIT 4MT V\F	22
F16433000	RACCORDO 90° 2\GHIERE 1in	PIPE FITTING 90°2 / 1in RING	29
F16434000	RACCORDO DIRITTO 2\GHIERE 1in	STRAIGHT CONNECTION WITH 2 NUT 1inch	29
F16435000	PORTAGOMMA CON GHIERA 1in x 20	HOSETAIL with RING NUT 1in x 20	29
F16458000	MANICOTTO INOX 1"Gx1"NPT+GUARN.(20pcs)	S/S SLEEVE 1"Gx1"NPT+O-RING (20 pcs.)	29
F16475000	ADATTATORE K24 PER PISTOLA AUTOMATICA	CONNECTOR K24 AUTOMATIC NOZZLE	29
F16497000	KIT PROTEZIONE TUBO 3/4"	RUBBER PROTECTOR HOSE 3/4"	29
F16586000	KIT ACCESSORI PER DRUM 3000	DRUM 3000 KIT	10
F16631000	KIT ADATTATORE DRUM 3000 K33\FILTRO	KIT DRUM 3000 K33 / FILTER / ADAPTER	10
F16770000	KIT N.1 COLLETORE 90° S/FLANGIA NEW BP	KIT N.1 ELBOW 90° WITHOUT FLANGE	13
F16799000	KIT RACCORDO BP3000-VANTAGE 1"G-F	FLANGED ADAPTER BP3000-VANTAGE 1"G-F	13
F16860000	KIT RUOTE \ MANIGLIA ST200	KIT WHEELS \ HANDLE ST200	11
F17121000	SONDA DI LIVELLO PER ACCESS 85	LEVEL PROBE FOR ACCESS 85	11
F17124000	KIT N.2 PORTAGOMMA D.25 DRITTO NEW BP	STRAIGHT HOSE TAIL 1" BP3000	13
F17126000	MANICOTTO ZN 1"G+GUARN.PIANA (20pz)	SOCKET 1" (20 PCS)	24
F17163000	ATTACCO 2" BSP DRUM CON VALVOLA	2" BSP DRUM CONNECTOR WITH VALVE	22
F17163010	ATTACCO 2" BSP DRUM CON VALVOLA 1" BSP F	2" BSP DRUM CONNECTOR W/ VALVE 1" BSP F	22
F17190000	ATTACCO 2" BSP DRUM SENZA VALVOLA	2" BSP DRUM CONNECTOR W/O VALVE	22
F17262000	KIT PORTAGOMMA D.25 90° NEW BP	HOSE TAIL D.25 90° NEW BP	13
F17275000	KIT BASE ARROTOLATORE SERBATOIO IBC	KIT PLATE HOSE REEL TANK IBC	29
F17299000	VEHICLE KEY BLUE (N. 10PZ) IB-PIUSI	KIT Nr. 10 pcs VEHICLE KEY BLUE	8
F17313000	KIT RACCORDO BP3000 / VANTAGE 1inG - M	FLANGED ADAPTER BP3000 / VANTAGE 1inG -	13
F17314000	KIT RACCORDO BP3000 / VANTAGE 3/4inG - F	FLANGED ADAPTER BP3000 / VANTAGE 3/4inG -F	13
F1731600A	STAFFA FISSA ARROTOLATORE SMALL	SLIM HOSE REEL FIXED BASE	20
F1731700A	SUPPORTO GIREVOLE ARROTOLATORE SMALL	SLIM HOSE REEL ROTATING SUPPORT	20
F1815100A	TUBO BENZINA D.20 L=4m 1'x1'-PARKER	GASOLINE HOSE D.20 L=4m 1'x1'-PARKER	4
F18400000	ADATTATORE MAGNETICO	MAGNETIC ADAPTOR	28
F18624000	PRESSACAVO EXD1/2NPT ATEX\IECEX	CABLE GLAND EXd1/2NPT ATEX\IECEX	4

INDICE PER CODICE - INDEX CODE

COD.	DESCRIZIONE	DESCRIPTION	PAGE
F18626000	KIT 4 M CAVO + PRESSACAVO ATEXIECEX EX50 12V	KIT 4 M CABLE+CABLE GLAND ATEXIECEX EX50 12V	4
F18798000	KIT TUBO 1 1/2" CON CAM-LOCK 10 MT	HOSE KIT 1 1/2" WITH CAM-LOCK 10 MT	11
F18799000	KIT TUBO 1 1/2" CON CAM-LOCK 20 MT	HOSE KIT 1 1/2" WITH CAM-LOCK 20 MT	11
F1891000A	CONNETTORE RAPIDO PDC UREA	PDC PIUSI DEF COUPLER	29
F19174000	KIT TRASFORMAZIONE SB325 CON MAGNETE	KIT REPLACE SPOUT SB325 WITH MAGNET	28
F19225000	KIT UPGRADE SELF SERVICE MC 2.0-LAN	KIT UPGRADE SELF SERVICE MC 2.0-LAN	8
F19226000	KIT UPGRADE SELF SERVICE FM 2.0-LAN	KIT UPGRADE SELF SERVICE FM 2.0-LAN	8
F20189000	CONNETTORE AF2 56x4 Buttress - 1"BSP	CONNECTOR AF2 56x4 Buttress - 1"BSP	29
F20190000	CONNETTORE AF2 2" Buttress - 1" BSP	CONNECTOR AF2 2" Buttress - 1" BSP	29
F20257000	CONNETTORE AF2 2" BSP - 1" BSP	CONNECTOR AF2 2" BSP - 1" BSP	29
F20258000	CONNETTORE AF2 2" 70x6 - 1" BSP	CONNECTOR AF2 2" 70x6 - 1" BSP	29
F20495000	KIT TRASFORMAZIONE HAND PUMP PER IBC	KIT TO ADAPT HAND PUMP FOR IBC	27
F20552000	MANAGER KEY 2.0	MANAGER KEY 2.0	8
HA20151200A	ARROTOLATORE APERTO 20B W/ 1/2" 15MT WAT/AIR	REEL OPEN 20B W/ 1/2" 15MT WAT/AIR	21
HA201512ALA	ARROTOLATORE APERTO 20B W/ 1/2" 15MT A/WS	REEL OPEN 20B W/ 1/2" 15MT A/WS	21
HA20153800A	ARROTOLATORE APERTO 20B W/ 3/8" 15MT WAT/AIR	REEL OPEN 20B W/ 3/8" 15MT WAT/AIR	21
HA40151400A	ARROTOLATORE APERTO 400B W/ 1/4" 15MT G.	REEL OPEN 400B W/ 1/4" 15MT G.	21
HA40153800A	ARROTOLATORE APERTO 400B W/ 3/8" 15MT G.	REEL OPEN 400B W/ 3/8" 15MT G.	21
HA60101000A	ARROTOLATORE APERTO 60B W/ 1" 10MT OIL	REEL OPEN 60B W/ 1" 10MT OIL	21
HA6010120B	ARROTOLATORE APERTO 60B W/ 1/2" 10MT OIL	REEL OPEN 60B W/ 1/2" 10MT OIL	21
HA6015120B	ARROTOLATORE APERTO 60B W/ 1/2" 15MT OIL	REEL OPEN 60B W/ 1/2" 15MT OIL	21
HA60153400A	ARROTOLATORE APERTO 60B W/ 3/4" 15MT OIL	REEL OPEN 60B W/ 3/4" 15MT OIL	21
HA6020120B	ARROTOLATORE APERTO 60B W/ 1/2" 20MT OIL	REEL OPEN 60B W/ 1/2" 20MT OIL	21
HC20121400A	ARROTOLATORE CHIUSO 20B W/ 10X14 12MT WAT/AIR	REEL CLOSED 20B W/ 10X14 12MT WAT/AIR	21
HC20151200A	ARROTOLATORE CHIUSO 20B W/ 8X12 15MT WAT/AIR	REEL CLOSED 20B W/ 8X12 15MT WAT/AIR	21
HC40123800A	ARROTOLATORE CHIUSO 400B W/ 3/8" 12MT G.	REEL CLOSED 400B W/ 3/8" 12MT G.	21
HC60121200A	ARROTOLATORE CHIUSO 60B W/ 1/2" 12MT OIL	REEL CLOSED 60B W/ 1/2" 12MT OIL	21
HN40151400A	ARROTOLATORE APERTO 400B WO 1/4" MAX 15M G.	REEL OPEN 400B WO 1/4" MAX 15M G.	21
HN40153800A	ARROTOLATORE APERTO 400B WO 3/8" MAX 15M G.	REEL OPEN 400B WO 3/8" MAX 15M G.	21
HN60151200A	ARROTOLATORE APERTO 60B W/O 1/2" MAX 15M OIL	REEL OPEN 60B W/O 1/2" MAX 15M OIL	21
HN60153800A	ARROTOLATORE APERTO 60B W/O 3/8" MAX 15M OIL	REEL OPEN 60B W/O 3/8" MAX 15M OIL	21
HN60201200A	ARROTOLATORE APERTO 60B W/O 1/2" MAX 20M OIL	REEL OPEN 60B W/O 1/2" MAX 20M OIL	21
NMT400000	POMPA AMALFI 1	AMALFI 1 PUMP	13
NMT400001	POMPA AMALFI 2	AMALFI 2 PUMP	13
NMT400003	POMPA AMALFI 5	AMALFI 5 PUMP	13
NMT450000A	POMPA GARDA 1 12V	GARDA 1 12V PUMP	13
NMT450001A	POMPA GARDA 1 24V	GARDA 1 24V PUMP	13
NMT450002A	POMPA GARDA 2 12V	GARDA 2 12V PUMP	13
NMT450003A	POMPA GARDA 2 24V	GARDA 2 24V PUMP	13
NMT450006	POMPA GARDA 5	GARDA 5 PUMP	13
NMT460000A	KIT GARDA 2 12V	KIT GARDA 2 12V	13
NMT460001A	KIT GARDA 2 24V	KIT GARDA 2 24V	13
R08308000	KIT TUBO ASPIRAZIONE CON VALVOLA	KIT SUCTION HOSE W/VALVE-CAMBIAOLIO	19
R08309000	KIT SONDE PER CAMBIAOLIO	KIT PROBES CAMBIAOLIO	19
R08930000	KIT ATTACCO RAPIDO 2in x 1in COMPLETO	KIT QUICK COUPLING 2in x 1in	22
R09160000	KIT ATTACCO RAPIDO 2in x 3/4in COMPLETO	QUICK COUPLING 2in x 3/4in	22
R10824000	KIT COLLETTORE FLANGIATO + VITI + OR	KIT FLANGED + ELBOW + OR + SCREW	25
R12172000	TUBO FLANGIATO 341mm	FLANGED TUBE 341mm	25
R1222800A	TUBO FLANGIATO 300mm	FLANGED TUBE 300mm	25
R12229000	TUBO FLANGIATO 130mm	FLANGED TUBE 130mm	25
R12737000	KIT STAFFE A MURO CUBE	WALL KIT CUBE	5
R12738000	KIT LUCCHETTO CUBE MC	KIT LOCK CUBE MC	5
R13251000	KIT TUBO RACC+FLANG. SELF.S. TANK FM+MC	KIT CRIMPED FLANGED S.S.TANK FM+MC	25
R14862000	CARTUCCIA BIODIESEL WAT.SEP 100 L/M (\$)	CARTRIDGE BIODIESEL WAT.SEP 100 L/M	23
R1512800A	ADATTATORE M/F 2" - S70x6 UREA	ADAPTER M/F 2" - S70x6 ADBLUE	29
R17018000	KIT MORSET.+CAVO ALIMENT. 4MT BP3000 12V/24V	KIT TERMINAL BOX+4MT CABLE W\CLAMP 12V/24V	13
R17256000	KIT PER K24 PIUSI BOX	K24 ASSEMBLY KIT FOR PIUSIBOX	12
R17289000	KIT MORSET.+CAVO ALIMENT. 2MT BP3000 12V/24V	KIT TERMINAL BOX+2MT CABLE W\CLAMP 12V/24V	13
R19172000	KIT RICAMBIO SPOUT SB325 CON MAGNETE	KIT REPLACE SPOUT SB325 WITH MISFILLING	28
R19173000	KIT RICAMBIO SPOUT SB325 SENZA MAGNETE	KIT REPLACE SPOUT SB325 WITHOUT MISFILLING	28

Il presente documento contiene le condizioni generali di vendita (d'ora in avanti "Condizioni Generali") della soc. PIUSI S.p.a., con sede legale in Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantova), Italia (di seguito per brevità "Venditore").

1. Oggetto

1.1 Le Condizioni Generali qui di seguito riportate regolano tutti i contratti di vendita da stipularsi tra il Venditore e il compratore destinatario della presente offerta (di seguito per brevità definito "Compratore") aventi ad oggetto i prodotti del Venditore (qui di seguito e per brevità definiti "Prodotti").

1.2 Deroghe o modifiche alle presenti Condizioni Generali saranno valide solo se espressamente accettate per iscritto dal Venditore ed avranno valore solo per le vendite a cui si riferiscono.

1.3 Pertanto, ogni disposizione, introdotta dal Compratore nell'ordine trasmesso al Venditore o in altro documento, che sia in contrasto o in aggiunta alle presenti Condizioni Generali, sarà considerata nulla e priva di effetto a meno che non venga espressamente accettata per iscritto dal Venditore.

2. Perfezionamento e Conclusione del Contratto

2.1 L'offerta del Venditore si intende valida per un periodo di trenta (30) giorni a decorrere dalla data della stessa, salva eventuale diversa indicazione in essa contenuta circa il periodo di validità. Pertanto, il Venditore non sarà tenuto a prendere in considerazione eventuali ordini di acquisto pervenuti successivamente alla scadenza di tale termine.

2.2 L'ordine che il Compratore trasmette al Venditore a seguito dell'offerta dovrà contenere l'identificazione precisa dei Prodotti, delle quantità richieste ed ogni altro elemento essenziale per la conclusione del contratto di vendita, nonché l'espresso riferimento all'offerta medesima.

2.3 Il contratto di vendita si intende concluso quando il Compratore riceve la conferma scritta del proprio ordine da parte del Venditore. Detta conferma scritta potrà essere inviata anche via e-mail o fax. Nessun ordine sarà vincolante a meno che, e fintantoché, non venga accettato dal Venditore con conferma d'ordine scritta.

2.4 Eventuali agenti ed intermediari non impegnano in alcun modo il Venditore e qualsiasi ordine ricevuto dai suddetti agenti ed intermediari si intende subordinato alla conferma d'ordine scritta da parte del Venditore.

3. Prodotti; Istruzioni

3.1 Le informazioni sui Prodotti contenute in cataloghi, listini, dépliant, siti web o altri documenti analoghi hanno valore puramente indicativo e non vincolano il Venditore se non sono espressamente richiamate nel contratto di vendita.

3.2 Il Venditore si riserva di cancellare alcuni Prodotti dai listini o di aggiungerne di nuovi.

3.3 Il Compratore è tenuto a fornire al Venditore tutte le informazioni ed i materiali che il Venditore dovesse ragionevolmente richiederle al fine di fornire i Prodotti.

3.4 Il Venditore mette a disposizione le versioni originali dei manuali contenenti le istruzioni d'uso e manutenzione dei Prodotti.

Il Compratore, ove intenda commercializzare o comunque introdurre o mettere in servizio i Prodotti in Paesi con lingue ufficiali diverse da quelle messe a disposizione dal Venditore, si impegna ad effettuare a propria cura e spese la traduzione del manuale d'uso e manutenzione nelle lingue ufficiali dei Paesi in questione, facendo accompagnare le traduzioni dalle istruzioni originali come previsto dalla normativa comunitaria vigente.

4. Riserva di Proprietà

4.1 Le parti espressamente convengono che la vendita è effettuata con riserva di proprietà sui Prodotti a favore del Venditore e, quindi, il Compratore ne acquisterà la proprietà soltanto all'atto del pagamento integrale del prezzo complessivo concordato, oltre agli oneri accessori, ma ne assume i rischi dal momento della consegna come da art. 1523 del Codice Civile.

5. Prezzi

5.1 I prezzi di vendita sono quelli indicati nel listino in vigore al momento dell'offerta e sono calcolati "Ex Works" ("Franco Fabbrica") – sede del Venditore – imposta sul valore aggiunto esclusa; potranno altresì includere eventuali altri oneri e costi (ad es. costi di trasporto) se indicati in fattura. Salvo differente precisazione i prezzi indicati nei listini dei prezzi e nei cataloghi si intendono riferiti a "merce nuda" ovvero priva di alcun imballaggio.

5.2 Ferme restando le disposizioni precedenti di cui al punto 5.1, il Venditore si riserva la facoltà di modificare a propria discrezione il prezzo dei Prodotti con il variare dei costi delle materie prime, della manodopera e/o di altre componenti di costo connesse con il ciclo produttivo posto in essere dalla stessa.

6. Ordini

Il Venditore accetta solo ordini che abbiano un valore minimo di almeno 250,00 Euro.

7. Condizioni di pagamento

7.1 Le condizioni di pagamento sono indicate, di volta in volta, nella conferma d'ordine del Venditore inviata al Compratore per il singolo contratto di vendita.

7.2 Salvo patto contrario, tutti i pagamenti devono essere inviati al Venditore mediante bonifico bancario o assegno provenienti esclusivamente da conti correnti intestati al soggetto destinatario della fattura presso la banca indicata dal Venditore. I pagamenti potranno essere effettuati ad un incaricato soltanto se debitamente autorizzato, munito di mandato scritto che lo autorizzi a riscuotere l'ammontare dovuto per conto del Venditore nel rispetto della normativa in vigore.

7.3 E' inteso che eventuali reclami o contestazioni non danno diritto al Compratore di sospendere o comunque ritardare i pagamenti dei Prodotti oggetto di contestazione, né, tanto meno, di altre forniture.

7.4 In caso di mancato pagamento, in tutto o in parte, del prezzo di vendita ad una delle scadenze stabilite, il Venditore si riserva il diritto di porre a carico del Compratore, senza necessità di costituzione in mora, gli interessi moratori ai sensi del Decreto Legislativo n. 231 del 9 ottobre 2002 e successive modifiche, fino alla data dell'effettivo pagamento, fermo restando qualsiasi altro rimedio previsto a favore del Venditore dalle presenti Condizioni Generali e/o dalla legge.

7.5 Il mancato o parziale pagamento, anche di una sola fattura, attribuisce al Venditore la facoltà di sospendere ordini arretrati (back orders) o nuove consegne.

Qualora il mancato o parziale pagamento si protragga per un periodo di 30 (trenta) giorni dalla scadenza stabilita è attribuita al Venditore la facoltà di risolvere immediatamente il contratto di vendita fermo restando il diritto di ottenere il risarcimento del danno ivi incluso il rimborso delle spese legali connesse all'azione di recupero del credito, anche in via stragiudiziale.

8. Consegna dei Prodotti

8.1 Salvo diverso accordo, documentato nella conferma d'ordine del Venditore, la consegna dei prodotti al Compratore avviene "Ex Works" Incoterms® ("Franco Fabbrica") presso la sede del Venditore.

8.2 I termini di consegna indicati dal Venditore o concordati tra le parti sono stabiliti a favore del Venditore ed hanno carattere indicativo, per cui eventuali ritardi non potranno dar luogo ad alcuna pretesa di risarcimento o di annullamento dell'ordine da parte del Compratore. Eventuali clausole penali per il ritardo nelle consegne non avranno alcuna efficacia nei confronti del Venditore. I termini di consegna si intendono decorrere dalla data della conferma d'ordine. Il Venditore si riserva il diritto di effettuare consegne parziali, nel momento e nella misura in cui singole parti del prodotto siano pronte per la consegna.

This document includes the general conditions of sale (hereinafter: "General Conditions") of PIUSI S.p.A., with registered offices at Via Pacinotti, 16/A, z.i. Rangavino, I-46029 Suzzara (Mantova, Italy) (hereinafter: "Seller").

1. Purpose

1.1 These General Conditions shall govern all contracts between Seller and the customer which is the intended addressee of this quotation (hereinafter: "Customer") for the sale of Seller's products (hereinafter: "Products").

1.2 No changes to these General Conditions are valid unless agreed upon by Seller in writing, and any such approved changes shall only apply to the individual sale contract they expressly refer to.

1.3 Therefore, any provision introduced by Customer in a purchase order or in a different document, which is in conflict with or in addition to these General Conditions, shall be deemed null and void unless Seller expressly accepts it in writing.

2. Contract Formation

2.1 Seller's quotations are valid for thirty (30) days as of quotation date, unless it is indicated otherwise in the same quotation. Therefore, Seller may disregard any purchase orders received after the above term.

2.2 All orders placed with Seller following a quotation, must include a precise description of the Products, quantities ordered and any other details required for the sale contract, as well as an express reference to the quotation.

2.3 A sale contract is formed upon receipt by Customer of Seller's written acceptance of the order. Such acceptance may be communicated also by e-mail or facsimile. No orders shall be binding unless and until accepted by Seller in writing.

2.4 Any orders collected by Seller's agents or middlemen are not binding and are subject to the Seller's written confirmation.

3. Products; Instructions

3.1 All Products' information contained in the Seller's catalogues, lists, leaflets, web sites, or any other similar documents are not binding upon the Seller, unless an express reference to them is included in the sale contract.

3.2 The Seller may at any time delete any Products from the lists or modify any Products.

3.3 The Customer shall provide the Seller with any information as reasonably requested by the Seller in order to supply the Products.

3.4 The Seller shall provide original instructions for the use and maintenance of the Products.

Whenever the Customer intends to distribute, import or install Products in countries whose official languages are different from those of the Seller's original instructions, the Seller shall translate such instructions in the official languages of the countries in question at the Customer's sole care and costs; and Customer shall provide such translations together with the original instructions as stated by the EU then-applicable rules.

4. Retention of title

4.1 The parties hereby expressly agree that sales are made on a retention of title basis. Therefore, the Purchaser shall acquire ownership on the Product purchased only when payment of the price is received in full by the Seller. However, the Purchaser assumes any risks connected with the Product from the time of delivery, according to article 1523 of the Italian Civil Code.

5. Prices

5.1 Sale prices shall be as shown in the price list in force on the quotation date, and shall be calculated "Ex Works" Seller's headquarters. Sale prices are exclusive of V.A.T.. They may include those other duties or taxes upon the sale contract (e.g. transportation costs) as specified in the invoice. Unless otherwise indicated, prices shown in lists and catalogues are intended for goods only, exclusive of packaging.

5.2 Without prejudice of Section 5.1 above, Product prices may be changed by the Seller at its sole discretion as a consequence of changes in cost of raw materials, labor costs and/or other production costs.

6. Orders

Seller may not accept orders for less than € 250.00.

7. Payment terms

7.1 Payment terms are specified in the order confirmation as sent by the Seller from time to time for each sale contract.

7.2 Unless agreed otherwise, all payments must be made by bank transfer or cheque originating from bank accounts of the addressee of Seller's invoice. Payments shall be made to the Seller's bank account as specified by the Seller. Payments may be made to persons acting on the Seller's behalf, only if such persons have been duly authorized in writing by Seller to collect the amount due in accordance with the laws in force.

7.3 Any claims concerning Products shall not entitle Customer to suspend or delay payments for the same or other supplies.

7.4 In case of payment delays, Seller reserves the right to charge Customer with interest without the need to formally place Customer in default. Interest shall be calculated in accordance with the Italian Legislative Decree no.231 of 9 October 2002 and subsequent modifications, until the amounts due are actually paid, without prejudice to any further right or remedy the Seller may have according to these General Conditions and/or the applicable laws.

7.5 If payments are omitted or delayed, even on a single invoice, Seller may suspend processing back orders or new supplies.

Payment delays exceeding 30 (thirty) days of the due date, shall entitle Seller to immediately terminate the sale contract without prejudice to the Seller's right to claim damages, which damages shall include, but shall not be limited to, reimbursement of the attorney's and/or court fees borne by the Seller in connection with a credit collection action, including out of court collection attempts.

8. Product Delivery

8.1 Unless otherwise agreed and shown in the Seller's order confirmation, Products are delivered "Ex Works" ICC Incoterms® at the Seller's place of business.

8.2 Delivery dates, whether indicated by Seller or agreed upon, shall be considered as estimates only. Therefore, any delay in delivery shall not entitle the Customer to cancel an order nor claim damages from the Seller. Penalty clauses for delayed deliveries shall have no effect towards Seller. Delivery terms shall start from the order confirmation date. The Seller reserves the right to effect partial deliveries, as and when the parts are ready for dispatch.

8.3 In any case, the Seller shall have no liability whatsoever if delivery terms are exceeded due to a force majeure event according to Article 11 hereto, or by Customer's actions or omissions (including, but not limited to, failure to provide Seller with the necessary requirements for the supply of Products).

8.4 The Customer may, in writing, ask the Seller to appoint a carrier or a forwarder to collect the Products on the Customer's behalf. If the Seller accepts, any such carrier or forwarder shall be considered as appointed directly by the Customer. As a consequence, the Customer shall be entirely responsible for any risks and expenses in connection therewith.

8.5 Whatever the delivery term agreed upon, all risks related to the Products shall pass to the Customer on delivery of the Products to the first carrier. All such risks shall also pass to the Customer in case the Customer delays in collecting the Products when ready for collection, and the

8.3 I suddetti termini di consegna sono in ogni caso superati dal sopravvenire di eventuali cause di forza maggiore (per le quali si rinvia all'art. 11) o da atti od omissioni del Compratore (quali, a titolo esemplificativo ma non esaustivo, la mancata comunicazione di indicazioni necessarie per la fornitura dei prodotti).

8.4 Qualora il Compratore richieda al Venditore di incaricare del ritiro e del trasporto un vettore o spedizioniere, dovrà farlo per iscritto e, qualora il Venditore accetti, il vettore o spedizioniere si intenderà come incaricato direttamente dal Compratore con rischi e spese a suo carico.

8.5 Dal momento della consegna dei Prodotti al primo trasportatore, a prescindere dal termine di resa concordato, come anche nel caso in cui il Compratore ritardi nel ritirare i Prodotti posti a sua disposizione dal Venditore, tutti i rischi relativi ai Prodotti si trasferiscono al Compratore, sul quale restano, altresì, a carico le spese di magazzino, custodia ed assicurazione o quant'altro.

9. Reclami alla consegna

Il Compratore è tenuto ad ispezionare con cura i Prodotti consegnati al più presto dopo la ricezione degli stessi. Eventuali reclami relativi all'imballaggio, alla quantità, numero o caratteristiche esteriori dei Prodotti (vizi apparenti), dovranno essere notificati al Venditore mediante lettera raccomandata A/R, a pena di decadenza, entro 8 (otto) giorni dalla data di ricevimento dei Prodotti sotto pena di decadenza dalla garanzia. Contestualmente, le parti difettose debbono essere restituite con spese di trasporto ed assicurazione a carico del Compratore. Il Compratore dovrà specificare il reclamo in una nota separata e dovrà menzionare la fattura del Venditore (indicando data e numero della fattura) cui le parti restituite si riferiscono. L'omessa tempestiva notifica del difetto e restituzione della parte difettosa, comporteranno decadenza del Compratore da ogni azione volta a far valere i suddetti difetti.

10. Garanzia

10.1 Il Venditore garantisce che i Prodotti venduti hanno le qualità essenziali per l'uso a cui sono destinati secondo le specifiche tecniche del Prodotto e la conferma d'ordine e sono conformi alla legge italiana nonché alla normativa UE eventualmente applicabile. Il Compratore assume interamente su di sé ogni e qualsiasi responsabilità in merito all'accertamento della conformità del Prodotto alla normativa legale e regolamentare del Paese nel quale il Prodotto stesso debba essere da lui rivenduto e/o deve essere utilizzato, obbligandosi a manlevare e tenere indenne il Venditore da ogni e qualsivoglia danno e passività derivanti dall'eventuale mancanza di conformità del Prodotto a dette normative.

10.2 Il Venditore presta garanzia per vizi e difetti eventuali dei Prodotti, per il periodo di 24 (ventiquattro) mesi dalla consegna dei Prodotti "Ex Works" (Franco Fabbrica) (sede del Venditore).

10.3 La suddetta garanzia copre tutti i difetti che compaiano nel Prodotto a seguito di un uso normale dello stesso, derivanti esclusivamente da difetti nei materiali o nella manodopera.

10.4 La garanzia si intende unicamente a favore del Compratore e non può essere estesa ad eventuali acquirenti successivi dei Prodotti, né a terzi in generale.

10.5 Per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti e per tutto il periodo d'uso dei Prodotti medesimi, il Compratore deve attenersi scrupolosamente alle indicazioni contenute nelle istruzioni d'uso e manutenzione fornite dal Venditore nonché deve garantire una formazione adeguata del suo personale, o terzi se dal Compratore incaricati, affinché detto personale svolga le operazioni di installazione, montaggio, smontaggio e riparazione dei Prodotti in modo tale da non arrecare danni a cose e/o persone ed operi in conformità alle normative comunitarie e quelle eventualmente più dettagliate presenti nello stato in cui vengono messi in servizio i Prodotti. Sempre per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti, il Compratore, per i prodotti con certificazione ATEX, IECEx, UL CLASSIFIED, UL LISTED, destinati all'impiego in zone a rischio esplosione, deve dotarsi di una struttura organizzativa/aziendale atta a garantirne la loro tracciabilità. La garanzia non si applica se il Compratore non è in regola con i pagamenti, se non ha installato i Prodotti in piena conformità alle istruzioni presenti sul manuale d'uso e manutenzione del prodotto, se ha apportato modifiche o se ha manomesso o danneggiato i Prodotti o li ha utilizzati per scopi diversi dalla loro normale destinazione d'uso, così come in tutte le ipotesi di danno o di mancato funzionamento scaturenti da colpa o negligenza del Compratore, dei suoi dipendenti e ausiliari o di terzi in genere, ivi compresa l'errata installazione, manutenzione o riparazione. Il Compratore deve altresì garantire, per i motivi di cui sopra, che il proprio personale, o terzi dallo stesso delegati, abbiano le conoscenze tecniche necessarie in merito alle caratteristiche essenziali dei dispositivi di protezione che possono essere montati nei Prodotti per evitare danni a cose e/o persone e, segnatamente, per evitare l'insorgere di rischi derivanti dall'uso dei Prodotti o, se sorti, tempestivamente circoscriverli ed eliminarli. Il Compratore, in ogni caso, si impegna a tenere indenne e manlevare da eventuali richieste di danni e/o sanzioni amministrative il Venditore, qualora quest'ultime derivino dalla violazione da parte del Compratore degli obblighi sullo stesso gravanti, così come enunciati nel presente articolo.

10.6 La garanzia del Venditore non copre eventuali danni dovuti a parti soggette ad usura. La garanzia del Venditore non copre nemmeno eventuali danni dovuti ad errato magazzino nei casi di Prodotti in tutto o in parte tenuti in magazzino dal Compratore prima dell'installazione, dell'uso o della rivendita agli acquirenti finali.

10.7 Fermo restando quanto disciplinato dall'art. 9 delle presenti Condizioni Generali (Reclami alla consegna) il Compratore è tenuto a denunciare al Venditore per iscritto la presenza di eventuali vizi riscontrati nel Prodotto entro 8 (otto) giorni dalla scoperta e, in ogni caso, non oltre il periodo di garanzia di cui all'art. 10.2.

10.8 Tale denuncia deve essere effettuata con lettera raccomandata A/R anticipata via fax. Qualsiasi denuncia dei difetti dovrà specificare con precisione il difetto riscontrato ed i Prodotti cui esso si riferisce. E' esclusa ogni diversa forma di denuncia soprattutto a mezzo telefono o a mezzo agente o rappresentante.

10.9 In mancanza di tempestiva denuncia come sopra, il Compratore si intenderà decaduto da qualsiasi diritto ed azione per far valere la garanzia del Venditore in base alle presenti Condizioni Generali e/o alla legge.

10.10 Il materiale difettoso, previa autorizzazione, dovrà essere recapitato a cura del Compratore presso la sede del Venditore per i necessari controlli. Tutti i Prodotti inviati per riparazione o sostituzione del prodotto in garanzia dovranno pervenire al Venditore con trasporto prepagato a carico del Compratore e dovranno essere spediti al seguente indirizzo: PIUSI S.p.A., z.i. Rangavino - Via Pinfari 2A/2B, 46029 Suzzara, (MN), Italy.

Il materiale inviato senza previa autorizzazione da parte del Venditore e/o con trasporto non prepagato non sarà ritirato.

Le parti difettose diverranno di proprietà del Venditore a seguito della sostituzione.

Nel caso di un eventuale reso di merce nuova e ancora in produzione, si precisa che il reso stesso potrà avvenire solo con il trasporto prepagato e solo con autorizzazione scritta da parte del Venditore.

10.11 Qualora il controllo presso la sede del Venditore dimostri l'esistenza del difetto denunciato, il Venditore, a suo insindacabile giudizio, potrà sostituire il Prodotto difettoso o, in alternativa, eliminare i vizi. L'eventuale sostituzione del Prodotto difettoso avverrà "Ex Works" (Franco Fabbrica). Il Venditore si riserva il diritto di valutare un eventuale accredito che comunque non potrà mai essere superiore al 70% del valore originariamente fatturato.

10.12 La garanzia concessa in base al presente articolo è da intendersi esclusiva e sostituisce ogni e qualsiasi altra forma eventuale di garanzia, sia essa prevista da norme di legge o da consuetudini commerciali.

Customer shall also bear any and all charges of storage, care and insurance, or others applicable.

9. Complaints on faulty delivery

The Customer shall carefully inspect any Products delivered as soon as practicable after receipt thereof. Any complaints relating to packaging, quantity, number or external features of Products (apparent defects), must be notified to the Seller by registered mail with return receipt, and the defective parts must be returned in their original packing, insurance and carriage prepaid, no later than eight (8) days as from receipt of the Products. The Customer shall specify the claim in a separate note and shall mention the Seller's invoice (by invoice date and number) to which the returned parts pertain. Failure to timely notify the defect and to return the faulty parts, will result in forfeiture of the Customer's rights to claim the above defects.

10. Product Warranty

10.1 Seller hereby warrants that Products are suitable for the intended use according to the technical specifications and the order confirmation terms, and comply with the Italian laws and EU regulations where applicable. The Customer shall be fully responsible for the Product's compliance with any legal and regulatory requirements applicable in the country where the Customer is to resell the Product and/or in the country where the Product is to be used. The Customer shall indemnify and hold the Seller harmless from and against any and all damages and losses arising out from the Product's failure to comply with such legal and regulatory requirements.

10.2 Seller's warranty for Product defects is of 24 (twenty four) months as of the "Ex Works" delivery date.

10.3 Seller's Product warranty is for any defects in materials or workmanship appearing in Products used in normal conditions.

10.4 Seller's warranty is only intended for Customer and may not be extended to any other customers or third parties.

10.5 As a condition for Customer to invoke Seller's warranty, and in order to comply with the applicable Italian and EU regulations, Customer shall for the whole period of use of the Products, carefully follow the instructions contained in the user and maintenance manuals as supplied by Seller. Further, Customer shall appropriately instruct its own personnel or third parties appointed by the Customer, to the installation, assembling, disassembling and repair of Products in such a way to avoid damages to persons or objects, making sure that such personnel always work in compliance with EU regulations including the implementing regulations in force in the countries where Products are used. As an additional condition for the validity of Seller's warranty, and to comply with the applicable Italian and EU product regulations, Customer shall, in relation to Products with ATEX, IECEx, UL CLASSIFIED, UL LISTED certifications, which are intended for use in zones at risk of explosion, maintain an appropriate organizational structure in order to ensure the traceability of such products. Seller's warranty shall not apply if Customer is not up-to-date with payments, or has not installed Products in full compliance with the user and maintenance manuals, or has modified or damaged Products, or has used them for purposes different from their normal destination, as well as in any other cases where damages or improper functioning are caused by fault or negligence of Customer, its personnel or third parties, including but not limited to improper installation, maintenance, repairs. Customer must also ensure, for the above purposes, that its own personnel, and/or third parties appointed by it, have the necessary technical knowledge with regard to the essential features of protection devices which can be installed on the Products in order to prevent damages occurring to persons or objects, particularly in order to prevent, reduce or eliminate damages connected with the use of Products. In any case, Customer shall indemnify and hold Seller harmless from and against any claims for damages and/or fines or sanctions from any authorities, arising from violations by Customer of its duties arising hereunder.

10.6 Seller's warranty does not cover any damages occurring to parts subject to wear and tear, or caused by improper storage whenever Products are in whole or in part stored by Customer before installation, use or resale to the final customers.

10.7 Without prejudice to Article 9 of these General Conditions (Complaints on faulty delivery), the Customer shall notify any Product's defects within 8 (eight) days from the date of discovery and, in any case, not beyond the warranty term as per Article 10.2.

10.8 Any claim must be made by facsimile confirmed by registered mail with return receipt. Also, any claim must specify the type of defect discovered and the Product(s) it refers to. Any other form of notification, e.g. by telephone or through an agent, shall not be valid.

10.9 Failing such timely notification, any Customer's rights to enforce any Seller's warranties under these General Conditions or the applicable laws shall be forfeited.

10.10 The Customer shall, after obtaining Seller's return authorization, ship the defective Product(s) to the Seller for inspection. Shipping costs for said authorized returns shall be borne by the Customer. Address for shipping is: PIUSI S.p.A., z.i. Rangavino - Via Pinfari 2A/2B, 46029 Suzzara, (MN), Italy.

Any materials shipped without Seller's prior authorization and/or without pre-payment of shipping costs, shall not be collected.

The defective parts shall become the Seller's property after their replacement.

If goods to be returned are new and still in production, return is subject to both pre-payment of shipping expenses and Seller's prior written authorization.

10.11 If testing at the Seller's warehouse proves the existence of the claimed defects, the Seller shall, in its sole judgment, either replace the defective Product(s) or correct the defects. Any replaced Product(s) shall be delivered "Ex Works". Seller may at its sole discretion credit an amount not exceeding 70% of the originally invoiced price.

10.12 The Seller's warranty under this article is the sole warranty to the Customer and replaces any other kind of warranties, provided for by laws and by commercial customs.

10.13 Any liability of the Seller for damages whatsoever arising from the Products, regardless of the type of damages (direct, indirect, consequential or else) and the type of liability (for contract, negligence, tort, strict liability or else) is hereby expressly excluded except in cases of Seller's fraud or gross negligence.

10.14 The Customer may not suspend or delay payments for any reason, nor claim damages or reduction of the Products' price. The Customer may not offset any payment due to the Seller with any sums that the Customer reckons it should receive for any reason.

11. Force Majeure

11.1 In any case, Seller shall not be responsible or liable to Customer for breach of these General Conditions or a sale contract, if compliance is impossible or extremely burdensome because of unforeseen events not attributable to Seller, including but not limited to: fire, flood, earthquake, explosions, accidents, war, riots, sabotage, epidemics, quarantine restrictions, strikes, transport blocks, shortage of energy, raw materials or machinery for producing Products, natural events or acts of any public authority.

11.2 Whenever a force majeure event prevents or delays delivery of Products to Customer or the performance of any other Seller's duties for a term exceeding six (6) consecutive months, Seller shall be entitled to terminate the sale contract without any liability towards Customer, without prejudice to Articles 1463 and following, and Article 1467 and following, of the Civil Code.

12. Acceptance and conditions

12.1 Purchase orders may be accepted only in writing, including by electronic form.

12.2 Issuance of a purchase order shall mean acceptance of these general sale conditions, and waiver of any Customer's terms and conditions.



Segue alla pagina successiva >>>
See next page >>>

10.13 Di conseguenza, è espressamente esclusa qualsiasi responsabilità del Venditore, contrattuale e/o extracontrattuale, per danni diretti o indiretti derivanti dai Prodotti forniti, fatti salvi esclusioni e casi di dolo o colpa grave.

10.14 E' altresì espressamente esclusa qualsiasi facoltà del Compratore di sospendere o ritardare pagamenti in caso di reclami, nonché di operare autonomamente riduzioni di prezzo e/o compensazioni tra gli importi dovuti dal Compratore medesimo a titolo di prezzo dei Prodotti e somme che quest'ultimo ritenga a lui dovute a qualsiasi titolo.

11. Forza Maggiore

11.1 In ogni caso, il Venditore non sarà responsabile nei confronti del Compratore per l'inadempimento di qualsivoglia clausola delle presenti Condizioni Generali e/o del contratto di vendita, qualora l'adempimento sia reso impossibile o eccessivamente oneroso a causa di eventi imprevedibili ad esso non imputabili. Tra tali eventi sono da considerarsi inclusi, a titolo esemplificativo ma non limitativo, i seguenti: incendi, inondazioni, terremoti, esplosioni, incidenti, guerre, rivolte, insurrezioni, sabotaggi, epidemie, restrizioni per quarantena, scioperi, mancanza di mano d'opera, blocchi di trasporto, carenza di energia, mancanza di materie prime o di macchinari per la produzione dei Prodotti, eventi naturali ed atti di qualsiasi pubblica autorità, anche straniera.

11.2 Qualora una causa di forza maggiore impedisca o ritardi la consegna dei Prodotti al Compratore o l'esecuzione di una qualsiasi altra obbligazione del Venditore per un periodo superiore a sei (6) mesi consecutivi, il Venditore avrà la facoltà di risolvere il contratto di vendita senza alcuna responsabilità di sorta nei confronti del Compratore, fatte salve le previsioni di legge di cui agli artt. 1463 e ss. e 1467 e ss. c.c..

12. Accettazione e condizioni

12.1 Gli ordini verranno accettati solo in forma scritta, anche se in formato elettronico.

12.2 L'emissione dell'ordine sancisce l'accettazione delle precedenti condizioni generali di vendita confermate dalla parte acquirente che rinuncia ad eventuali proprie condizioni generali di acquisto considerate singolarmente o nel loro complesso.

13. Segni Distintivi dei Prodotti

13.1 Il Compratore si impegna a non cancellare o rimuovere i marchi e gli altri segni distintivi o di identificazione apposti sui Prodotti.

13.2 Rimane inteso che, né con le presenti Condizioni Generali, né con i singoli contratti di vendita, vengono concessi al Compratore diritti di sorta (a titolo di licenza o a qualsiasi altro titolo) sui segni distintivi del Venditore. Qualsiasi utilizzo da parte del Compratore di segni distintivi del Venditore è da ritenersi vietato, salva preventiva autorizzazione scritta in tal senso da parte del Venditore.

13.3 Il Compratore dovrà astenersi dal porre in essere qualsiasi comportamento che possa creare confusione negli utilizzatori o comunque sminuire il valore del marchio Piusi: a titolo esemplificativo ma non esaustivo, il Compratore non potrà vendere e pubblicizzare Prodotti a marchio Piusi in abbinamento a prodotti e marchi di terzi senza previa autorizzazione scritta del Venditore, autorizzazione che potrà essere concessa o negata ad esclusiva discrezione del Venditore.

14. Risoluzione del contratto di vendita

14.1 Il Venditore ha diritto di risolvere immediatamente il contratto di vendita concluso sulla base delle presenti Condizioni Generali, oltre che nei casi espressamente previsti dalle presenti Condizioni e dalla normativa applicabile, qualora intervenga qualsiasi modificazione nelle condizioni economiche del Compratore che ne comprometta la capacità di soddisfare le proprie obbligazioni o nel caso in cui il Compratore sia posto, a titolo d'esempio, in liquidazione, sia sottoposto a fallimento o ad altre procedure concorsuali.

14.2 In tal caso il Venditore avrà diritto di chiedere l'intero pagamento in un'unica soluzione di quanto ancora dovuto dal Compratore nei limiti consentiti dalla legge.

15. Diritti di proprietà industriale ed intellettuale

Il Venditore è e rimane l'esclusivo titolare di tutti i diritti di proprietà industriale ed intellettuale connessi con i Prodotti forniti, ivi incluse loro singole parti e la documentazione.

E' fatto assoluto divieto al Compratore di produrre e/o commercializzare e/o pubblicizzare prodotti di terzi che costituiscano imitazioni dei Prodotti Piusi. In caso di violazione, il Venditore avrà la facoltà di interrompere con effetto immediato qualsiasi fornitura al Compratore, fatti salvi ogni ulteriore diritto ed azione.

16. Autonomia

Qualora una qualsiasi clausola delle presenti Condizioni Generali sia considerata invalida o inefficace, tale invalidità o inefficacia non comprometterà la validità delle altre clausole che continueranno ad avere piena efficacia.

17. Legge Applicabile

Le presenti Condizioni Generali, nonché qualsiasi contratto di vendita concluso tra il Venditore ed il Compratore, saranno regolati ed interpretati in conformità alla legge italiana.

18. Incoterms®

L'uso del termine "Ex Works" (Franco Fabbrica) nelle presenti Condizioni Generali, così come qualsiasi eventuale diverso termine di resa concordato tra Venditore e Compratore, sarà interpretato in conformità agli INCOTERMS® della Camera di Commercio Internazionale (CC) in vigore alla data della conclusione del contratto di vendita.

19. Giurisdizione e Foro Competente

19.1 Per ogni e qualsiasi controversia derivante dalle presenti Condizioni Generali e dai contratti di vendita conclusi sulla base delle stesse, la giurisdizione esclusiva sarà quella italiana e la competenza apparterrà in via esclusiva al Foro di Mantova.

19.2 In espressa deroga all'art. 18.1, si conviene espressamente la facoltà del Venditore, in alternativa a quanto sopra ed a propria esclusiva discrezione, di convenire il Compratore dinanzi al Foro competente presso la sede d'affari di quest'ultimo.

20. Conferimento e trattamento di dati personali

Il D.lgs. n. 196 del 30/06/2003 prevede la tutela delle persone e di altri soggetti rispetto al trattamento dei dati personali. Il trattamento è improntato ai principi di correttezza, liceità, trasparenza e tutela della riservatezza di colui che conferisce i propri dati personali.

Ai sensi dell'art. 13 D.lgs. 196/2003 con riferimento ai dati personali comuni e sensibili che si intendono fare oggetto di trattamento, si forniscono le seguenti informazioni:

a) Finalità del trattamento: archivio contabilità, archivio commerciale, archivio ufficio tecnico. I dati vengono raccolti e trattati per provvedere agli adempimenti contabili, fiscali, commerciali e tecnici obbligatori connessi all'attività economica del Venditore ed ai rapporti contrattuali da questo intrapresi.

b) Modalità di trattamento: gestione manuale ed informatizzata.

c) Conferimento dei dati: obbligatorio per permettere il regolare flusso di dati contabili, fiscali e tecnici; l'eventuale rifiuto potrebbe comportare la mancata o parziale esecuzione del contratto.

d) Comunicazione e diffusione: i dati potranno essere comunicati dal Venditore ad eventuali altri soggetti esterni per lo svolgimento delle attività tecniche, commerciali, adempimenti fiscali, gestione di incassi e pagamenti derivanti dall'esecuzione dei contratti e ad altri soggetti secondo la legge.

e) L'interessato gode dei diritti di cui all'art. 7 del D.lgs. 196/2003.

f) Titolare del trattamento dei dati è la società Piusi S.p.A., Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantova), Italia.

g) Il responsabile del trattamento è indicato nel DPS aziendale in vigore.

La sottoscrizione dell'ordine autorizza anche il trattamento dei dati personali per lo svolgimento dei rapporti contrattuali in riferimento all'informativa ricevuta.

13. Trademarks

13.1 The Customer undertakes not to cancel, remove or damage any of the trademarks, logos or names placed upon the Products.

13.2 Nothing contained in these General Conditions or in the sale contract shall be construed as granting Customer any rights, whether by license or otherwise, upon the Seller's trademarks. Any use of the Seller's trademarks by Customer is therefore excluded, unless with the Seller's prior written consent.

13.3 The Customer shall refrain from taking any action which may cause confusion to the users or anyway diminish the Piusi trademark's value and reputation. The Customer may not sell or advertise Products bearing the Piusi trademark in conjunction with third parties' products and trademarks without the Seller's prior written consent, and such consent may be freely granted or denied by the Seller in its sole discretion.

14. Termination of the sale contract

14.1 Without prejudice to other provisions of these General Conditions and the applicable laws, Seller shall be entitled to terminate immediately the sale contract, (i) if a change in the Customer's financial conditions occurs, in such a way that, in the Seller's judgment, payments due to Seller are at risk, or (ii) if the Customer files a petition in bankruptcy, or is adjudicated bankrupt, or takes advantage of the insolvency laws of any jurisdiction.

14.2 In the above cases the Seller shall be entitled to request the entire payment of the sums still due by the Customer in one amount as permitted by the laws.

15. Intellectual Property Rights

Any and all intellectual property rights connected with the Products, including any individual parts thereof and any documentation pertaining thereto, belong solely to the Seller.

It is absolutely prohibited for the Customer to manufacture and/or sell and/or advertise any third parties' products which may be confusingly similar to Piusi Products. In case of breach, the Seller may immediately suspend any supplies to the Customer, without prejudice to any further rights and remedies.

16. Severability

Should any of these General Conditions be declared void or unenforceable by a court of competent jurisdiction, the remainder of these General Conditions and the sale contract shall not be affected thereby and shall continue to be fully valid and enforceable.

17. Governing laws

These General Conditions and any sale contract between Seller and Customer shall be governed by the laws of Italy.

18. Incoterms®

The use of "Ex Works" in these General Conditions, or any other delivery terms as may be agreed upon between Seller and Customer, shall be interpreted according to the INCOTERMS® of the International Chamber of Commerce (ICC) as in force on the date the sale contract is made.

19. Jurisdiction and venue

19.1 The courts of Mantua (Italy) shall have the exclusive jurisdiction on any and all disputes arising from these General Conditions or from any contract of sale between Seller and Buyer.

19.2 As an express deviation from Article 19.1, it is hereby expressly agreed that Seller may, alternatively and at its sole discretion, sue Customer before the courts of Customer's domicile.

20. Personal data

Legislative Decree (D. Lgs.) n. 196 of 30/06/2003 provides for the protection of individuals and other persons with regard to the treatment of personal data. Such treatment has to be consistent with principles of fairness, lawfulness, transparency and protection of confidentiality of the person providing his own personal data.

In accordance with Article 13 of D.lgs. 196/2003 and with reference to the "ordinary" and "sensitive" personal data which are intended to be treated, the following information is hereby provided:

a) Purposes of treatment: accounting data bases, commercial data bases, technical department data bases.

Personal data will be collected and managed in order to accomplish mandatory duties of accounting, tax, commercial and technical nature in connection with the Seller's business and with contractual commitments undertaken by Seller.

b) How data are treated: manually and by computer.

c) Provision of personal data: it is mandatory in order to allow the regular flow of accounting, tax and technical information; refusal to provide data may lead to failure or partial performance of the contract.

d) Communication and divulgation: personal data may be communicated by Seller to outside third parties providing technical, commercial tax services, collection and management of payments arising from contract performance, and to other third parties in compliance with the law.

e) The person concerned is entitled to exercise the rights set forth by Art. 7 of D.lgs. 196/2003.

f) Owner of the data treatment is the company Piusi S.p.A., with offices in Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantova), Italy.

g) Responsible for the treatment is indicated in the current "DPS" (policy document on privacy) for the company.

By sending a purchase order, Customer also authorizes his data to be treated for the performance of the contract in relation to which information under the privacy protection rules is received.

Leggere con attenzione questo avviso prima di procedere con il download, l'installazione e l'uso di questo programma. Eseguendo un clic sul pulsante con la scritta "continua" dichiarate di ritenervi legati dai termini di questo accordo che costituisce un contratto dal valore legale tra chi concede la licenza (d'ora in poi "Piusi SpA") e chi la assume in carico.

1. Definizioni

1.1 In questo accordo per programma si intende il programma per computer e tutto quanto vi è collegato, il materiale stampato, la documentazione che può essere on line o stampata ed il software compreso nel pacchetto.

1.2 Il programma è protetto dalle norme di legge e dai trattati internazionali sulla proprietà intellettuale. La proprietà e lo sfruttamento economico del programma (compresi i copyright, i marchi di fabbrica, i diritti riguardo i brevetti o qualunque altra proprietà intellettuale di qualunque natura) e tutte le copie che ne derivano rimarranno di Piusi SpA.

2. Termini contrattuali

Il programma viene concesso esclusivamente in licenza di uso per poter essere utilizzato secondo i termini di questo accordo.

2.1 Installando, copiando o in altro modo usando il programma, voi vi dichiarate d'accordo con quanto descritto in questo accordo.

In caso di disaccordo è fatto divieto di usare il programma e dovrete immediatamente cancellare qualunque copia del programma risulti in vostro possesso.

3. Diritti ed obblighi

3.1 Il contratto è stipulato in modo personale e non trasferibile ed è strettamente connesso all'utilizzo dei prodotti Piusi s.p.a. E' pertanto fatto divieto di cessione del presente contratto.

3.2 Il mancato rispetto delle clausole, contrattuali determina la cessazione del contratto senza responsabilità alcuna per Piusi s.p.a.

3.3 E' vostro diritto risolvere il presente contratto in qualsiasi momento cessando l'utilizzo del programma e con relativo obbligo di cancellare immediatamente qualunque copia del programma risulti in vostro possesso.

4. Altri diritti ed obblighi

4.1 Tranne che per quanto espressamente esposto in questo Accordo non è concesso di copiare, riprodurre, pubblicare, affittare, cedere in leasing, modificare, creare delle opere derivate del Programma compresa l'esportazione e non vi è concesso di togliere le note relative alla proprietà identificativi o marchi del Programma.

5. Diritti di proprietà intellettuale

5.1 Il Programma è protetto dalle norme sul copyright ed altre leggi sulla proprietà intellettuale e da trattati internazionali.

6. Garanzia limitata

6.1 La garanzia viene fornita sul programma così com'è, senza alcuna altra garanzia di alcun genere, implicita o esplicita. In particolare Piusi SpA non garantisce che le operazioni eseguite dal programma saranno prive di errore.

6.2 Piusi SpA non garantisce l'utilizzo del Programma nei termini della sua affidabilità, accuratezza, attualità o quant'altro.

La durata del periodo di garanzia richiesta dalle norme sarà limitata nei termini della garanzia limitata.

7. Esclusioni della responsabilità per perdite derivanti.

7.1 in nessuna circostanza Piusi SpA o chiunque altro sia stato coinvolto nella creazione, produzione, commercializzazione o consegna del Programma sarà considerato responsabile per danni accidentali o che possano conseguire dall'utilizzo o dalla vostra impossibilità di usare il Programma, compresi, senza limitazioni, danni per perdite di profitto aziendale, interruzione del lavoro, perdita di informazioni aziendali, problemi con il computer o qualunque altro danno di alcun genere anche se è stata avvisata della possibilità di tali danni.

8. Limitazione di responsabilità

8.1 La responsabilità di Piusi SpA non potrà mai essere superiore al prezzo da voi pagato per il programma.

9. Politica di aggiornamento

9.1 Piusi SpA può di tanto in tanto aggiornare la versione di questo programma e può, a sua opzione, rendere questo aggiornamento disponibile per il vostro uso.

10. Termini generali

10.1 La legge e la giurisdizione applicabile al presente contratto è la legge italiana ed il foro esclusivamente competente è il Tribunale di Mantova.

10.2 Comunque se una o più clausole del presente contratto fossero dichiarate non valide da una qualunque corte avente giurisdizione competente, l'invalidità di tale provvedimento non avrà effetto sulla validità degli altri elementi di questo accordo che resteranno pienamente in effetto.

10.3 Questo accordo costituisce l'accordo completo tra voi e Piusi SpA per quanto riguarda questa transazione.

Qualunque variazione a questo accordo deve essere fatta per iscritto, firmata da un rappresentante autorizzato da Piusi SpA.

Doveste avere delle domande riguardanti questo accordo, o se desiderate contattare Piusi SpA per qualunque motivo, fatelo scrivendo a:

Piusi SpA Via Pacinotti, 16/A Rangavino 46029 Suzzara (MN) Italy

Tel. 0039 0376 534561

Fax 0039 0376 536393

Email piusi@piusi.com

Read this notice carefully before downloading, installing and using this program. By clicking "continue" you agree to accept the terms of this agreement, which constitutes a legal contract between the licensor (hereinafter "Piusi SpA") and the licensee.

1. Definitions

1.1 In this agreement, program refers to the computer program and everything linked to it; printed material, online or printed documentation and the software that is included in the package.

1.2 The program is protected by international laws and treaties on intellectual property. Ownership and economic exploitation of the program (including copyrights, trademarks, patent rights or any other kind of intellectual property), as well as all copies deriving from these shall remain property of Piusi SpA

2. Terms and conditions of the contract

The program is given out exclusively by means of the user licence to be used in accordance with the terms of this agreement.

2.1 By installing, copying or using the program in any other way, you agree with the terms and conditions of this agreement.

If you do not agree, you may not use this program and you shall immediately delete any copy of the program in your possession.

3. Rights and obligations

3.1 The agreement is personal and non-transferable, and it is closely linked to the use of Piusi S.p.A. products.

Therefore, this contract may not be transferred.

3.2 Non-observance of the contractual clauses shall result in the cancellation of the contract without any liability for Piusi S.p.A.

3.3 You have the right to terminate the present agreement at any time, by ceasing to use the program, with the corresponding obligation of immediately deleting any copy of the program in your possession.

4. Other rights and obligations

4.1 Except for what is expressly mentioned in this Agreement, it is prohibited to copy, reproduce, publish, rent, lease, modify or create works deriving from the Program, including the export thereof, and it is prohibited to remove any identification marks or properties of the Program.

5. Intellectual property rights

5.1 The Program is protected by copyright laws and other laws governing intellectual property, as well as by international treaties

6. Limited guarantee

6.1 The guarantee on the program is provided as it stands, without any other kind of guarantee, whether implicit or explicit.

In particular, Piusi SpA does not guarantee that the operations carried out by the program shall be free of errors.

6.2 Piusi SpA does not guarantee the Program in terms of reliability, accuracy, up-to-dateness or anything else.

The duration of the guarantee period required by law shall be limited within the terms of the limited guarantee

7. Exclusion of liability for related losses

7.1 under no circumstance shall Piusi SpA or any other party involved in the creation, manufacture, sale or delivery of the Program be considered responsible for accidental damage or damages that might result from the use thereof, or by your inability to use the Program, including, without limitations, damages for losses of company profit, work interruption, loss of company information, computer problems or any other damage, even if the possibility of such damage has been foreseen.

8. Limitation of liability

8.1 Piusi SpA shall, under no circumstance, be liable for an amount exceeding the price paid by you for the Program.

9. Update policy

9.1 Piusi SpA may occasionally update the version of this program and may, at its option, make this update available for your use .

10. General terms and conditions

10.1 This agreement shall be governed by Italian law and the place of jurisdiction shall be the Court of Mantova.

10.2 However, should one or more clauses of the present contract be declared invalid by any court having jurisdiction, the non-validity of said clause shall not affect the validity of the other elements of this agreement, which shall remain fully effective.

10.3 This agreement constitutes the complete agreement between you and Piusi SpA as far as this transaction is concerned.

Any variation to this agreement must be made in writing and signed by a representative that has been authorised by Piusi SpA.

Should you have any questions regarding this agreement, or should you wish to contact Piusi SpA for any reason, you may do so by writing to:

Piusi SpA Via Pacinotti, 16/A Rangavino 46029 Suzzara (MN) Italy

Tel. 0039 0376 534561

Fax 0039 0376 536393

Email piusi@piusi.com



PIUSI[®]

Certified
ISO 9001 / ISO 14001

PIUSI S.p.A.
46029 Suzzara (Mantova) Italy
tel.+39 0376 534561
fax.+39 0376 536393
e-mail: piusi@piusi.com
www.piusi.com