

Dewatering Submersible Pumps 50 Hz

 **Zirantec**




www.zirantec.com



FABBRICA ITALIANA POMPE SOMMERGIBILI S.r.l.

CERTIFICATION



ZIRANTEC Pumps & Motors are from the house of **Fabbrica Italiana Pompe Sommergibili S.r.l.** a four decades old Italian company of high repute, offering complete waste water solutions around the world. Its current product portfolio includes world class Waste Water Pumps of various types, Multistage Centrifugal Pressure Booster Pumps, Borehole Submersible Pumps & Motors, End Suction Centrifugal Pumps, Industrial Pumps for various applications.

Founded as early as 1978 in Rozzano, South of Milan, Italy by Mr.Orfeo Agostini, the company has witnessed steady growth and market expansion continuously ever since. In these four decades of existence, the company has carved a niche for itself in the waste water and sewage pump market in Italy and other countries. Its products are employed in Municipal, Domestic and Industrial applications. The Company is well known for the unique and robust designs of its products and their workmanship. Due to its superior quality **ZIRANTEC** products are also exported to many European, African and Asian countries.

ZIRANTEC's products are conceived, designed and manufactured by well qualified and experienced Italian Pump Engineers in state of the art manufacturing facilities in Italy. These manufacturing plants are accredited with UNI EN ISO 9001:2008 Certification.

Over the years, the company has metamorphosed and ventured into manufacturing of high quality water pumps, for domestic, agricultural and industrial applications. In the due process, **Fabbrica Italiana Pompe Sommergibili S.r.l.** has shed its image of an exclusive sewage and waste water pumps manufacturer to a complete pump production company with an ability to manufacture diverse kinds of pumps for different applications.

Mini Submersible Pump - FMS Series (S.S Body)





SEWAGE



DRAINAGE

Performance Curves & Data



	Model	Power (Watts)	Outlet Size	Solid Handling Capacity (mm)	Max. Flow (m³/h)	Max. Head (m)	Weight (kg)
SEWAGE	FMS - S550	550	1½"	25	8	7	6
	FMS - S750	750	1½"	25	10	8	6.3
	FMS - S900	900	1½"	25	10	9	7
	FMS - S1100	1100	1½"	25	12	10.5	7.8
DRAINAGE	FMS - D400	400	1¼"	5	6	6.5	5
	FMS - D550	550	1¼"	5	7	7.5	5.5
	FMS - D750	750	1¼"	5	9	8.5	5.6
	FMS - D900	900	1¼"	5	10	9	5.8